Some Recent Developments on the Synthesis, Chemical Reactivity, and Theoretical Studies of Tetroxanes

Nelly L. Jorge, Facultad de Ciencias Exactas y Naturales y Agrimensura, Universidad Nacional del Nordeste, Corrientes, Argentina

Alfonso Hernández-Laguna, Instituto Andaluz de Ciencias de la Tierra, Universidad de Granada, Granada, Spain

Eduardo A. Castro, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, La Plata, Argentina

ABSTRACT

The authors present a review on some recent developments on the synthesis, chemical reactivity and theoretical studies of Tetroxanes analysing their main physical chemistry properties. The authors examine the critical points of the PES of different conformers, and reaction paths at singlet ground state and triplet state of the tetroxane, leader member of the cyclic diperoxide compound family.

Keywords: Chemical Reactivity, Synthesis, Synthetic Methods, Tetroxanes, Theoretical Calculations

INTRODUCTION

The synthesis and reactivity of cyclic peroxides have attracted the attention of many investigators (Schulz, 2000; Cafferatta et al., 1984, 1986, 1990, 1991, 1995; Jorge et al., 1994, 1999, 2000, 2001, 2002, 2002; Leiva et al., 1998, 2001; Castellanos et al., 2000; Romero & al, 2005; Gelancha et al., 2004; Oxley et al., 2002; Dubvikova et al., 2005; Hong & Lin, 1996), due to the particular reactivity of the O-O bond.

DOI: 10.4018/ijcce.2013010105

Cyclic diperoxides have been used as efficient sources of radicals for the initiation of radical polymerization reactions (Lockley et al., 2000; Barreto & Eyler, 2007; Cañizo et al., 2004) and the role of cyclic peroxides in the biosynthesis of prostacyclines and thromboxanes is well documented (van Dorp, 1979). Appropriately substituted 1,2,4-trioxanes and 1,2,4,5-tetroxanes display significant antimalarial activities (Jefford et al., 1988, 2000; Vennerstrom et al., 1992, 2000; Posner et al., 1998, 2001; Li et al., 2000; Dechy-Cabaret et al., 2002). Within the realm of biological systems they are particularly

Copyright © 2013, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

important since they take part in transformations associated with cellular decaying, produced by enzymatic self-oxidations due to some peroxidic species.

Several reaction of the decomposition (Cafferatta et al., 1984, 1986, 1990, 1991, 1995; Jorge et al., 2000, 2002; Eyler et al., 1993, 1999, 2000, 2002), thermochemical (Eyler et al., 1999; Murray et al., 1966; Wulz et al., 1970) and quantum-chemical (Jorge et al., 1994, 1999, 2000, 2001, 2002, 2002; Leiva et al., 1998, 2001; Castellanos et al., 2000; Diez & Jubert, 2000) data sets for 1,2,4-trioxanes and 1,2,4,5-tetroxanes are available. Solvent effects on the inversion barrier of 3,3,6,6,-tetramethyl-1,2,4,5-tetroxane (or dimeric acetone peroxide) have been studied (Brune et al., 1971) and a conformational analysis in the liquid phase suggested that the chair conformer is more stable than the twist form (Murray et al., 1966). Although dimeric acetone peroxide has been known for more than 100 years, the crystal structure has been reported for Gelancha et al. in 2004. Groth (1967a, 1967b) reported structures of several dimeric peroxides, but dimeric acetone diperoxide was left undetermined because of a twinning problem.

The aim of the present review work was to provide a complete analysis of the family of 1,2,4,5-tetroxanes, in order to report the findings obtained from experimental reactivity, physicochemical properties and those derived from studies of chemistry quantum calculations.

PREPARATIVE METHODS

The ketone and aldehyde diperoxide (Figure 1 and Figure 2) of the type illustrated in Scheme 2 was prepared from the acid catalysed oxidation of different types of ketones or aldehydes with hydrogen peroxides (about 60% concentration) at temperatures below -10°C (Scheme 1) (Cafferatta et al., 1984, 1986, 1990, 1991, 1995; Jorge et al., 2000, 2001, 2002; Leiva et al., 2001).

The compounds obtained in this way were purified by recristallization and the purity checked by CG and IR analyses.

The molecular configuration of tetroxanes with various substituent groups can be, cis or

Figure 1. Acid catalysed oxidation of different types of ketones or aldehydes with hydrogen peroxides (about 60% concentration) at temperatures below -10°C



Figure 2. Ketone and aldehyde diperoxide



24 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/article/some-recent-developments-synthesis-</u>

chemical/75223

Related Content

A Quantitative Study on Simultaneous Effects of Governing Parameters in Electrospinning of Nanofibers using Modified Neural Network using Genetic Algorithm

Shayan Seyedin, Shima Maghsoodlooand Vahid Mottaghitalab (2017). *International Journal of Chemoinformatics and Chemical Engineering (pp. 20-38).* www.irma-international.org/article/a-quantitative-study-on-simultaneous-effects-of-governing-parameters-in-electrospinning-of-nanofibers-using-modified-neural-network-using-genetic-

algorithm/191172

Energy Conversion Using the Supercritical Steam Cycle

Thomas Schulenberg (2021). Handbook of Research on Advancements in Supercritical Fluids Applications for Sustainable Energy Systems (pp. 659-681). www.irma-international.org/chapter/energy-conversion-using-the-supercritical-steamcycle/259853

Modeling of Fluid Interaction Produced by Water Hammer

Kaveh Hariri Asli, Faig Bakhman Ogli Naghiyev, Soltan Ali Ogli Aliyevand Hoosein Hariri Asli (2011). *International Journal of Chemoinformatics and Chemical Engineering (pp. 29-41).*

www.irma-international.org/article/modeling-fluid-interaction-produced-water/50470

Controlling Electrospinning Jet Using Microscopic Model for Ideal Tissue Engineering Scaffolds

Shima Maghsoodlouand Sulmaz Poreskandar (2016). *International Journal of Chemoinformatics and Chemical Engineering (pp. 1-16).*

www.irma-international.org/article/controlling-electrospinning-jet-using-microscopic-model-forideal-tissue-engineering-scaffolds/177128

Advances in Theoretical Studies on Solid Catalysts for Renewable Energy Production

Rafael Añezand Anibal Sierraalta (2018). *Advanced Solid Catalysts for Renewable Energy Production (pp. 1-32).*

www.irma-international.org/chapter/advances-in-theoretical-studies-on-solid-catalysts-forrenewable-energy-production/196143