Manel Abdelkader Tunis Business School, Tunisia

Mohamed Hamdi School of Communication Engineering (Sup'Com), Tunisia

INTRODUCTION

Cloud computing is clearly one of today's most enticing technology areas due, at least in part, to its costefficiency and flexibility. This technology holds the potential to eliminate the requirements for setting up of excessively expensive computing infrastructure for the IT-based solutions and services that the industry uses. It promises to provide a flexible IT architecture, accessible through Internet for lightweight portable devices.

Cloud computing resources may lie in any corner of the world beyond the reach and control of users, there are multifarious security and privacy challenges that need to be understood and taken care of (Hamdi, 2012). Also, one can never deny the possibility of a server breakdown that has been witnessed, rather quite often in the recent times.

The cost and complexity reduction requirements render the design and development of protection mechanisms even more challenging (Hamdi, 2012). In addition, key design features such as confidentiality, privacy, availability, reliability, resilience, and risk-tolerance are, in some extent, conflicting. The objective of this article is to present the state-of-the-art of cloud security and explore research directions and technology trends to address the protection of cloud communications and networking infrastructures.

BACKGROUND

The Cloud Paradigm

The cloud computing paradigm introduced by the US National Institute for Standards and Technology (NIST) refers to the development and implementation of models for enabling ubiquitous, convenient, on-demand access to a shared set of configurable computing resources (e.g. networks, servers, storage, applications, and services) that can be rapidly provisioned and released with minimal management effort or service provider interaction. The Cloud Computing is based on five essential characteristics, three service models, and four deployment models.

The Cloud Computing is based on five essential characteristics which are:

- **On-demand self-service:** A consumer can unilaterally provision computing capabilities, such as server time and network storage, as needed automatically without requiring human interaction with each service provider.
- **Broad network access:** Capabilities are available over the network and accessed through standard mechanisms that promote use by

heterogeneous thin or thick client platforms (e.g., mobile phones, tablets, laptops, and workstations).

- **Resource pooling:** The provider's computing resources are pooled to serve multiple consumers using a multi-tenant model, with different physical and virtual resources dynamically assigned and reassigned according to consumer demand. Examples of resources include storage, processing, memory, and network bandwidth.
- Rapid elasticity: Consumers of cloud resources can flex their use of computer resources (process, storage, bandwidth, and memory) as needed (Winkler, 2011). Capabilities can be elastically provisioned and released to scale rapidly outward and inward commensurate with demand. To the consumer, the capabilities available for provisioning often appear to be unlimited and can be appropriated in any quantity at any time.
- Measured service: Cloud systems automatically control and optimize resource use by leveraging a metering capability at some level of abstraction appropriate to the type of service (e.g., storage, processing, bandwidth, and active user accounts). Resource usage can be monitored, controlled, and reported, providing transparency for both the provider and consumer of the utilized service.

Service Models

Cloud computing utilizes three service models by which different types of services are delivered to the end user (Subashini & Kavitha, 2011). The different models have different strengths and are suitable for different customers and business objectives.

• Infrastructure as a Service (IaaS): IaaS provides fundamental computing resources such as processing, storage and network where the client can deploy and run arbitrary software. He needs not own the infrastructure supporting services and does not manage or control it.

Virtualization plays a key role in this process (Kounev & Reinecke, 2012) by having each server host multiple independent virtual machines (VMs) managed by a Virtual Machine Monitor (VMM) often referred to as a Hypervisor.

- Platform as a Service (PaaS): PaaS provides a set of programming languages, libraries, services and tools of development for deploying applications created by the customer, who is able to control and manage them. It offers developers a service that provides a complete software development lifecycle management (Subashini & Kavitha, 2011), from planning to design to building applications to deployment to testing to maintenance.
- Software as a Service (SaaS): SaaS is a software deployment model where applications are running on a cloud infrastructure and accessible from various client devices. The customer can apply limited user-specific application configuration settings but has no access control or management of the internal infrastructure. The SaaS model offers the customers significant benefits (Subashini & Kavitha, 2011), such as improved operational efficiency and reduced costs.

Deployment Models

There models are offered in four ways depending upon the users' requirements, namely, a public, private, hybrid and community cloud.

• **Public Cloud:** A public cloud provides shared resources owned and managed by a third party over the Internet for the general public. This model offers the greatest level of efficiency but

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/security-of-cloud-computing/112551

Related Content

New Media Interactive Design Visualization System Based on Artificial Intelligence Technology Binbin Zhang (2023). International Journal of Information Technologies and Systems Approach (pp. 1-14). www.irma-international.org/article/new-media-interactive-design-visualization-system-based-on-artificial-intelligencetechnology/326053

Secure Routing Protocols for Wireless Adhoc Networks

Kannan Balasubramanianand S. Amutha (2015). *Encyclopedia of Information Science and Technology, Third Edition (pp. 1475-1484).* www.irma-international.org/chapter/secure-routing-protocols-for-wireless-adhoc-networks/112549

Collaboration Network Analysis Based on Normalized Citation Count and Eigenvector Centrality

Anand Bihari, Sudhakar Tripathiand Akshay Deepak (2019). International Journal of Rough Sets and Data Analysis (pp. 61-72).

www.irma-international.org/article/collaboration-network-analysis-based-on-normalized-citation-count-and-eigenvectorcentrality/219810

A Service Oriented Architecture for Coordination in Collaborative Environments

Beatriz Jiménez Valverde, Miguel Sánchez Román, Francisco L. Gutiérrez Velaand Patricia Paderewski Rodríguez (2011). *International Journal of Information Technologies and Systems Approach (pp. 79-92).* www.irma-international.org/article/service-oriented-architecture-coordination-collaborative/51370

Semantic and Formal Representation of Cognitive Models for the Metacognitive Architecture CARINA

Alba J. Jerónimo, María P. Barrera, Manuel F. Caroand Adán A. Gómez (2021). *Encyclopedia of Information Science and Technology, Fifth Edition (pp. 54-72).*

www.irma-international.org/chapter/semantic-and-formal-representation-of-cognitive-models-for-the-metacognitivearchitecture-carina/260175