

Chapter 4

The Bees Algorithm and Its Applications

Baris Yuce
Cardiff University, UK

Michael S. Packianather
Cardiff University, UK

Ernesto Mastrocinque
Royal Holloway, University of London, UK

Alfredo Lambiase
University of Salerno, Italy

Duc Truong Pham
University of Birmingham, UK

ABSTRACT

The Bees Algorithm (BA) is a swarm-based optimization algorithm inspired by the food foraging behavior of honeybees. The aim of this chapter is to describe a swarm-based optimization algorithm called the Bees Algorithm and its applications to real world problems. After an explanation of the natural foraging behavior of honeybees, the basic Bees Algorithm and its enhanced version based on Adaptive Neighborhood Search and Site Abandonment (ANSSA) strategy are described and two applications are discussed in detail. The first application deals with the optimization of several benchmark functions and the results obtained by the ANSSA-based BA is compared with the basic BA and other optimization algorithms. The second application deals with the multi-objective optimization problem in finding the best supply chain configuration.

INTRODUCTION

Optimization is a mathematical technique for finding fittest / best solution to a problem. Optimization has been utilized in many fields such as engineering, physics, chemistry, manufacturing, energy, economy, computer science, logistics, robotics, finance, medicine. Several types of optimization techniques have been proposed in the literature. However there is not a single optimization technique that can claim to be suitable for all types of problems (Wolpert & Macready, 1997). In literature optimization techniques have been classified into two main groups according to their variable types, as deterministic and stochastic techniques (Yuce, 2012).

DOI: 10.4018/978-1-4666-7258-1.ch004

Deterministic techniques are straightforward techniques to solve the problems in polynomial time. In literature, several types of deterministic techniques has been proposed such as, State Space (Weise, 2009), Algebraic Geometry (Tayur et al., 1995) and Branch Bound (Horst and Tuy, 1996). However, when there is no solution in polynomial time with deterministic techniques, stochastic techniques play an important role to solve problems with stochastic variables. In literature the most famous stochastic techniques are Evolutionary Algorithms (i.e. the Genetic Algorithm (Back, 1996)), Ant Colony Optimization (Dorigo & Di Caro, 1999), Particle Swarm Optimization (Kennedy & Eberhart, 1995), Simulated Annealing (Koppen et al., 2011), Tabu Search (Pham & Karaboga, 2000)) and the Bee inspired Algorithm (ie. The Bees Algorithm (Pham et al., 2005; Pham et al., 2007; Yuce et al, 2013), Artificial Bees Algorithms (Karaboga, 2005; Karaboga & Basturk, 2007; Karaboga & Basturk, 2008; Tsai et al., 2009).

The Bees Algorithm belongs to the family of swarm-based optimization algorithms which derives its intelligence based on the collective problem solving capabilities of social animals such as birds, fish and ants (Bornabeau et al., 1999). Swarm Intelligence helps these social animals to self-organize themselves and more importantly to interact and communicate with each other with some common purpose.

According to Bonabeau et al. (Bornabeau et al., 1999), swarms achieve self-organization through the following four elements; positive feedback (amplification), negative feedback, randomness, and multiple interactions. The honey bees in nature have been found to achieve self-organization through similar elements which are recruitment, abandonment, scouting and waggle dance.

A bee colony in nature is made up of scout bees, which fly around randomly, and worker bees, which are recruited from the hive by the returning scout bees. The bees use positive feedback as a mechanism to recruit new worker bees to promising flower patches. Through negative feedback depleted and not so promising flower patches are abandoned by the worker bees. The randomness is achieved in particular by the scout bees due to their constant search, in all directions and distances from the hive, to discover new promising flower patches. The scout bees which have found promising flower patches return to the hive and perform waggle dance watched by other bees in the hive causing multiple interactions between the individuals. These four elements form the basis of the Bees Algorithm giving it the power to conduct global search (exploration), local search (exploitation), recruitment, interaction and convergence to optimal solution. The Bees Algorithm has some features in common with other swarm-based optimization algorithms.

Swarm-based Optimization Algorithms (SOAs) search through a population of solutions at every iteration while non swarm-based algorithms such as hill climbing and random walk deal with individual candidates (Koc, 2010). Hence, SOAs are capable of converging to all optimums when the search space contains multi--optimum solutions.

This chapter focuses on one of the famous Bee inspired algorithms, the Bees Algorithm (BA) and its applications. The Bees algorithm was inspired from the natural foraging behavior of honey bees to find the optimal solution using both exploitative local search and explorative global search strategies. The BA has been successfully applied on several optimization problems such as, neural network training (Pham et al., 2006a), multi-objective optimization (Pham & Ghanbarzadeh, 2007), manufacturing cell formation (Pham et al., 2007a), job shop scheduling for a machine (Pham et al., 2007b), data clustering (Pham et al., 2007c), optimizing the design of mechanical components (Pham et al., 2007d), image analysis (Yuce, 2012) and supply chain optimization (Mastrocinque et al., 2013). In particular two applications are discussed: continuous type benchmark function optimization (Yuce, 2012, Yuce et al., 2013) and multi-objective optimization of supply chain (Mastrocinque et al., 2013).

28 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/the-bees-algorithm-and-its-applications/123078

Related Content

A New Hybrid Model of Deep Learning ResNeXt-SVM for Weed Detection: Case Study

Brahim Jabir and Nouredine Falih (2022). *International Journal of Intelligent Information Technologies* (pp. 1-18).

www.irma-international.org/article/a-new-hybrid-model-of-deep-learning-resnext-svm-for-weed-detection/296269

Modeling and Analysis of Data Prediction Technique Based on Linear Regression Model (DP-LRM) for Cluster-Based Sensor Networks

Arun Agarwal, Khushboo Jain and Amita Dev (2021). *International Journal of Ambient Computing and Intelligence* (pp. 98-117).

www.irma-international.org/article/modeling-and-analysis-of-data-prediction-technique-based-on-linear-regression-model-dp-lrm-for-cluster-based-sensor-networks/289628

Harnessing Big Data Analytics for Strategic Tourism Development and Marketing: Transforming Visitor Insights Into Competitive Advantage

Rituraj Jain, Kumar J. Parmar, Damodharan Palaniappan and T. Premavathi (2025). *Redefining Tourism With AI and the Metaverse* (pp. 373-398).

www.irma-international.org/chapter/harnessing-big-data-analytics-for-strategic-tourism-development-and-marketing/372147

A Conceptual Security Framework for Cloud Computing Issues

Shadi A. Aljawarneh and Muneer O. Bani Yassein (2016). *International Journal of Intelligent Information Technologies* (pp. 12-24).

www.irma-international.org/article/a-conceptual-security-framework-for-cloud-computing-issues/152303

Evolutionary Algorithm With Self-Learning Strategy for Generation of Adversarial Samples

Aruna Animish Pavate and Rajesh Bansode (2022). *International Journal of Ambient Computing and Intelligence* (pp. 1-21).

www.irma-international.org/article/evolutionary-algorithm-with-self-learning-strategy-for-generation-of-adversarial-samples/300797