Chapter 13 Management of Drought and Floods in the Dobrogea Region

Lucica Roşu

Constanta Maritime University, Romania

Lavinia Istratie Macarov

Ovidius University of Constanta, Romania

ABSTRACT

Dobrogea is a region of Romania with a high economic potential, partly due to its advantageous geographical position between the Danube and the Black Sea. Nevertheless, in the last decency, there have been significant social and economic damages due to the successive waves of excessive droughts and catastrophic floods, results of obvious climate changes. In order to avoid damages from future climatic events, Dobrogea has been included in the plans, programmes of measures and future actions, which include monitoring and early warning systems and proactive risk management measures. Furthermore, the institutional and administrative structures are designing preparedness plans aimed at increasing the adaptive capacity, as well as effective emergency response programmes, aimed at reducing the impact of droughts and floods. In this chapter is presented information on the national policies applied at regional and local level in Dobrogea, aimed at reducing the risk of droughts and floods.

DOI: 10.4018/978-1-4666-8438-6.ch013

INTRODUCTION

The Dobrogea Region is located in the *Dobrogea – Littoral catchment basin* of south-eastern Romania (Figure 1). Its limits are the Danube river (the branches Ostrov, Dunarea, Dunarea Veche Chilia – on the border with the Republic of Moldova and with Ukraine), to the south the border with Bulgaria, and to the east the Black Sea. In the south-west, it neighbors the Buzau-Ialomita catchment, and on a small portion in the north-east, the Prut catchment. The 11,809km² surface of the *Dobrogea – Littoral catchment basin* is distributed administratively in Constanta County (7,071km² with 42.68% of the hydrographic area), Tulcea County (3,742 km² with 22.59% of the hydrographic area) and the Great Braila Island of Braila County (of 996 km² with 6.01% of the hydrographic area). In this area, there are approximately 959,000 inhabitants, with a density of 81 inhabitants/km².

The relief of the Dobrogea - Littoral catchment basin overlaps the geographic area of the Dobrogea Plateau (with the subunits Northern Dobrogea Plateau, Southern Dobrogea Plateau and Central Dobrogea Plateau) and the Danube Delta. The



Figure 1. Dobrogea-Littoral catchment basin

39 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/management-of-drought-and-floods-inthe-dobrogea-region/131536

Related Content

Giving Waste a Second Chance: Public Awareness and Youth Empowerment

Shlrene Quaik, Asha Embrandiri, Kaizar Hossainand Norli Ismail (2017). *Environmental Issues Surrounding Human Overpopulation (pp. 155-171).* www.irma-international.org/chapter/giving-waste-a-second-chance/173311

Composition of Leachate

Shuokr Qarani Azizand Amin Mojiri (2016). *Control and Treatment of Landfill Leachate for Sanitary Waste Disposal (pp. 145-172).*www.irma-international.org/chapter/composition-of-leachate/141851

Formation and Predictive Assessment of Drained Lands Water Regime of Ukraine Polesie Zone

Nataliia Prykhodko, Roman Koptyuk, Lyudmyla Kuzmychand Anna Kuzmych (2023). Handbook of Research on Improving the Natural and Ecological Conditions of the Polesie Zone (pp. 51-74).

www.irma-international.org/chapter/formation-and-predictive-assessment-of-drained-lands-water-regime-of-ukraine-polesie-zone/324031

Impact of Climatic Changes on Earth's Survival: An Analysis of Changing Environment and Its Consequences at a Global Level

Akashand Navneet (2019). Climate Change and Its Impact on Ecosystem Services and Biodiversity in Arid and Semi-Arid Zones (pp. 160-182).

www.irma-international.org/chapter/impact-of-climatic-changes-on-earths-survival/223761

Design and Implementation of a Fuzzy Inference Model for Mapping the Sustainability of Energy Crops

Fausto Cavallaroand Luigi Ciraolo (2015). Soft Computing Applications for Renewable Energy and Energy Efficiency (pp. 47-68).

www.irma-international.org/chapter/design-and-implementation-of-a-fuzzy-inference-model-for-mapping-the-sustainability-of-energy-crops/121391