### **Business Model Application of UML Stereotypes**

#### Daniel Brandon, Jr.

Christian Brothers University, USA

#### **OVERVIEW**

The UML (Unified Modeling language) has become a standard in design of object-oriented computer systems (Schach 2004). UML provides for the use of stereotypes to extend the utility of its base capabilities. In the design and construction of business systems, the use of stereotypes is particularly useful stereotypes, and this article defines and illustrates these.

#### **UML STEREOTYPES**

"Stereotypes are the core extension mechanism of UML. If you find that you need a modeling construct that isn't in the UML but it is similar to something that is, you treat your construct as a stereotype" (Fowler & Kendall, 2000). The stereotype is a semantic added to an existing model element and diagrammatically it consists of the stereotype name inside of guillemots (a.k.a., chevrons) within the selected model element. The guillemot looks like a double angle bracket (<< ... >>), but it is a single character in extended font libraries (Brown, 2002). The UML defines about 40 of these stereotypes such as "<<br/>becomes>>", "<<iinclude>>", and "<<signal>" (Scott, 2001). However, these 40 standard stereotypes are not particularly useful in business models and do not add the meaning necessary for automatic code generation in a UML CASE tool.

One common general use of the stereotype is for a metaclass. A metaclass is a class whose instances are

classes, and these are typically used in systems in which one needs to declare classes at run time (Eriksson & Penker, 1998). A similar general use is for powertypes. A powertype is an object type (class) whose instances are subtypes of another object type. Figure 1 shows an example of the use of stereotypes for powertypes (Martin & Odell, 1998).


## USER DEFINED STEREOTYPES FOR BUSINESS SYSTEMS

In the design of business systems we have found some stereotypes that were useful, and two stereotypes that are extremely useful. When defining stereotypes it is necessary to describe (Eriksson & Penker, 1998):

- 1. on which (UML) element the user-defined stereotype should be based;
- the new semantics the stereotype adds or refines;
- 3. pne or more examples of how to implement the user-defined stereotype.

A common use of stereotypes in business systems is for interfaces as found in Java or CORBA; this is shown in Figure 2. An interface typically has public functionality but not data (unless holding data for global constants). The class model element has been modified with the "<<interface>>" notation. This is commonly used for

Figure 1.



UML CASE products that do not have separate interface symbols or where these symbols do not allow data (i.e., global constants).

Still another common stereotype usage in business systems is to clarify or extend a relationship. Figure 3 shows a stereotype called "history" which implies a "many" cardinality for history purposes, that is, each person has zero or one current employers but may have many employers in terms of the employee's history. It may imply some common functionality upon code generation such as (Fowler & Kendall, 2000):

Company Employee::getCompany(Date);

#### **CODE WRITING AND GENERATION**

Most modern UML CASE (Computer Aided Software Engineering) products can generate "skeleton" classes from the UML class diagrams and possibly other diagrams. For business systems design, we need to write the code for our classes (usually implemented in Java or C++) based on both the Structural Model (UML Class Diagram) and the Dynamic Model (UML Activity Diagram). This process is shown in Figure 4. It is very important that consistency between the two diagrams is achieved.

Many such CASE products allow the user to write their own "class generation scripts" in some proprietary scripting language or in a general scripting language (i.e., Python). With user defined stereotypes, the user can

Figure 2.





Figure 3.



Figure 4.



# 4 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/business-model-application-umlstereotypes/14257

#### Related Content

### Application of an Improved Clustering Algorithm of Neural Networks in Performance Appraisal Systems

Yun Yi (2022). Journal of Cases on Information Technology (pp. 1-20).

www.irma-international.org/article/application-of-an-improved-clustering-algorithm-of-neural-networks-in-performance-appraisal-systems/304385

#### A New Progressive Method for Computing Skyline Queries

Zekri Lougmiri (2017). *Journal of Information Technology Research (pp. 1-21)*. www.irma-international.org/article/a-new-progressive-method-for-computing-skyline-queries/182709

#### Managing Strategic IT Investment Decisions From IT Investment Intensity to Effectiveness

Tzu-Chuan Chou, Robert G. Dysonand Philip L. Powell (2002). *Advanced Topics in Information Resources Management, Volume 1 (pp. 141-157).* 

www.irma-international.org/chapter/managing-strategic-investment-decisions-investment/4583

## 3D MIMO Beamforming Using Spatial Distance SVM Algorithm and Interference Mitigation for 5G Wireless Communication Network

Ranjeet Yadavand Ashutosh Tripathi (2022). *Journal of Cases on Information Technology (pp. 1-26)*. www.irma-international.org/article/3d-mimo-beamforming-using-spatial-distance-svm-algorithm-and-interference-mitigation-for-5g-wireless-communication-network/296717

### Breaking the Ice: Organizational Culture and the Implementation of a Student Management System

Lindsay H. Stuart, Ulrich Remusand Annette M. Mills (2011). *Journal of Cases on Information Technology* (pp. 1-14).

www.irma-international.org/article/breaking-ice-organizational-culture-implementation/53553