

Chapter 24

TOPSIS in Generalized Intuitionistic Fuzzy Environment

Amal Kumar Adak

Jafuly Deshpren High School (H.S.), India

Monoranjan Bhowmik

Asam Central University (Silchar), India

Debashree Manna

Damda Jr. High School, India

Madhumangal Pal

Vidyasagar University, India

ABSTRACT

The aim of this chapter is to investigate the multiple attribute decision making problems to a selected project with generalized intuitionistic fuzzy information in which the information about weights is completely known and the attributes values are taken from the generalized intuitionistic fuzzy environment. Here, we extend the technique for order performance by similarity to ideal solution (TOPSIS) for the generalized intuitionistic fuzzy data. In addition, obtained the concept of possibility degree of generalized intuitionistic fuzzy numbers and used to solve ranking alternative in multi-attribute decision making problems.

INTRODUCTION

A lot of multiple criteria decision making (MCDM) approaches have been developed and applied to diverse fields, like engineering, management, economics etc. As one of the known classical MCDM approaches, TOPSIS (technique for the order preference by similarity to ideal solution) was first developed by Hwang and Yoon (1981). The primary concept of TOPSIS approach is that the most preferred alternative should not only have the shortest distance from the positive ideal solution but also have the farthest distance from the negative ideal solution. The advantages for the TOPSIS include (a) simple, rationally, comprehensive concept, (b) good computational efficient, (c) ability to measure the relative performance for each alternative in a simple mathematical form.

Zadeh (1965) introduced first the theory of fuzzy sets. Later on, many researchers have been working on the process of dealing with fuzzy decision making problems by applying fuzzy set theory. Atanassov (1986) introduced the concept of intuitionistic fuzzy sets (IFSs). IFSs are proposed using two characteristic functions expressing the degree of membership and the degree of non-membership of elements

DOI: 10.4018/978-1-4666-9644-0.ch024

of the universal set to the IFS. Adak (2011b, 2012b) *et al.* investigated some interesting properties of intuitionistic fuzzy sets and matrices. Mondal and Samanta (2002) defined generalized intuitionistic fuzzy sets (GIFSs). Motivated by the definition of GIFSs, Bhowmik (2008) investigated generalized intuitionistic fuzzy matrices (GIFMs). Generalized intuitionistic fuzzy matrices has been applied in multi-criteria decision making problem including conflicting criteria such as political environment, proximity to markets and customers, quality of life issues, culture issues, etc.

In this chapter, we introduce the concept of generalized intuitionistic fuzzy preference relation and develop the TOPSIS method in multi-criteria decision making problem with generalized intuitionistic fuzzy information.

BACKGROUND

Decision-making problems are the process of finding the best option from all of the feasible alternatives. In almost all such problems the multiplicity of criteria for judging the alternatives is pervasive. That is for many such problems, the decision maker wants to solve a multiple criteria decision making (MCDM) problem. Technique for order performance by similarity to ideal solution (TOPSIS), one of the known classical MCDM method, was first developed by Hwang and Yoon [16] for solving a MCDM problem. It bases upon the concept that the chosen alternative should have the shortest distance from the positive ideal solution (PIS) and the farthest from the negative ideal solution (NIS). In the process of TOPSIS, the performance ratings and the weights of the criteria are given as crisp values.

Under many conditions, crisp data are inadequate to model real-life situations. Since human judgments including preferences are often vague and cannot estimate his preference with an exact numerical value. A more realistic approach may be to use linguistic assessments instead of numerical values, that is, to suppose that the ratings and weights of the criteria in the problem are assessed by means of linguistic variables. In this paper, we further extended the concept of TOPSIS to develop a methodology for solving multi-person multi-criteria decision-making problems in generalized intuitionistic fuzzy environment. Considering the generalized intuitionistic fuzziness in the decision data and group decision-making process, linguistic variables are used to assess the weights of all criteria and the ratings of each alternative with respect to each criterion. We can convert the decision matrix into a generalized intuitionistic fuzzy decision matrix and construct a weighted normalized generalized intuitionistic fuzzy decision matrix once the decision makers' generalized intuitionistic fuzzy ratings have been pooled. According to the concept of TOPSIS, we define the generalized intuitionistic fuzzy positive ideal solution (GIFPIS) and the generalized intuitionistic fuzzy negative ideal solution (GIFNIS). Using the mathematical formula, we calculate the distance of each alternative from GIFPIS and GIFNIS, respectively. Finally, a closeness co-efficient of each alternative is defined to determine the ranking order of all alternatives. The higher value of closeness co-efficient indicates that an alternative is closer to GIFPIS and farther from GIFNIS simultaneously.

PRELIMINARIES

Here we recall some preliminaries, definitions of IFSs and GIFSs. Also, we define Hamming distance between two GIFSs.

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/topsis-in-generalized-intuitionistic-fuzzy-environment/147532

Related Content

Cloud Computing as the Useful Resource for Application of the Medical Information System for Quality Assurance Purposes

Ekaterina Kldiashvili (2016). *International Journal of Computers in Clinical Practice* (pp. 1-23).

www.irma-international.org/article/cloud-computing-as-the-useful-resource-for-application-of-the-medical-information-system-for-quality-assurance-purposes/153610

Verification of Attributes in Linked Lists Using Ant Colony Metaphor

Soumya Banerjee and P. K. Mahanti (2010). *Evolutionary Computation and Optimization Algorithms in Software Engineering: Applications and Techniques* (pp. 220-228).

www.irma-international.org/chapter/verification-attributes-linked-lists-using/44378

Optimizing With Intelligence: Harnessing AI and ML Algorithms for Real-World Solutions

Saydulu Kolasani (2024). *Practical Applications of Data Processing, Algorithms, and Modeling* (pp. 190-204).

www.irma-international.org/chapter/optimizing-with-intelligence/345810

Using a Bio-Inspired Algorithm to Resolve the Multiple Sequence Alignment Problem

El-amine Zemali and Abdelmadjid Boukra (2016). *International Journal of Applied Metaheuristic Computing* (pp. 36-55).

www.irma-international.org/article/using-a-bio-inspired-algorithm-to-resolve-the-multiple-sequence-alignment-problem/160742

Parallel Scatter Search Algorithms for Exam Timetabling

Nashat Mansour and Ghia Sleiman-Haidar (2013). *Trends in Developing Metaheuristics, Algorithms, and Optimization Approaches* (pp. 169-187).

www.irma-international.org/chapter/parallel-scatter-search-algorithms-exam/69724