# Chapter 29 Innovative Hierarchical Fuzzy Logic for Modelling Using Evolutionary Algorithms

**M. Mohammadian** University of Canberra, Australia

**R. J. Stonier** University of Canberra, Australia

# ABSTRACT

This paper considers issues in the design and construction of a fuzzy logic system to model complex (nonlinear) systems. Several important applications are considered and methods for the decomposition of complex systems into hierarchical and multi-layered fuzzy logic sub-systems are proposed. The learning of fuzzy rules and internal parameters is performed using evolutionary computing. The proposed method using decomposition and conversion of systems into hierarchical and multi-layered fuzzy logic sub-systems reduces greatly the number of fuzzy rules to be defined and improves the learning speed for such systems. However such decomposition is not unique and may give rise to variables with no physical significance. This can raise then major difficulties in obtaining a complete class of rules from experts even when the number of variables is small. Application areas considered are: the prediction of interest rate, hierarchical control of the inverted pendulum, robot control, feedback boundary control for a distributed optimal control system and image processing.

## **1. INTRODUCTION**

Conventional modelling approaches have been to construct a mathematical model and examine the system's evolution or its control. Such approaches fail are not completely successful for many of the very large non-linear and complex systems such as for example robotic systems with large input-output data. These systems have typically high dimensionality and have degrees of uncertainty in many parameters. Progress in solving these problems has been with the aid of new advanced high-speed computers and the application of artificial intelligence paradigms, particularly neural networks and fuzzy logic for

DOI: 10.4018/978-1-4666-9644-0.ch029

#### Innovative Hierarchical Fuzzy Logic for Modelling Using Evolutionary Algorithms

nonlinear modelling and evolutionary algorithms for optimisation methods. Application of fuzzy logic in particular, to model and solve industrial problems is now wide spread and has universal acceptance.

Fuzzy logic systems typically have a knowledge base consisting of a set of rules of the form:

If 
$$(x_1 \text{ is } A_1^{\ell} \text{ and } x_2 \text{ is } A_2^{\ell} \text{ and } \cdots \text{ and } x_n \text{ is } A_n^{\ell})$$
  
Then  $(z_1 \text{ is } B_1^{\ell} \text{ else } z_2 \text{ is } B_2^{\ell} \text{ else } \cdots \text{ else } z_m \text{ is } B_m^{\ell})$ 

where  $A_k^{\ell}$ , k=1,...,n are normalised fuzzy sets for *n* input variables  $x_k$ , k=1,...,n, and where  $B_k^{\ell}$ , k=1,...,m are normalised fuzzy sets for *m* output variables  $z_k$ , k=1,...,m. The heart of the fuzzy logic system is the inference engine that applies principles of intelligent human reasoning to interpret the rules to output an action from inputs. There are many types of inference engines in the literature, including the popular Mamdani inference engine (Wang, 1997).

Given a fuzzy rule base with *M* rules and *n* antecedent variables, a fuzzy controller as given in Equation 1 uses a singleton fuzzifier, Mamdani product inference engine and centre average defuzzifier to determine output variables, has the general form for a single output variable, say  $z_k$ :

$$z_{k} = \frac{\sum_{\ell=1}^{M} \overline{y}_{k}^{\ell} \left(\prod_{i=1}^{n} \mu_{A_{i}^{\ell}}(x_{i})\right)}{\sum_{\ell=1}^{M} \left(\prod_{i=1}^{n} \mu_{A_{i}^{\ell}}(x_{i})\right)}$$
(1)

where  $\overline{y}_k^{\ell}$  are centres of the output sets  $B_k^{\ell}$  and membership function  $\mu$  defines for each fuzzy set  $A_i^{\ell}$  the value of  $x_i$  in the fuzzy set, namely,  $\mu_{A_i^{\ell}}(x_i)$ . Common shapes of the membership function are typically, triangular, trapezoidal and Gaussian. A first step in the construction of a fuzzy logic system is to determine which variables are fundamentally important. Any number of these decision variables may appear, but the more that are used, the larger the rule set that must be found. It is known (Raju, Zhou & Kisner, 1990), that the total number of rules in a system is an exponential function of the number of system variables. This curse of dimensionality can be handled in a variety of ways:

- 1. Fusing variables before input into the inference engine, thereby reducing the number of rules in the knowledge base,
- 2. Grouping the rules into prioritised levels to design hierarchical or multi-layered structures,
- 3. Reducing the size of the inference engine directly using notions of passive decomposition of fuzzy relations, and
- 4. Decomposing the system into a finite number of reduced-order subsystems, eliminating the need for a large-sized inference engine.

In this paper we shall concentrate our discussion on (2). In a hierarchical fuzzy logic structure (HFLS), typically the most influential parameters are chosen as the system variables in the first level, the next most important parameters are chosen as the system variables in the second level, and so on, (Raju & Zhou, 1993). In this hierarchy, the first level gives an approximate output which is then modified by the

25 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/innovative-hierarchical-fuzzy-logic-for-modellingusing-evolutionary-algorithms/147537

## **Related Content**

## Texture-Based Land Cover Classification Algorithm Using Hidden Markov Model for Multispectral Data

Jenicka S (2018). Handbook of Research on Emergent Applications of Optimization Algorithms (pp. 579-613).

www.irma-international.org/chapter/texture-based-land-cover-classification-algorithm-using-hidden-markov-model-formultispectral-data/190177

#### A PSO Algorithm Based Task Scheduling in Cloud Computing

Mohit Agarwaland Gur Mauj Saran Srivastava (2019). International Journal of Applied Metaheuristic Computing (pp. 1-17).

www.irma-international.org/article/a-pso-algorithm-based-task-scheduling-in-cloud-computing/234684

## A Hybrid Meta-Heuristic Algorithm for Dynamic Spectrum Management in Multiuser Systems: Combining Simulated Annealing and Non-Linear Simplex Nelder-Mead

Hernan X. Cordovaand Leo Van Biesen (2011). *International Journal of Applied Metaheuristic Computing* (pp. 29-40).

www.irma-international.org/article/hybrid-meta-heuristic-algorithm-dynamic/62304

### Hybridizing Bees Algorithm with Firefly Algorithm for Solving Complex Continuous Functions

Mohamed Amine Nemmich, Fatima Debbatand Mohamed Slimane (2020). *International Journal of Applied Metaheuristic Computing (pp. 27-55).* 

www.irma-international.org/article/hybridizing-bees-algorithm-with-firefly-algorithm-for-solving-complex-continuousfunctions/247056

### Modeling a Classification Scheme of Epileptic Seizures Using Ontology Web Language

Bhaswati Ghosh, Partha S. Ghoshand Iftikhar U. Sikder (2012). *Innovations in Data Methodologies and Computational Algorithms for Medical Applications (pp. 44-59).* www.irma-international.org/chapter/modeling-classification-scheme-epileptic-seizures/65151