Chapter 11 On Mutual Relations amongst Evolutionary Algorithm Dynamics and Its Hidden Complex Network Structures: An Overview and Recent Advances

Ivan Zelinka VSB Technical University of Ostrava, Czech Republic

ABSTRACT

In this chapter, we do synthesis of three partially different areas of research: complex networks, evolutionary computation and deterministic chaos. Ideas, results and methodologies reported and mentioned here are based on our previous results and experiments. We report here our latest results as well as propositions on further research that is in process in our group (http://navy.cs.vsb.cz/). In order to understand what is the main idea, lets first discuss an overview of the two main areas: complex networks and evolutionary algorithms.

1. INTRODUCTION

In this chapter synthesis of two partially different areas of research is done: complex networks and evolutionary algorithms dynamics. The possibility to convert evolutionary dynamics of various evolutionary algorithms into complex network structure is discussed in this chapter (the case study on differential evolution is done in the next chapter), as well as possibilities of its analysis (via complex networks math. tools) and control. Ideas, results and methodologies reported and mentioned here are based on our previous results and experiments that are fully reported here for detailed study in case of reader's interest. Therefore this chapter is proposed as an overview-survey of this research. We report here our latest results as well as propositions on further research that is in process in our group (http://navy.cs.vsb.cz/).

DOI: 10.4018/978-1-5225-0788-8.ch011

It is clear that topic discussed here is a fusion of two significantly distinct areas, thus for better understanding of evolutionary algorithms and dynamics it is recommended to read Zelinka I. et.al. 2010. In order to understand what the main idea is, let's first discuss an overview of the two contributing areas: complex networks and evolutionary algorithms. Because this book is devoted to complex networks, we will focus more attention on evolutionary algorithms.

Large-scale networks, exhibiting complex patterns of interaction amongst vertices exist in both nature and in man-made systems (i.e., communication networks, genetic pathways, ecological or economical networks, social networks, networks of various scientific collaboration, Internet, World Wide Web, power grid etc.). The structure of complex networks thus can be observed in many systems. The title "complex networks" (Dorogovtsev S. N., 2002; Boccaletti S., et. al., 2006) comes from the fact that they exhibit substantial and non-trivial topological features with patterns of connection between vertices that are neither purely regular nor purely random. Such features include a heavy tail in the degree distribution, a high clustering coefficient and hierarchical structure, amongst other features. In the case of directed networks, these features also include reciprocity, triad significance profile and other features. Amongst many studies, two well-known and much studied classes of complex networks are the scale-free networks and small-world networks (see examples in Figure 1 and Figure 2), whose discovery and definition are vitally important in the scope of this research. Specific structural features can be observed in both

Figure 1. Example of a complex network



23 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-global.com/chapter/on-mutual-relations-amongst-evolutionary-</u> algorithm-dynamics-and-its-hidden-complex-network-structures/161030

Related Content

Computational Approaches for Modeling Intrinsic Noise and Delays in Genetic Regulatory Networks

Manuel Barrio, Kevin Burrage, Pamela Burrage, André Leierand Tatiana Márquez Lago (2010). *Handbook of Research on Computational Methodologies in Gene Regulatory Networks (pp. 169-197).* www.irma-international.org/chapter/computational-approaches-modeling-intrinsic-noise/38235

Simulation and ABC to Improve the Performance of Emergency Department

Abbas Al-Refaie, Mohammed Shurraband Ming-Hsien Li (2012). *International Journal of Artificial Life Research (pp. 15-31).*

www.irma-international.org/article/simulation-and-abc-to-improve-the-performance-of-emergency-department/81211

Nature-Inspired Informatics for Telecommunication Network Design

Sergio Nesmachnow, Héctor Cancelaand Enrique Alba (2010). *Nature-Inspired Informatics for Intelligent Applications and Knowledge Discovery: Implications in Business, Science, and Engineering (pp. 323-371).* www.irma-international.org/chapter/nature-inspired-informatics-telecommunication-network/36322

Performance Analysis of Classifiers on Filter-Based Feature Selection Approaches on Microarray Data

Arunkumar Chinnaswamyand Ramakrishnan Srinivasan (2017). *Bio-Inspired Computing for Information Retrieval Applications (pp. 41-70).*

www.irma-international.org/chapter/performance-analysis-of-classifiers-on-filter-based-feature-selection-approaches-onmicroarray-data/177981

Insights Into Incorporating Trustworthiness and Ethics in AI Systems With Explainable AI

Meghana Kshirsagar, Krishn Kumar Gupt, Gauri Vaidya, Conor Ryan, Joseph P. Sullivanand Vivek Kshirsagar (2022). *International Journal of Natural Computing Research (pp. 1-23).* www.irma-international.org/article/insights-into-incorporating-trustworthiness-and-ethics-in-ai-systems-with-explainableai/310006