

Chapter 2

Multicriteria Model for the Selection of Maintenance Policies in Subsystems of an Operating Theatre

María Carmen Carnero

University of Castilla – La Mancha, Spain & University of Lisbon, Portugal

Andrés Gómez

University General Hospital of Ciudad Real, Spain

ABSTRACT

The aim of this article is to select the most suitable combination of maintenance policies in the different subsystems that make up an operating theatre. To do so a multicriteria model will be developed using the Measuring Attractiveness by a Categorical Based Evaluation Technique (MACBETH) technique considering multiple decision centres: The Hospital's technical services, environment and occupational risk prevention managers, healthcare managers (operating theatres and health activity programming), healthcare staff, technicians, purchasing service managers and Hospital executives. The model uses functional, safety and technical-economical criteria, amongst which is availability. Mean availability for repairable systems has been measured to assess this criterion, using Markov chains from the data obtained over three years from the subsystems of a Hospital operating theatre. All this is aimed at increasing the operating theatre's availability and, consequently, increasing physical safety in patient operations and reducing the number of delayed operations due to technical malfunctions.

INTRODUCTION

The most up-to-date hospitals are experiencing increasing automation and monitoring of installation and equipment and, in general, greater complexity in the assets to be maintained (Wolf, 2008). To adjust to this new environment, a hospital's technical services (including maintenance engineering, safety and environmental services) should adapt to modern strategies and management tools that have, in fact,

DOI: 10.4018/978-1-5225-0651-5.ch002

already been operating for some time in the manufacturing, energy, etc. industries. Currently, due to the lack of structured criteria in hospital activity, it is normal to find different strategies and approaches to achieve similar ends with a great variety of costs and results. However, the activities carried out are essentially corrective and technical-legal (Fernández & Canals, 2006).

It is essential to analyse, from the qualities perceived by patients and healthcare professionals, the aspects that have a bearing on a hospital as a building answering to customer needs and increased safety. It is in these areas that the technical services have a predominant role, although there are deficiencies in recognizing the importance of maintenance management in hospitals (Rani, Baharum, Akber, & Nawawi, 2015). In general, users of the Spanish health system believe that the scientific-technical quality of its health professionals is excellent (SESCAM, 2007). They do not think the same about the other services, and particularly those regarding buildings, facilities, cleaning and those necessary for minimum comfort standards.

The application of a methodology such as that described in this research should therefore lead to a very significant change in the appreciation that people in general have of the technical services of the hospital responsible for carrying out maintenance

Furthermore, health care professionals should be made aware of the situation of the facilities and equipment they use as internal users, as they need greater safety in their working environment. To do so, procedures should be established so that the condition of the equipment, facilities and working environment is precisely determined, and the staff need to be included in the assessment process.

The aim of this article is to select the most suitable maintenance policies in the different subsystems that make up an operating theatre. To do so, a multi-criteria model is designed, using the Measuring Attractiveness by a Categorical Based Evaluation Technique (MACBETH) (Bana e Costa & Vansnick, 1994), considering multiple decision centres: managers from the Hospital's technical services, environmental and occupational risk prevention sections, healthcare managers (operating theatre and health activity programming), healthcare staff, technicians, purchasing managers and Hospital executives. The model uses safety, functional and technical-economic criteria, among which is availability. Mean availability for repairable systems has been measured to assess this criterion, using Markov chains from the data obtained over three years from the subsystems of a Hospital operating theatre. All this is aimed at increasing the operating theatre's availability and, consequently, increasing physical safety in patient operations and reducing the amount of delayed operations due to technical malfunctions.

Thus, the application of this research could lead to a significant increase in care quality, when carried out successfully in a state general hospital.

To choose the type of Multi-Criteria Decision Making (MCDM) to apply in this case study, it was felt that, given the multi-faceted profile of the decision-making groups, it should be easy to handle, intuitive, and respond to qualitative stimuli, without the need for the decision-making group to have to establish a numerical scale for subsystems. The choice of MACBETH is justified latter.

The originality of this chapter rests on the following points:

- The inclusion of the multicriteria technique MACBETH in group decision-making and its use with Markov chains in repairable systems to assess the availability of subsystems in the Hospital.
- It is the first research to analyse the selection of the best combination of maintenance policies, assessing all the subsystems which make up the operating theatre system. To this end the inter-relations between the different subsystems of the Hospital were analysed.

28 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/multicriteria-model-for-the-selection-of-maintenance-policies-in-subsystems-of-an-operating-theatre/164045

Related Content

A Comparison of Multi-Criteria Decision Making Approaches for Maintenance Strategy Selection (A Case Study)

Malek Tajadod, Mohammadali Abedini, Ali Rategariand Mohammadsadegh Mobin (2016). *International Journal of Strategic Decision Sciences* (pp. 51-69).

www.irma-international.org/article/a-comparison-of-multi-criteria-decision-making-approaches-for-maintenance-strategy-selection-a-case-study/164393

Parallel Hierarchical Pre-Gauss-Seidel Value Iteration Algorithm

Sanaa Chafik, Abdelhadi Larachand Cherki Daoui (2018). *International Journal of Decision Support System Technology* (pp. 1-22).

www.irma-international.org/article/parallel-hierarchical-pre-gauss-seidel-value-iteration-algorithm/199030

Overcoming Liability of Foreignness: An Analysis of Early Foreign Investment in China

Haiyang Chen, Michael Y. Huand G. Peter Zhang (2012). *Decision Making Theories and Practices from Analysis to Strategy* (pp. 157-169).

www.irma-international.org/chapter/overcoming-liability-foreignness/65961

Data-Driven Framework for Quantification of Reactive Power Using Aggregated Load Data

Nghipundaka Jeremiaand K. S. Sastry Musti (2023). *Data-Driven Approaches for Effective Managerial Decision Making* (pp. 35-59).

www.irma-international.org/chapter/data-driven-framework-for-quantification-of-reactive-power-using-aggregated-load-data/323312

Decision-Making Approach for Catastrophic Scenario Selection in Disaster Recovery Planning

Jose Emmanuel Ramirez-Marquezand John V. Farr (2009). *International Journal of Decision Support System Technology* (pp. 36-51).

www.irma-international.org/article/decision-making-approach-catastrophic-scenario/3899