# Chapter 3 A Study on Models and Methods of Information Retrieval System

Manisha Malhotra Chandigarh University, India

Aarti Singh Guru Nanak Girls College, Yamuna Nagar, India

#### ABSTRACT

Information Retrieval (IR) is the action of getting the information applicable to a data need from a pool of information resources. Searching can be depends on text indexing. Whenever a client enters an inquiry into the system, an automated information retrieval process becomes starts. Inquiries are formal statements which is required for getting an input (Rijsbergen, 1997). It is not necessary that the given query provides the relevance information. That query matches the result of required information from the database. It doesn't mean it gives the precise and unique result likewise in SQL queries (Rocchio, 2010). Its results are based on the ranking of information retrieved from server. This ranking based technique is the fundamental contrast from database query. It depends on user application the required object can be an image, audio or video. Although these objects are not saved in the IR system, but they can be in the form of metadata. An IR system computes a numeric value of query and then matches it with the ranking of similar objects.

DOI: 10.4018/978-1-5225-2483-0.ch003

Copyright ©2017, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

#### INTRODUCTION

Information retrieval (IR) is the action of getting the information applicable to a data need from a pool of information resources. Searching only depend on text indexing. Whenever a client enters an inquiry into the system, an automated information retrieval process becomes activated. Inquiries are formal statements which is required for getting an input (Rijsbergen, 1997). It is not necessary that the given query provides the relevant information. That query matches the result of required information from the database. It doesn't mean it gives the precise and unique result likewise in SQL queries (Rocchio, 2010). Its results are based on the ranking of information retrieved from server. This ranking based technique is the fundamental contrast from database query. It depends on user application, the required object can be an image, audio or video. Although these objects are not saved in the IR system, but they can be in the form of metadata. An IR system computes a numeric value of query and then matches it with the ranking of similar objects. However user appears the result having top rank object/ article/ text as shown in Figure 1.

The above figure reflects all results of *information retrieval* in the form of Wikipedia, pdf, ppt etc. This query provides approximate fifty lakh results. But the user can change the query according to requirements. For example user can ask for *information retrieval pdf* as shown in Figure 2. As it is reduce the number of results. Now it shows eighteen lakh results.

#### Figure 1. Query on Web Search Engine



24 more pages are available in the full version of this document, which may be purchased using the "Add to Cart"

button on the publisher's webpage: www.igi-

global.com/chapter/a-study-on-models-and-methods-of-

information-retrieval-system/178365

### **Related Content**

# Analysis on the Allocation of Control Right of Intergenerational Inheritance of Family Enterprises in the New Era

Zhanzhong Wangand Jiajun Li (2023). *International Journal of Data Warehousing and Mining (pp. 1-20)*.

www.irma-international.org/article/analysis-on-the-allocation-of-control-right-of-intergenerationalinheritance-of-family-enterprises-in-the-new-era/319966

### Feature Based Opinion Mining

Mridula Batraand Vishaw Jyoti (2019). *Extracting Knowledge From Opinion Mining* (pp. 20-39).

www.irma-international.org/chapter/feature-based-opinion-mining/211550

### Hybrid Partitioning-Density Algorithm for K-Means Clustering of Distributed Data Utilizing OPTICS

Mikoaj Markiewiczand Jakub Koperwas (2019). International Journal of Data Warehousing and Mining (pp. 1-20).

www.irma-international.org/article/hybrid-partitioning-density-algorithm-for-k-means-clusteringof-distributed-data-utilizing-optics/237135

# An Experimental Approach and Monitoring Tools for Evaluating a Dynamic Cubing System

Anne Tchounikine, Maryvonne Miqueland Usman Ahmed (2016). *International Journal of Data Warehousing and Mining (pp. 1-19).* 

www.irma-international.org/article/an-experimental-approach-and-monitoring-tools-forevaluating-a-dynamic-cubing-system/171117

### Mining Profiles and Definitions with Natural Language Processing

Horacio Saggion (2008). *Emerging Technologies of Text Mining: Techniques and Applications (pp. 77-98).* 

www.irma-international.org/chapter/mining-profiles-definitions-natural-language/10177