Chapter 3.10 Mobile Users in Smart Spaces

Loreno Oliveira Federal University of Campina Grande, Brazil

Hyggo Almeida Federal University of Campina Grande, Brazil

Angelo Perkusich Federal University of Campina Grande, Brazil

INTRODUCTION

Constant technological advances are making *pervasive computing* (Weiser, 1991) a reality. Such advances have been enabling the rise of devices increasingly smaller, with larger storage space, novel wireless interfaces, and lower battery consumption. These innovative technologies are contributing to the emergence of a new sort of personal portable device, as well as a large number of sensors and actuators. Sensors and actuators are embedded into objects spread across the environment, while portable devices quietly inform such environments how users wish to interact with them. Therefore, personal mobile devices stand out currently as the interface between people and smart spaces.

A basic requirement in the context of pervasive computing is to allow users to access services seamlessly as they move across environments. This requirement demands from the underlying infrastructure the ability to transfer user sessions among access points (handoff), which is a well-known concern in the context of pervasive computing (Cui, Nahrstedt, & Xu, 2004; Banerjee, Das, & Acharya, 2005). Nevertheless, the effective delivery of services in smart spaces requires conceiving mechanisms for handling localized scalability, availability, and redundancy of services; load balancing among providers; and on-demand content transformation for different devices (Satyanarayanan, 2001; Raatikainen, Christensen, & Nakajima, 2002; Raman et al., 2002), henceforth OoSissues. These requirements rise as fundamental for promoting transparency



Figure 1. Conceptual infrastructure for dynamic provision of services

and invisibility to the service usage, as well as delivering some level of QoS and optimized resource utilization (Kalasapur, Kumar, & Shirazi, 2006).

Currently, there are still no efforts for conceiving solutions to provide ubiquitous access and seamless usage of services while taking into account QoS issues. In this context, we define the dynamic provision of services as a set of requirements relevant to the seamless provision of services for mobile users plus mechanisms for dealing with QoS issues.

In this article we define and present the basis of our work about dynamical services provisioning for mobile users in smart spaces. We present an overview about our envisioned service provision infrastructure, as well as the main research challenges related to it. Finally, we discuss issues related to the current state of our research and point out research directions in this field.

BACKGROUND

The interaction between users' devices and smart spaces occurs primarily through services advertised in those environments. The *service-oriented paradigm* (Papazoglou & Georgakopoulos, 2003) is especially suitable due to the dynamics of smart spaces, where resources may exist anywhere and applications running on mobile devices must be able to find out and use them at runtime.

In the context of smart spaces, user mobility is the main cause of such disturbances, but other factors may also cause temporary unavailability or degradation of services, for example, crash failures in the service providers, temporary network congestion, or peaks of overload on service providers. Smart spaces are primarily service-oriented environments, where part of the application logic is at the client side (e.g., in the form of helper applications for user profiles) and part at the server side (e.g., in the form of services 6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/mobile-users-smart-spaces/18236

Related Content

Supporting Distributed Groups with Group Support Systems: A Study of the Effect of Group Leaders and Communication Modes on Group Performance

Youngjin Kim (2006). *Journal of Organizational and End User Computing (pp. 20-37).* www.irma-international.org/article/supporting-distributed-groups-group-support/3810

Contextualized Learning: Supporting Learning in Context

Marcus Specht (2008). End-User Computing: Concepts, Methodologies, Tools, and Applications (pp. 254-269).

www.irma-international.org/chapter/contextualized-learning-supporting-learning-context/18185

Digital Technology Adoption and Sustainable Development Performance of Strategic Emerging Industries: The Mediating Role of Digital Technology Capability and the Moderating Role of Digital Strategy

Xing Li, Ting Wu, Hongjuan Zhangand Deyan Yang (2022). *Journal of Organizational and End User Computing* (pp. 1-18).

www.irma-international.org/article/digital-technology-adoption-and-sustainable-development-performance-of-strategicemerging-industries/315645

Learners at the Wheel: Novice Programming Environments Come of Age

Judith Good (2011). *International Journal of People-Oriented Programming (pp. 1-24).* www.irma-international.org/article/learners-wheel-novice-programming-environments/53807

When Technology Does Not Support Learning: Conflicts Between Epistemological Beliefs and Technology Support in Virtual Learning Environments

Steven Hornik, Richard D. Johnsonand Yu Wu (2009). *Evolutionary Concepts in End User Productivity and Performance: Applications for Organizational Progress (pp. 187-203).* www.irma-international.org/chapter/when-technology-does-not-support/18653