

# Effectively Communicating With Group Decision Support Systems Using Information Theory

**D****Jamie S. Switzer***Colorado State University, USA***Ralph V. Switzer***Colorado State University, USA*

## INTRODUCTION

This entry describes the results from a case study conducted using information theory to examine the effectiveness of communicating using group decision support system (GDSS) technology. At its most basic level, information theory provides the means to measure the efficiency of communication systems. Using information theory as the theoretical foundation, this entry examines how the use of GDSS facilitated computer-mediated communication (CMC) for one particular business with respect to entropy, redundancy, and noise, which are key components in information theory.

## BACKGROUND

As originally articulated, information theory is actually a mathematical theory grounded in the field of electrical engineering designed to evaluate the performance of communication systems (Mahowald, Fedorenko, Piantadosi, & Gibson, 2013; Ziemer & Tranter, 2002). Claude Shannon was an electrical engineer and mathematician working at Bell Laboratories in the 1940's. In 1948 he published his landmark paper, "A Mathematical Theory of Communication" (Shannon, 1948). This seminal work was concerned with the transmission and storage of information (Lafrance, 1990), and provided "the analytical

tools to evaluate the amount of information contained in message signals, and to compare the performance of actual systems" (Carne, 1999, p. 172). According to Gallager (2001), Shannon's theory established a conceptual basis for modern digital communications, particularly with regard to data compression, data encryption, and data correction (Gappmair, 1999).

Information theory has been applied to many disparate disciplines, such as computer science, statistics, cybernetics, physiology, psychology, library science, biology, physics, economics, music, and art (Asadi, 2015; Dahling, 1962; De-Fleur & Larsen, 1987; Overstreet, 1984; Pierce, 1980). In the field of communication, information theory has been applied to such areas as speech, linguistics, forensics, broadcasting, journalism, and even animal communication as studied by animal scientists (McCowan, Doyle, & Hanser, 2002; Scott-Phillips, 2015; Stephens, Barrett, & Mahometa, 2013; Watt & Krull, 1974).

There is some disagreement among scholars as to the applicability of information theory to the field of communication, in the non-technical, non-engineering sense (Cherry, 1957; Devlin, 1999; Weaver & Weaver, 1965; Young, 1987). Shannon himself initially cautioned against applying his theory to human communication (Haken & Portugali, 2015, p. 33; Rogers & Valente, 1993). But Shannon, in conjunction with Warren Weaver, did express some "optimism as to its wider ap-

plicability” (Warner, 2001, p. 24). In subsequent years other communication scholars have also explored more general applications of information theory (Pierce, 1980; Rogers & Valente, 1993). Indeed, Shannon’s simple yet elegant model of communication systems forms the basis of many introductory communication courses.

At its most basic level, information theory provides the means to measure the efficiency of communication systems. An information source sends a message (of any type) using a transmitter that carries a signal through a channel. The receiver then receives that signal, and the message arrives at its destination. There are additional factors, however, impacting the effective operation of that process, including entropy, redundancy, and noise.

Entropy, as defined by information theory, is concerned with the many different ways a message can be constructed, depending on the circumstance. An ambiguous or vague message, for example, has a high degree of entropy because the receiver cannot accurately interpret the message that the sender intended, and there is a measure of uncertainty and unpredictability regarding the message (Heath & Bryant, 2000). A message that is clear and concise will reduce the amount of entropy in a given situation.

Redundancy also reduces entropy. The more the same information is conveyed in a particular message, the more certain the receiver is of the interpretation of the message as the sender originally intended. There must be a balance of entropy and redundancy in an effective communication, but that balance is often impacted by the amount of noise present in the channel used to convey the message (Severin & Tankard, 2001).

Noise is simply some sort of interference that occurs in the transmission of the message between sender and receiver (Perry, 2002). Noise can take many forms, including extraneous information that causes a loss of intended information. The noisier the channel, the greater the need for redundancy (Cragan & Shields, 1998; Stephens et al., 2013). Anything that comes along with the signal that was not put there by the information source is noise.

Group Decision Support Systems (GDSS) are computer-based systems “designed to help committees, project teams, and other small groups with activities such as problem identification and analysis, decision making, planning, creativity, conflict management, negotiation, and meeting management” (DeSanctis et al, 2008, p. 552). They structure, store, facilitate, and distribute human communication, and aggregate views of a group of people (Ishizaka & Nemery, 2013).

Research has shown that, in general, GDSS are effective tools for generating ideas and plans (Eden & Ackermann, 2014; Power, 2002) and identifying, collecting, organizing and interpreting the thoughts of the participants (Roszkiewicz, 2007). GDSS facilitates working interactively and dynamically with collective group data. All GDSS software allows for the anonymous generation of ideas, shared and parallel input, and complete and accurate record keeping.

## **ISSUES AND PROBLEMS**

A large technology company contracted with a Carnegie Research I university to facilitate GDSS meetings with its employees, and to conduct a case study to analyze the effectiveness of the use of GDSS for the company based on the results of the GDSS sessions. Case study is not a methodological choice but a choice of what is to be studied (Stake, 2000); here the choice was to study the impact of using the GDSS system with the company’s employees.

A GDSS system can be used virtually or with co-location of the participants. In this instance, the business involved engaged in a series of computer-mediated activities while they were co-located. Chen and Linn (2012) found that group decision-making is more effective when participants are face-to-face rather than dispersed. The GDSS meetings were conducted at a local university in one of its computer labs.

The business’ employees agreed unanimously (n=45) that using GDSS was more effective than

9 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/effectively-communicating-with-group-decision-support-systems-using-information-theory/183925](http://www.igi-global.com/chapter/effectively-communicating-with-group-decision-support-systems-using-information-theory/183925)

## Related Content

---

### Estimating Overhead Performance of Supervised Machine Learning Algorithms for Intrusion Detection

Charity Yaa Mansa Baidoo, Winfred Yaokumahand Ebenezer Owusu (2023). *International Journal of Information Technologies and Systems Approach* (pp. 1-19).

[www.irma-international.org/article/estimating-overhead-performance-of-supervised-machine-learning-algorithms-for-intrusion-detection/316889](http://www.irma-international.org/article/estimating-overhead-performance-of-supervised-machine-learning-algorithms-for-intrusion-detection/316889)

### Assessing the Potential Improvement an Open Systems Development Perspective Could Offer to the Software Evolution Paradigm

James Austin Cowlingand Wendy K. Ivins (2016). *International Journal of Information Technologies and Systems Approach* (pp. 68-87).

[www.irma-international.org/article/assessing-the-potential-improvement-an-open-systems-development-perspective-could-offer-to-the-software-evolution-paradigm/152886](http://www.irma-international.org/article/assessing-the-potential-improvement-an-open-systems-development-perspective-could-offer-to-the-software-evolution-paradigm/152886)

### Knowledge Acquisition on Dante Alighieri's Works

Elvira Immacolata Locuratoloand Valentina Bartalesi Lenzi (2018). *Encyclopedia of Information Science and Technology, Fourth Edition* (pp. 5067-5076).

[www.irma-international.org/chapter/knowledge-acquisition-on-dante-alighieris-works/184209](http://www.irma-international.org/chapter/knowledge-acquisition-on-dante-alighieris-works/184209)

### A Utility Theory of Privacy and Information Sharing

Julia Puaschunder (2021). *Encyclopedia of Information Science and Technology, Fifth Edition* (pp. 428-448).

[www.irma-international.org/chapter/a-utility-theory-of-privacy-and-information-sharing/260204](http://www.irma-international.org/chapter/a-utility-theory-of-privacy-and-information-sharing/260204)

### A Roughset Based Ensemble Framework for Network Intrusion Detection System

Sireesha Roddaand Uma Shankar Erothi (2018). *International Journal of Rough Sets and Data Analysis* (pp. 71-88).

[www.irma-international.org/article/a-roughset-based-ensemble-framework-for-network-intrusion-detection-system/206878](http://www.irma-international.org/article/a-roughset-based-ensemble-framework-for-network-intrusion-detection-system/206878)