Chapter 2 Ubiquitous IoT in the Automotive Domain: Decentralized Adaptation

Laszlo Z. Varga ELTE, Hungary

ABSTRACT

Ubiquitous IoT systems open new ground in the automotive domain. With the advent of autonomous vehicles, there will be several actors that adapt to changes in traffic, and decentralized adaptation will be a new type of issue that needs to be studied. This chapter investigates the effects of adaptive route planning when real-time online traffic information is exploited. Simulation results show that if the agents selfishly optimize their actions, then in some situations the ubiquitous IoT system may fluctuate and the agents may be worse off with real-time data than without real-time data. The proposed solution to this problem is to use anticipatory techniques, where the future state of the environment is predicted from the intentions of the agents. This chapter concludes with this conjecture: if simultaneous decision making is prevented, then intention-propagation-based prediction can limit the fluctuation and help the ubiquitous IoT system converge to the Nash equilibrium.

INTRODUCTION

Ubiquity and interconnection are important in information systems, and they are behind many concepts like pervasive computing, ubiquitous computing, ambient intelligence and the internet of things (IoT). IoT is a concept of everyday objects having built-in sensors to gather data across a network and then helping the IoT system and the users to take actions based on that data. Such systems are developed in the hope that we can derive economic benefit from analyzing and utilizing the generated data streams in several application areas. IoT systems open new ground in the automotive domain by introducing entirely new services to the traditional concept of a car. The connected, smart car provides a way to stay in touch with the world during drive time. There is a possibility for new kind of infotainment services and connected car applications to provide better services for drivers and the automotive industry as well, as Table 1

DOI: 10.4018/978-1-5225-2845-6.ch002

IoT Sensor Capabilities	IoT Innovative Services
Vehicle sensors	Vehicle scheduling
Real-time car operation tracking	Speed control
Vehicle location tracking	Vehicle usage analytics
Fuel consumption tracking	Smart car leasing
Speed measurement	Usage-based insurance
Real-time vehicle monitoring	Fleet management
• Fault detection, testing	Traffic management
• Alerts	Remote diagnostics
Seatbelt sensor	Automated maintenance scheduling
Acceleration	Maintenance history analytics
Driver attention monitoring	Acceleration control
	Anti-sleepiness warning
	In-lane positioning
	Navigation
	Location-based services
	Driver-assist applications
	News and entertainment
	Integration with smart home
	• Car-on-demand
	Car security services
	Over-the-air updates

Table 1. There are several application scenarios in the automotive domain to exploit IoT capabilities

shows a few of them. The novel applications include fleet management based on data collection via embedded software, data management in the cloud, and data analytics. The predictive maintenance can be based on the monitoring of the state of the vehicle, and the analytics can be based on cloud-enabled platforms to provide new services to car manufacturers, maintenance and service companies, insurance companies, and entertainment providers.

Automotive manufacturers and suppliers can utilize these IoT services to diagnose vehicle malfunctions on the road. This direct and immediate information can be used to avoid costly recalls by understanding product quality and rapidly assessing safety issues in order to optimize production. Telecommunication companies can develop new connected applications and services, which may be consumed either in vehicles or remotely through smartphone apps. Better driving experience can be delivered by exploiting information about the location, movement, and status of vehicles by analyzing map context and driver behavior. Non-traditional automotive industry participants may provide many of these novel services.

The novel services mentioned in Table 1 are mainly centralized services, in the sense that there is a single organization that collects data from the IoT sensors, analyses it, and then takes actions. Because there is only one actor that senses the environment and takes actions, this is centralized adaptation. This model suits well the traditional automotive industry.

Ubiquitous IoT helps the development of self-driving cars as well. Autonomous vehicles can detect their environment, using different sensors like radar, LIDAR, GPS, computer vision and shared smart phone data. The planning unit of the autonomous vehicle merges and interprets the sensor information to determine the necessary control actions to navigate the car and avoid obstacles. Autonomous vehicle technology is expected to provide several benefits like those shown in Table 2. In order to achieve these benefits, the autonomous vehicles have to act collectively. Because there are several actors that sense the environment and take actions, this is decentralized adaptation.

With the advent of autonomous vehicles, decentralized adaptation will be a new type of issue and it needs to be investigated. Humans and software agents are working together in such decentralized 23 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/ubiquitous-iot-in-the-automotive-domain/186900

Related Content

Defect Detection in Printed Circuit Boards Using Leaky-LeNet 5

Jithendra P. R. Nayakand Parameshachari B. D. (2022). *International Journal of Software Innovation (pp. 1-13).*

www.irma-international.org/article/defect-detection-in-printed-circuit-boards-using-leaky-lenet-5/309726

Supporting Customizable Business Process Models Using Graph Transformation Rules

Verena Geist, Christa Illibauer, Christine Natschlägerand Robert Hutter (2016). *International Journal of Information System Modeling and Design (pp. 51-71).* www.irma-international.org/article/supporting-customizable-business-process-models-using-graph-transformation-

rules/170519

Predicting OSS Development Success: A Data Mining Approach

Uzma Rajaand Marietta J. Tretter (2013). *Frameworks for Developing Efficient Information Systems: Models, Theory, and Practice (pp. 315-336).* www.irma-international.org/chapter/predicting-oss-development-success/76629

Modeling of Vulnerability Assessment caused by Cyber Extortion Data Threat (CEDT) for Financial Gain within the Dark web

(2022). International Journal of Systems and Software Security and Protection (pp. 0-0). www.irma-international.org/article//304895

Orrs Orchestration of a Resource Reservation System Using Fuzzy Theory in High-Performance Computing: Lifeline of the Computing World

Ashish Tiwariand Ritu Garg (2022). International Journal of Software Innovation (pp. 1-28). www.irma-international.org/article/orrs-orchestration-of-a-resource-reservation-system-using-fuzzy-theory-in-highperformance-computing/297923