

Chapter 6

OpenGL® API–Based Analysis of Large Datasets in a Cloud Environment

Wolfgang Mexner

*Karlsruhe Institute of Technology
(KIT), Germany*

Matthias Bonn

*Karlsruhe Institute of Technology
(KIT), Germany*

Andreas Kopmann

*Karlsruhe Institute of Technology
(KIT), Germany*

Viktor Mauch

*Karlsruhe Institute of Technology
(KIT), Germany*

Doris Ressmann

*Karlsruhe Institute of Technology
(KIT), Germany*

Suren A. Chilingaryan

*Karlsruhe Institute of Technology
(KIT), Germany*

Nicholas Tan Jerome

*Karlsruhe Institute of Technology
(KIT), Germany*

Thomas van de Kamp

*Karlsruhe Institute of Technology
(KIT), Germany*

Vincent Heuveline

Heidelberg University, Germany

Philipp Lösel

Heidelberg University, Germany

Sebastian Schmelzle

*Technische Universität Darmstadt
(TUD), Germany*

Michael Heethoff

*Technische Universität Darmstadt
(TUD), Germany*

ABSTRACT

Modern applications for analysing 2D/3D data require complex visual output features which are often based on the multi-platform OpenGL® API for rendering vector graphics. Instead of providing classical workstations, the provision of powerful virtual machines (VMs) with GPU support in a scientific cloud with direct access to high performance storage is an efficient and cost effective solution. However, the automatic deployment, operation and remote access of OpenGL® API-capable VMs with professional visualization applications is a non-trivial task. In this chapter the authors demonstrate the concept of such a flexible cloud-like analysis infrastructure within the framework of the project ASTOR. The authors present an Analysis-as-a-Service (AaaS) approach based on VMware™-ESX for on demand allocation of VMs with dedicated GPU cores and up to 256 GByte RAM per machine.

INTRODUCTION

Due to the ability of X-rays to penetrate materials, they are highly appropriate to visualize internal structures of opaque objects. Moreover, X-ray-computed tomography provides the opportunity to visualize internal structures of optically dense materials in 3D. The intensity of X-rays emitted by synchrotron light sources is several orders of magnitudes higher than from laboratory sources and provide brilliant and partially coherent radiation for fast imaging with synchrotron radiation (Cloetens, Bolle, Ludwig, Baruchel, & Schlenke, 2001). The application of synchrotron-based X-ray-micro-tomography for biological samples was the onset of a new era of morphological research on millimetre-sized animals like small arthropods (e.g. Heethoff & Norton, 2009; van de Kamp, Vagovič, Baumbach, & Riedel, 2011; Schmelzle, Norton, & Heethoff, 2015). In recent years, new setups enabled unrivalled opportunities of high-throughput measurements, 3D/4D-tomographic imaging of dynamic systems, and even living organisms (dos Santos Rolo, 2014). Online data evaluation became possible by the usage of advanced graphic processors for scientific computing (Chilingaryan, Kopmann, Mirone, dos Santos Rolo, & Vogelgesang, 2011). These new technologies, however, result in large amounts of data: currently up to 100 GByte per volume summing up to 15 TByte/day. Technical limitations are reached regarding data acquisition, storage, and organization. Analysis of tomographic data is usually time-consuming and many analysis steps relies on commercial applications that provide visual output based on the OpenGL® API for Microsoft operating systems (Mauch et al., 2014). An example for frequently used commercial applications are AMIRA™ and VG Studio MAX™, which are costly and might not be available at all user's home institutions.

19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/opengl-api-based-analysis-of-large-datasets-in-a-cloud-environment/188126

Related Content

Cloud-Based Application Integration in Virtual Enterprises

José Carlos Martins Delgado (2019). *Global Virtual Enterprises in Cloud Computing Environments* (pp. 46-85).

www.irma-international.org/chapter/cloud-based-application-integration-in-virtual-enterprises/219550

Distributed Denial of Service Attacks and Defense in Cloud Computing

Gopal Singh Kushwahand Virender Ranga (2019). *Handbook of Research on the IoT, Cloud Computing, and Wireless Network Optimization* (pp. 41-59).

www.irma-international.org/chapter/distributed-denial-of-service-attacks-and-defense-in-cloud-computing/225712

A Load Balancing Algorithm for Enhanced Active Monitoring in a Cloud Environment

Sudhir Kumar Mohapatra, Tegegn Dita, Mesfin Abebe, Jasobanta Lahaand Biswajit Tripathy (2023). *Privacy Preservation and Secured Data Storage in Cloud Computing* (pp. 244-255).

www.irma-international.org/chapter/a-load-balancing-algorithm-for-enhanced-active-monitoring-in-a-cloud-environment/333141

Recent Advances in Edge Computing Paradigms: Taxonomy Benchmarks and Standards for Unconventional Computing

Sana Sodanapalli, Hewan Shrestha, Chandramohan Dhasarathan, Puviyarasi T.and Sam Goundar (2021). *International Journal of Fog Computing* (pp. 37-51).

www.irma-international.org/article/recent-advances-in-edge-computing-paradigms/284863

Designing Instruction and Professional Development to Support Augmented Reality Activities

Kelly M. Torresand Aubrey Statti (2021). *International Journal of Fog Computing* (pp. 18-36).

www.irma-international.org/article/designing-instruction-and-professional-development-to-support-augmented-reality-activities/284862