

Chapter 1

Cognitive Semiotics and the Game of Life

ABSTRACT

This chapter briefly describes overall architectural requirements to the autonomous systems, and provides details on how implicit perceptual symbols emerge in the brain, some evidence from neuroscience, and mathematical methods that can generate implicit symbols from perceptual information.

INTRODUCTION

When we see anything, we neither compute a precise 3-D model of visual scene nor are able to describe in a human language everything that we see. But we can understand what we see. More precisely, we can understand space and time order of what we see, which comprises our visual scene. And we can recognize and name some objects in the visual scene, using our acute foveal vision. And we can understand what we have to do about it. But what does such an “understanding” actually mean?

Neither perception nor cognition processes organize a linear bottom-up sequence. For instance, if you have recognized some objects, this may help you to identify the order of things in the visual scene. And when you have an idea of what kind of visual scene you are observing, it is easier to recognize or identify objects in the visual scene depending on where they are. So, the overall process looks like a filling puzzle.

DOI: 10.4018/978-1-5225-2431-1.ch001

And when we are filling out this puzzle, we are not doing this from scratch every time. In the same way like every other puzzle, this one requires some preliminary knowledge. Without it, solving the problem is not possible.

Solving the problem of vision requires knowledge of the order in the world. We are not able to estimate precisely distances and timings, and this means that no restoration of a precise 3D model ever happens in the brain. But we are always able to say that one object is closer to us than another object. Or, that one event has occurred earlier than another one. And this means that we can understand the relational order of the world that is a subject of a new relational topology.

This order is determined both by physical laws of the world and the ways how human tends to organize information. For instance, human frequently organizes close things into categories and hierarchies.

There is evidence from the cognitive neuroscience that perceptual cortical areas wired in the way that for 1/3 feed-forward projections there are 2/3 backward projections. And this means that some context system does exist and strongly affects human recognition capabilities.

Brain processes information in a hierarchical manner. On the lower levels, we can find perceptual features, and top levels are some cognitive models used for decision making.

The order, in which this puzzle is filled out, may also be crucial for survivability. Some objects or parts of the visual scene may require immediate reaction. But in a general case, visual information is used for planning mostly on tactical and further – on a strategic level. And this conscious or subconscious planning dictates the search order in the visual scene.

Extracted information is used for a tactical decision making and strategic planning. Tactical decision making in a real world is a rapid process because real life rarely gives another chance. And a successful tactical move may not be sufficient if the overall strategy fails on the following steps. So we also need to extract more information for strategic planning. And this is where human hunters were always winning over the animals.

All these processes interact and involve some higher level cognitive knowledge that serves as a context system for recognition. And all of this may help us to solve ambiguity in recognition of real world images. Reliable recognition frequently requires a context, which decreases uncertainty.

Vision is not just about recognition, although recognition is an important part of it. Vision is only a part of a larger system that allows us to build and maintain a reliable model of surrounding environment. And it is a part of situation awareness system that is mandatory for our survival, decision making,

42 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/cognitive-semiotics-and-the-game-of-life/189275

Related Content

Prototyping and Real-Time Implementation of Bipedal Humanoid Robots: Dynamically Equilibrated Multimodal Motion Generation

Barkan Ugurlu and Atsuo Kawamura (2014). *Robotics: Concepts, Methodologies, Tools, and Applications* (pp. 707-742).

www.irma-international.org/chapter/prototyping-and-real-time-implementation-of-bipedal-humanoid-robots/84921

Multi-Robot Navigation in Unknown Environment Using Strawberry Algorithm

B. Sai Charan, Ayush Mittal and Ritu Tiwari (2017). *International Journal of Robotics Applications and Technologies* (pp. 63-81).

www.irma-international.org/article/multi-robot-navigation-in-unknown-environment-using-strawberry-algorithm/176936

Cloud Robotics in Education: Examining the Use of Cloud-Enhanced Robotics for Educational Purposes

G. S. Sai Venkatramana Prasada and P. C. Rashmi (2024). *Shaping the Future of Automation With Cloud-Enhanced Robotics* (pp. 333-342).

www.irma-international.org/chapter/cloud-robotics-in-education/345550

Review of CBIR Related with Low Level and High Level Features

Tamil Kodi, G. Rosline Nesa Kumari and S. Maruthu Perumal (2016). *International Journal of Synthetic Emotions* (pp. 27-40).

www.irma-international.org/article/review-of-cbir-related-with-low-level-and-high-level-features/172101

Unfolding Commitments Management: A Systemic View of Emotions

Michel Aubé (2009). *Handbook of Research on Synthetic Emotions and Sociable Robotics: New Applications in Affective Computing and Artificial Intelligence* (pp. 198-227).

www.irma-international.org/chapter/unfolding-commitments-management/21510