Chapter 5 Practical Implementation Considerations

ABSTRACT

This chapter briefly describes APIs that could be used today for prototyping or implementing proposed architecture and methods.

INTRODUCTION

Functional active vision systems aren't new, and they been developed within the past decade. But they are based on the combo of traditional computational methods, and heavily rely on GPS. Such systems still may guarantee adequate safety neither for the human nor for themselves.

Autonomous vehicles and robots need much smarter perceptual and cognitive systems that will allow them remain one hundred percent safe for human and at the same time successfully accomplish more complex missions.

A distributed software environment that works with network-symbolic methods and models can be considered as a new flavor of multi-agent systems, and we can call a practical software realization as "Image/Video Understanding Engines" (by analogy with the "Speech Recognition Engines" -- software components used in the speech recognition software.)

The Engine needs to handle with Model and Symbolic spaces, and this requires special APIs. Model spaces API should be able to work with graphs; symbolic spaces API should be able to recognize patterns, create new implicit symbols, and provide hierarchical compression of the obtained results.

Relevant Spaces should be loaded from the underlying repository, linked, processed, and meaningful outcomes should be stored back to the repository. The system should be able to provide mechanisms similar to the activation of relevant Spaces and attention, as well as needed transformations via search, synthesis, and analysis cycle.

Besides that, the platform should have some low-level processing services, which comprise of visual and object buffers described above, and also buffer which does an active fusion of different visual features in the manner of 2-1/2 Sketch. And the system needs to plan and predict its behavior upon the generated situation awareness, which would be equivalent to the motor programs in the human cortex.

All these ideas are presented in Figure 1. The engine should be installed on an active vision platform, which is mandatory for autonomous systems, where Action, Perception, and Cognition should work in a coherent manner, which is shown in Figure 2 that depicts processes in the system. To describe those processes, we will be using terminology that is similar to human vision, although its technological implementation might be completely different.

The model of the visual scene is obtained via saccades and fixations. Visual information appears in the system as a retinal flow. Retinal flow



Figure 1. Image/video understanding engine

8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/chapter/practical-implementation-</u>

considerations/189279

Related Content

Re-Broadcast AODV(reAODV) Based Routing Protocol Modification Over AODV for VANET In City Scenario

Soumen Saha, Utpal Royand D.D. Sinha (2018). *International Journal of Synthetic Emotions (pp. 51-65).*

www.irma-international.org/article/re-broadcast-aodvreaodv-based-routing-protocol-modificationover-aodv-for-vanet-in-city-scenario/209426

Home Design Using Robotic Devices: 3D Bioclimatic Home Design Utilizing Arduino

Antonios D. Nirosand Konstantinos V. Zaharis (2021). *Handbook of Research on Using Educational Robotics to Facilitate Student Learning (pp. 516-538).* www.irma-international.org/chapter/home-design-using-robotic-devices/267683

A Framework for RF-Visual SLAM for Cooperative Multi-Agent System

Herdawatie Abdul Kadirand Mohd Rizal Arshad (2015). *Handbook of Research on Advancements in Robotics and Mechatronics (pp. 697-727).* www.irma-international.org/chapter/a-framework-for-rf-visual-slam-for-cooperative-multi-agent-system/126031

Emotional Models: Types and Applications

Rana Fathalla (2020). *International Journal of Synthetic Emotions (pp. 1-18)*. www.irma-international.org/article/emotional-models/273632

Inferring Intention through State Representations in Cooperative Human-Robot Environments

Craig Schlenoff, Anthony Pietromartire, Zeid Kootbally, Stephen Balakirskyand Sebti Foufou (2013). *Engineering Creative Design in Robotics and Mechatronics (pp. 122-151).*

www.irma-international.org/chapter/inferring-intention-through-state-representations/78103