

Chapter 6

Evolutionary Approaches to Test Data Generation for Object–Oriented Software: Overview of Techniques and Tools

Ana Filipa Nogueira
University of Coimbra, Portugal

José Carlos Bregieiro Ribeiro
Polytechnic Institute of Leiria, Portugal

Francisco Fernández de Vega
University of Extremadura, Spain

Mário Alberto Zenha-Rela
University of Coimbra, Portugal

ABSTRACT

In object-oriented evolutionary testing, metaheuristics are employed to select or generate test data for object-oriented software. Techniques that analyse program structures are predominant among the panoply of studies available in current literature. For object-oriented evolutionary testing, the common objective is to reach some coverage criteria, usually in the form of statement or branch coverage. This chapter explores, reviews, and contextualizes relevant literature, tools, and techniques in this area, while identifying open problems and setting ground for future work.

INTRODUCTION

Search-Based Software Engineering (SBSE) seeks to reformulate Software Engineering (SE) problems as search-based optimisation problems. It has been applied to a wide variety of SE areas, including requirements engineering, project

DOI: 10.4018/978-1-5225-5020-4.ch006

planning and cost estimation, automated maintenance, service-oriented software engineering, compiler optimisation and quality assessment (Harman, 2007). Most of the overall literature (an estimated 59%) in the SBSE area is, however, concerned with Software Testing (ST) related applications, with structural test data generation being the most studied sub-topic (Harman, Mansouri, & Zhang, 2009).

The application of Evolutionary Algorithms (EAs) to test data generation or selection is often referred to as *Evolutionary Testing (ET)* (Tonella, 2004b; Wappler & Wegener, 2006b) or *Search-Based Test Data Generation (SBTDG)* (McMinn, 2004). ET consists of exploring the space of test programs by using metaheuristic techniques that direct the search towards the potentially most promising areas of the input space (Bertolino, 2007); its foremost objective is usually that of searching for a set of test programs that satisfies a predefined test criterion.

EAs have already been applied, with significant success, to the search for test data; the first application of heuristic optimisation techniques to test data generation was presented in 1992 (Xanthakis, Ellis, Skourlas, Gall, & K. Karapoulios, 1992). However, research has been mainly geared towards generating test data for procedural software, and traditional methods – despite their effectiveness and efficiency – cannot be applied without adaptation to Object-Oriented (OO) systems.

The application of search-based strategies to unit testing of OO programs is, in fact, fairly recent – the first approach was presented in 2004 (Tonella, 2004b) – and is yet to be investigated comprehensively (Harman, Hassoun, Lakhota, McMinn, & Wegener, 2007). Interesting review articles on the topic of SBSE, and Search-Based Software Testing (SBST) in particular, include: (McMinn, 2004; Mantere & Alander, 2005; Xiao, El-Attar, Reformat & Miller, 2007; Afzal, Torkar, & Feldt, 2009; Ali, Briand, Hemmati, & Panesar-Walawege, 2009; Harman et al., 2009; Harman & McMinn, 2010; Maragathavalli, 2011; McMinn, 2011; Harman, Mansouri, & Zhang, 2012; Varshney & Mehrotra, 2013; Anand *et al.*, 2013). McMinn surveys the use of metaheuristic search techniques for the automatic generation of test data (McMinn, 2004); because the work on SBST had, thus far (2004), been largely restricted to programs of a procedural nature, these are the main subject of this review. In (Mantere & Alander, 2005), a review of the application of Genetic Algorithm (GA)-based optimisation methods to ST is presented; the authors stress out that all the researchers in this area report good (or, at least, encouraging) results regarding their use. Xiao *et al.* reported the experimental results regarding the effectiveness of five different optimisation techniques over five different C/C++ programs (Xiao *et al.*, 2007). The results show that the GA-based approach outperformed the remaining techniques – e.g., Simulated Annealing (SA), Genetic Simulated Annealing (GSA), Simulated Annealing with Advanced Adaptive Neighborhood (SA/ANN) and Random Testing – achieving the best overall performance.

31 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/evolutionary-approaches-to-test-data-generation-for-object-oriented-software/202195

Related Content

A Fine-Grained Stateful Data Analytics Method Based on Resilient State Table

Jike Ge, Wenbo He, Zuqin Chen, Can Liu, Jun Peng and Guorong Chen (2018). *International Journal of Software Science and Computational Intelligence* (pp. 66-79). www.irma-international.org/article/a-fine-grained-stateful-data-analytics-method-based-on-resilient-state-table/202955

Theoretical Framework and Denotatum-Based Models of Knowledge Creation for Monitoring and Evaluating R&D Program Implementation

Igor Zatsman and Pavel Buntman (2013). *International Journal of Software Science and Computational Intelligence* (pp. 15-31). www.irma-international.org/article/theoretical-framework-and-denotatum-based-models-of-knowledge-creation-for-monitoring-and-evaluating-rd-program-implementation/88989

Classifier Ensemble Based Analysis of a Genome-Wide SNP Dataset Concerning Late-Onset Alzheimer Disease

Lúcio Coelho, Ben Goertzel, Cassio Pennachin and Chris Heward (2012). *Breakthroughs in Software Science and Computational Intelligence* (pp. 433-442). www.irma-international.org/chapter/classifier-ensemble-based-analysis-genome/64623

Computer Aided Knowledge Discovery in Biomedicine

Vanathi Gopalakrishnan (2012). *Machine Learning: Concepts, Methodologies, Tools and Applications* (pp. 1389-1403). www.irma-international.org/chapter/computer-aided-knowledge-discovery-biomedicine/56202

A Formal Statistical Data Modeling for Knowledge Discovery and Prognostic Reasoning of Arecanut Crop using Data Analytics

Rithesh Pakkala Permanki Guthu and Shamantha Rai Bellipady (2022). *International Journal of Software Science and Computational Intelligence* (pp. 1-27). www.irma-international.org/article/a-formal-statistical-data-modeling-for-knowledge-discovery-and-prognostic-reasoning-of-arecanut-crop-using-data-analytics/311447