Chapter 4 A Dynamic Resource Provisioning VNE Algorithm Based on Graph Theory

Isha Pathak Jawaharlal Nehru University, India

Deo Prakash Vidyarthi Jawaharlal Nehru University, India

Atul Tripathi Mahatma Gandhi Central University, India

ABSTRACT

Business has transformed drastically over the years and cloud computing has emerged as an upcoming platform to provide all types of services, especially in the domain of digital business. Virtualization in cloud is a core activity, done at various levels, to support multiple services. Network virtualization is a significant aspect that liberates the users for seamless network access. Virtual network embedding is a process in which the demand of virtual nodes and virtual links are fulfilled by physical/substrate nodes and links while optimizing certain characteristic parameters. This chapter addresses the virtual network embedding problem to optimize parameters such as running time, residual physical network, and embedding cost using graph theory approach. It also minimizes the exhaustion of substrate network resources and still using its resources efficiently. In this chapter, a concept of graph theory has been applied for the virtual network embedding problem. The proposed model has been simulated for its performance study, and results reveal the efficacy of the method.

DOI: 10.4018/978-1-5225-5323-6.ch004

INTRODUCTION

A larger part of the digital business transactions are being done over the cloud now and therefore making cloud computing efficient for such business transactions are the need of the time. Virtualization offers the facility to run multiple operating systems on one physical machine and share all its hardware resources. Cloud Computing takes this aspect of virtualization a step ahead wherein there is no need to own the hardware. The resources are taken on rent from the cloud and are charged as per the usage. Since many years, virtualization has progressed from facilitating the sharing of large mainframes to sharing of various applications. At present, virtualization is being used at many levels including operating system, storage, network etc. to improve the systems' availability, reliability, flexibility, security, costs etc. Virtualization share the resources (hardware/software) to meet out the service demand of the users in a timely manner. In virtualization, a cloud service provider rent resources as and when demanded and thus these resources not necessarily have to be owned. Cloud computing heavily relies on virtualization wherein one doesn't need to install the applications on every computer, but these applications can be virtualized and used through an internet connection.

Network Virtualization (NV) has several motivations that include cost-effective sharing of resources, customizable networking solutions and convergence of existing network infrastructure. Thus, deploying network virtualization provides numerous benefits that includes de-ossification of the current network architecture, reduced cost of ownership, resource usage optimization, coexistence of multiple virtual networks over a shared physical infrastructure etc. Network Virtualization can be seen as the new standard of the Internet for future research in realizing Future Networks (FNs) (Feamster, Gao & Rxford, 2007). Though, it is next to impossible to change the present Internet protocols and thus de-ossifying the present Internet (Jin et. al., 2017), virtualization can aid in building these changes in an incremental and a disciplined way while retaining the core. It allows multiple Virtual Networks (VNs) to coexist on a single Substrate Network (SN) and use its resources, thus separating the Service providers (SPs) from the Infrastructure Providers (IPs) (Chowdhury & Boutaba, 2010). VNs are logically isolated networks lying over a common architecture but providing the same services as a non-virtualized network. The architecture or the network on which these VNs are mapped is called a Substrate Network (SN). With network virtualization, all hardware and software in the virtual network appear as a single collection of resources. In classical systems, different servers are used by different operating systems as depicted in Figure 1.

23 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/chapter/a-dynamic-resource-provisioning-vne-</u> <u>algorithm-based-on-graph-theory/205224</u>

Related Content

Re-Imagine Writing: Multimodal Literary Analysis in English Education

Melanie Hundley, Blaine E. Smithand Teri Holbrook (2014). *Exploring Multimodal Composition and Digital Writing (pp. 248-262).* www.irma-international.org/chapter/imagine-writing-multimodal-literary-analysis/78600

Media Shaped by COVID-19: How Is Media Changing?

Hasan Gürkanand Asl Güngör-Eral (2024). *Transformed Communication Codes in the Mediated World: A Contemporary Perspective (pp. 122-138).* www.irma-international.org/chapter/media-shaped-by-covid-19/335359

Engagement Design: Toward a Holistic Model for Digital Communication Design

Curtis R. Newbold (2014). *Digital Rhetoric and Global Literacies: Communication Modes and Digital Practices in the Networked World (pp. 41-61).* www.irma-international.org/chapter/engagement-design/103384

Digital Literacy and Health Workers: A Study of Kashmir

Mir Kouser Gulzarand Maryam Jameel Naik (2024). *Transformed Communication Codes in the Mediated World: A Contemporary Perspective (pp. 273-286).* www.irma-international.org/chapter/digital-literacy-and-health-workers/335367

Dynamics of Dialogue, Humanity, and Peace in the Metaverse: Towards a Conceptual Debate

Indrani Lahiri, Lipika Deka, Nandini Chakraborty, Kamla Pattni, Monica Lakhanpauland Anita Punwani (2023). *Dynamics of Dialogue, Cultural Development, and Peace in the Metaverse (pp. 106-121).* www.irma-international.org/chapter/dynamics-of-dialogue-humanity-and-peace-in-themetaverse/314993