

Chapter XXXIII

Mobility Prediction for Multimedia Services

Damien Charlet

INRIA-Rocquencourt (ARLES Project), France

Frédéric Lassabe

University of Franche-Comté, France

Philippe Canalda

University of Franche-Comté, France

Pascal Chatonnay

University of Franche-Comté, France

François Spies

University of Franche-Comté, France

ABSTRACT

Advances in technology have enabled a proliferation of mobile devices and a broad spectrum of novel and out breaking solutions for new applications and services. In the present, more and more people and companies are demanding mobile access to multimedia services such as real-time rich media. Today, it is necessary to be able to predict adaptation behaviour which concerns and addresses not only the mobile usage or the infrastructure availability, but the service quality especially the continuity of service. Our chapter provides insight to new challenges of mobile multimedia services and applications: Wifi indoor positioning system adapted to heterogeneous building, static and learning mobility prediction, predictive handover policy for multimedia cache management, mobile multimedia guide (such as museum), and network scalability.

INTRODUCTION

The rapid deployment and growth of multimedia applications are increasing with the appearance of new mobile services and new usages. Nowadays, taking advantage of the arrival of large bandwidth of wireless networks, it is becoming more feasible to stream numerous rich media flows towards mobile and terminal devices. However, some bottlenecks subsist when addressing, firstly, the heterogeneity of Wifi covered territories and secondly the intrinsic rich media constraints. We compare mobility to, first of all, a continuous move within a geographical space, and second a discrete space on a logical scale of the diffusion's network (from access point to access point).

This chapter deals with applications handling large size and continuous rich media communication (i.e., audio or video media). Continuous media require the installation of a specific infrastructure of diffusion guaranteeing the delivery periods. We are interested in mobiles implemented within a space provided with multiple access points, with a more or less

homogeneous space cover. In such context, it is important the infrastructure reacts rapidly, or use preventive measures during the changes of access point.


In this chapter, we do not consider the dynamic flow adaptation but rather, we consider already optimized flows dedicated to mobile devices. Thus, whatever the device nature is (pda, tablet pc, etc.), we assume there is a suitable flow adapted to each target. The reader interested in flow adaptation may refer to (Bourgeois, Mory, & Spies, 2003).

To illustrate our purpose, we use GUINUMO, a mobile numerical guide. Such guide demonstrates the accuracy and pertinence of retrieving and making use of both the visual or audio information, and the localization of the pervasive device, during the time-visit of scenarized museums. Within this framework, the media are suited to fit the specific device.

In the sequel, first of all we present the techniques of localization of the devices connected by hertzian way. We further investigate the trilateration technique and evaluate the efficiency of various methods according to several conditions of implementation.

In order to set up a preventive treatment of mobility we show that it is necessary to determine, at least statistically, the future position of a mobile. Then, we describe the methods allowing predicting, in the short run, the position of a mobile. We detail how, thanks to methods of training, it is possible to refine this prediction. In the second part of this chapter, we introduce the concept of cache, as a necessary element in the chain of continuous media diffusion. Caches make it possible to ensure the continuity and the extensibility of the diffusion's infrastructure. We start off by describing the standard methods of managements and co-operation of the caches for continuous media. We proceed by explaining the mechanisms required to manage the change of access point: *handoff*. Then we

Figure 1. Synthetic schema of GUINUMO's platform



14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/mobility-prediction-multimedia-services/20985

Related Content

A Texture Preserving Image Interpolation Algorithm Based on Rational Function

Hongwei Du, Yunfeng Zhang, Fangxun Bao, Ping Wang and Caiming Zhang (2018). *International Journal of Multimedia Data Engineering and Management* (pp. 36-56).

www.irma-international.org/article/a-texture-preserving-image-interpolation-algorithm-based-on-rational-function/201915

Core Principles of Educational Multimedia

Geraldine Torrisi-Steele (2005). *Encyclopedia of Multimedia Technology and Networking* (pp. 130-136).

www.irma-international.org/chapter/core-principles-educational-multimedia/17238

An Innovative Multiple-Object Image Retrieval Framework Using Hierarchical Region Tree

Wei-Bang Chen and Chengcui Zhang (2013). *International Journal of Multimedia Data Engineering and Management* (pp. 1-23).

www.irma-international.org/article/an-innovative-multiple-object-image-retrieval-framework-using-hierarchical-region-tree/95205

Generating Window of Sign Languages on ITU J.200-Based Middlewares

Felipe Lacet Silva Ferreira, Tiago Maritan Ugulino de Araújo, Felipe Hermínio Lemos, Gutenberg Pessoa Botelho Neto, José Ivan Bezerra Vilarouca Filho and Guido Lemos de Souza Filho (2012). *International Journal of Multimedia Data Engineering and Management* (pp. 20-40).

www.irma-international.org/article/generating-window-sign-languages-itu/69519

An Ethical Perspective on ICT in the Context of the Other

Anders D. Olofsson and Ola J. Lindberg (2008). *Handbook of Research on Digital Information Technologies: Innovations, Methods, and Ethical Issues* (pp. 506-521).

www.irma-international.org/chapter/ethical-perspective-ict-context-other/19862