Chapter 58 Haptics-Based Systems Characteristics, Classification, and Applications

Abeer Bayousuf King Saud University, Saudi Arabia

Hend S. Al-Khalifa King Saud University, Saudi Arabia

Abdulmalik Al-Salman King Saud University, Saudi Arabia

ABSTRACT

Haptics-based systems have had a significant impact in a variety of fields, such as surgical simulation, rehabilitation, technology designed to help the blind and visually impaired, education and training, entertainment and leisure activities such as video games, art and design, online consumer activity, security, and mobile phones. Despite this, haptics-based applications are still in their infancy, and their development is ongoing. In this chapter, the authors present the concept of haptics, its characteristics, classification, and applications. Thus, the outline of the chapter is as follows: Section 2 defines the concept of haptics. Section 3 presents the components of haptics-based system architecture in a virtual environment. Section 4 provides the characteristics and classification of haptic devices. Section 5 presents examples of haptics-based systems in different areas. Finally, Section 6 concludes the chapter with future research directions.

INTRODUCTION

With advances in technology, individuals today can interact with computer technology, not only through their visual and auditory senses, but also through touch. The sense of touch is unlike other senses such as vision and hearing; its uniqueness lies in the fact that it enables a bi-directional exchange of information between users and the virtual or real environment, whereas the other senses, such as sight and hearing, are uni-directional forms of interaction, taking place from the computer application to the user.

DOI: 10.4018/978-1-5225-7368-5.ch058

Haptics-Based Systems Characteristics, Classification, and Applications

A haptics-based system utilizes the tactile sense of touch, the kinesthetic sense, or both types to enable human–computer interaction. The source of the touch under investigation could be animate (e.g. humans), inanimate (e.g. machines), or a combination of both. The items or environments being touched could be real, virtual, or a combination of both (M. Eid, Orozco, & Saddik, 2007), (Saddik, 2007). In addition, a haptics-based system may complement other sensory information such as vision, audition, or both, to make an environment appear more realistic.

Nowadays, haptics-based systems have had a significant impact in a variety of fields, such as surgical simulation, rehabilitation, technology designed to help the blind and visually impaired, education and training, entertainment and leisure activities such as video games, art and design, online consumer activity, security, and mobile phones. A survey of haptic-based applications can be found in (M. Eid et al., 2007), (Saddik, 2007), (Abdulmotaleb El Saddik, Mauricio Orozco, Mohamad Eid, & Jongeun Cha, 2011) and (Escobar-Castillejos, Noguez, Neri, Magana, & Benes, 2016). Despite this, haptics-based applications are still in their infancy (Saddik, 2007), and their development is ongoing.

In this chapter we present the concept of haptics, its characteristics, classification and applications. Thus, the outline of the chapter is as follows: Section 2 defines the concept of haptics. Section 3 presents the components of haptics-based system architecture in a virtual environment. Section 4 provides the characteristics and classification of haptic devices. Section 5 presents examples of haptics-based systems in different areas. Finally, section 6 concludes the chapter with future research directions.

BACKGROUND: THE CONCEPT OF HAPTICS

The concept of haptics is derived from the Greek verb haptesthai which means 'to touch'. It refers to the science of sensation and manipulation by touch for the purpose of perception or modification of the environment (Abdulmotaleb El Saddik et al., 2011), (M. Eid et al., 2007), (Mihelj, Novak, & Begus, 2014). Touch is divided into two forms: the tactile (also called cutaneous) sense, and the kinesthetic (also called proprioceptive or force) sense (Abdulmotaleb El Saddik et al., 2011), (Benali-khoudja, Hafez, Alex, & Kheddar, 2004). The tactile sense refers to the registering of physical contact with a real object through skin receptors. It provides the individual with information about an object; this includes texture, pressure, temperature, wetness, softness, friction, vibration, and shape. Conversely, the kinesthetic sense of touch means feeling motion through awareness of position and movement of body parts as well as muscular efforts that are conveyed to the individual by sensory receptors in joints, tendons, and muscles when touching and manipulating items. The kinesthetic sense tells the individual about the movement of joints, velocity, muscle control, and weight. The human hand features both types of touch (Abdulmotaleb El Saddik et al., 2011), (Mihelj et al., 2014).

The term haptics was introduced in the field of psychology in the early 20th century to provide an explanation of the human perception of objects by touch. In the 1970s and 1980s, robotics researchers redefined the term to refer to the remote control of robots and their environment by touch (Abdulmotaleb El Saddik et al., 2011), (M. Eid et al., 2007). The early 1990s were the 'golden age' of haptics, due to the widespread appearance on the consumer market of different haptic devices such as the tactile mouse and the joystick. The field of computer haptics, introduced to integrate haptic devices with computers (Abdulmotaleb El Saddik et al., 2011), (M. Eid et al., 2011), (M. Eid et al., 2007), is associated with the design and development of algorithms and software to generate and display forces and tactile sensations to the user (Abdulmotaleb El Saddik et al., 2011). 15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/haptics-based-systems-characteristicsclassification-and-applications/213176

Related Content

Readiness as a Novel Construct of Readiness Acceptance Model (RAM) for the Wireless Handheld Technology

Abdul Hafeez-Baig, Raj Gururajanand Nilmini Wickramasinghe (2018). *Technology Adoption and Social Issues: Concepts, Methodologies, Tools, and Applications (pp. 27-45).* www.irma-international.org/chapter/readiness-as-a-novel-construct-of-readiness-acceptance-model-ram-for-the-wireless-

handheld-technology/196670

Design and Evaluation of Mobile Learning from the Perspective of Cognitive Load Management

Wenhao David Huangand Jeanette Andrade (2016). *Human-Computer Interaction: Concepts, Methodologies, Tools, and Applications (pp. 350-365).*

www.irma-international.org/chapter/design-and-evaluation-of-mobile-learning-from-the-perspective-of-cognitive-loadmanagement/139043

Impact of Digitalization on Youth and Its Relevance Regarding Demonetization

Manisha Raj (2023). Advances in Artificial and Human Intelligence in the Modern Era (pp. 313-324). www.irma-international.org/chapter/impact-of-digitalization-on-youth-and-its-relevance-regarding-demonetization/330414

Empowering Smart Education Through Computer Vision and Internet of Everything in School Transportation

Farooq Ahmad, Shweta Dwivediand Nupur Mittal (2025). *Computer Vision and Internet of Everything* (*IoE*) for Societal Needs (pp. 187-208).

www.irma-international.org/chapter/empowering-smart-education-through-computer-vision-and-internet-of-everything-inschool-transportation/378140

From Digital Overload to Trading Zen: The Role of Digital Detox in Enhancing Intraday Trading Performance

Mukul Bhatnagar, Pawan Kumar, Sanjay Taneja, Kiran Soodand Simon Grima (2024). *Business Drivers in Promoting Digital Detoxification (pp. 148-176).*

www.irma-international.org/chapter/from-digital-overload-to-trading-zen/336747