

Chapter 134

Usability of CAPTCHA in Online Communities and Its Link to User Satisfaction

Samar I. Swaid
Philander Smith College, USA

ABSTRACT

Completely automated public turning test to tell computers and humans apart (CAPTCHA) is a security mechanism that is used by online communities to block spam and hacking. Today, there are a large number of sophisticated CAPTCHAs that are robust; however, most of them are unusable. This chapter describes a study to examine types and characteristics of Text CAPTCHAs used by top 50 online communities. Furthermore, the chapter is the first of its type to develop a scale to measure usability of text CAPTCHA and to examine the relationships between dimensions of CAPTCHA and perception of usability and satisfaction with registration process in online communities. Factor analysis and equation modeling study suggests that text-based CAPTCHA can be measured on four reflective dimensions of (1) content, (2) visual layout, (3) distortion, and (4) service in which correlate significantly to users' sanctification with online community.

INTRODUCTION

CAPTCHA- Completely Automatic Public Turing test to Tell Computers and Humans Apart- is a security application that is used by many websites to avoid spamming and hacking. CAPTCHA provides a test that humans are able to solve, but computer programs cannot, to defeat websites and stop spammers and hackers. CAPTCHA test can be viewed as a function of random input that generates a challenge test and a solution. Previous research found that website users spend on average 10 seconds per CAPTCHA (Sutherland, 2012), which suggests for 200 million CAPTCHA that are solved by human users every day, more than 5000,000 hours on daily basis are lost productivity (Sutherland, 2012). CAPTCHA is developed as an instrument to limit misuse of websites that offer free services of email creation, weblogs posting, social networking, online voting, online games online banking, or chat rooms, etc. With this

DOI: 10.4018/978-1-5225-7598-6.ch134

aim in mind, several CAPTCHAs (Boshmaf et al., 2012; Coats and Baird, 2001; Chellapilla and Simard, 2005a; Von Ahn and Blum, 2005) are developed. CAPTCHAs share a number of common characteristics: (i) automated test; (ii) publicly available; (iii) separability of test- generation and solution; and (iv) defeating attacks (Fidas et al., 2011, Swaid, 2013). A number of different techniques for generating CAPTCHAs have been developed, each satisfying the criteria of CAPTCHA test described above.

CAPTCHA types can be categorized to five main types: (i) text CAPTCHA such as reCAPTCHA and Gimby CAPTCHA (ReCaptcha, 2015); (ii) image-based CAPTCHA such as ASIRRA (Elson et al., 2007), Bongo (Bongo, 2015) and Pix (Pix, 2015) that rely on image-recognition techniques (Vikram et al., 2011); (iii) animation-based CAPTCHA; (iv) audio CAPTCHA (e.g., ReCaptcha Audio Captcha, Digg, and (v) other (e.g., mathematical functions, games, multiple choice, and cognitive based CAPTCHA) (Hernandez-Castro and Ribagorda, 2010; Yamamoto et al., 2010). Text CAPTCHA is the most common type where the user is presented with a challenge-response test in a form of numbers and letters, and user needs to strike in the right characters in the given text box. In this chapter, the author uses text CAPTCHA and CAPTCHA alternatively focusing on usability of text-based CAPTCHA that is formed of randomly generated sequence of letters and/or numbers that appear as a distorted image.


Cracking CAPTCHAs

Cracking CAPTCHA and bypassing the CAPTCHA tests have attracted a number of studies to examine methodologies used in solving CAPTCHA. Generally, text CAPTCHA cracking needs three steps. First phase is pre-processing CAPTCHA by removing background, color and added noise. Second, a segmentation process is used to locate individual character in CAPTCHA challenge. Finally, a classification or recognition phase is applied to solve CAPTCHA, such as using standard OCR software (Serrao, et al., 2013; Sutherland, 2012), CAPTCHA farms (Serrao, et al., 2013), or CAPTCHA smuggling (Egele et al., 2010). In addition, there are other alternatives of commercial software that are developed to crack CAPTCHA such as Death BY CAPTCHA, CAPTCHA Sniper, Automated CAPTCHA Bypass, CAPTCHA Monster or PWNTCHA (Serro et al., 2013). Exploring mechanisms to crack CAPTCHA and its relation to usability is also important and of practical relevance, but beyond the scope of this chapter.

CAPTCHA Usability and Online Communities

In general, we may define the concept of usability as the effort required to use a computer system. For instance, Nielsen (2003) suggests that usability concerns several aspects such as the ease with which the user is capable of learning to manage the system, the ease of memorizing the basic functions, the

Figure 1.



13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/usability-of-captcha-in-online-communities-and-its-link-to-user-satisfaction/214742

Related Content

Youth Sources of News During the COVID-19 Period: Case Study in the UAE

Badreya Al-jenaibi (536d4bda-1d8b-42f0-94b7-3346c14bc901 (2024). *International Journal of Mobile Computing and Multimedia Communications* (pp. 1-24).

www.irma-international.org/article/youth-sources-of-news-during-the-covid-19-period/343789

Energy-Accuracy Trade-off in Wireless Sensor Network Localization

Asif Iqbal Babaand Fan Wu (2015). *International Journal of Handheld Computing Research* (pp. 1-18).

www.irma-international.org/article/energy-accuracy-trade-off-in-wireless-sensor-network-localization/148286

Design Guidelines for Location-Based and Contextual Learning Supported by Mobile Devices

Johan Eliassonand Robert Ramberg (2012). *International Journal of Handheld Computing Research* (pp. 26-43).

www.irma-international.org/article/design-guidelines-location-based-contextual/67095

Modeling and Analysis of a Hybrid CAC Scheme in Heterogeneous Multimedia Wireless Networks

Yuhong Zhangand Ezzatollah Salari (2012). *International Journal of Handheld Computing Research* (pp. 23-36).

www.irma-international.org/article/modeling-analysis-hybrid-cac-scheme/64363

Accessibility of Mobile Applications

Panjak Kamthan (2007). *Encyclopedia of Mobile Computing and Commerce* (pp. 9-14).

www.irma-international.org/chapter/accessibility-mobile-applications/17044