Chapter 2 From Einstein Theories to Least Action Principle, a Relativistic Error of a Limit Case of Classical Mechanics: Matching With Measurements of Light Propagation

Alessandro Massaro Dyrecta Lab s.r.l., Italy

ABSTRACT

The authors prove that the standard least action principle implies a more general form of the same principle by which they can state generalized motion equation including the classical Euler equation as a particular case. This form is based on an observation regarding the last action principle about the limit case in the classical approach using symmetry violations. Furthermore, the well-known first integrals of the classical Euler equations become only approximate first integrals. The authors also prove a generalization of the fundamental lemma of the calculus of variation and they consider the application in electromagnetism. This chapter is an enhanced version of a published work. It proves the existence of particular relativistic error condition in classical mechanics, potentially significant on experiments of light propagation in matters. The work includes a discussion of applications potentially correlated with the found particle motion error condition.

DOI: 10.4018/978-1-5225-5406-6.ch002

INTRODUCTION

The least action principle is widely applicable in any field of physics and is particularly fruitful in classical mechanics (Goldstein et al., 2008). It is well known that almost all the physical equations can be derived by such a principle, so that a critical analysis about this principle is certainly useful.

The aim of this paper is to prove that its standard form implies a generalized variational principle by which we can derive generalized Euler equations: these latter are more general than the classical Euler equation and include them as a special case.

In stating our results we make use of a generalization of the fundamental lemma of the calculus of variations.

An attempt is made to interpret as a relativistic correction the difference between the generalized equations and the classical equations. Generally the new equations lead to approximate first integrals which become exact only in limiting case of the classical equations. The results of this analysis can be extended to classical field theory and to Relativistic physics and probably to Quantum mechanics and Quantum field theory (Massaro, 2011). Another application of this theory is in electron optics and, in particular, in the evaluation of the light velocity in a liquid. The chapter is an enhanced version of a work (Massaro & Massaro, 2011), which highlights the particular error condition of an analytical solution in classical mechanics theory matching with physical phenomena involving light propagation in a liquid. After an enhanced background discussion some aspect concerning the performed research and the new topics of research about relativistic error will be commented on.

BACKGROUND

Our recently funded project re-analyzed analytic mechanics structure of quantum mechanics and relativity space-time (Xinzhong, 2016). The topic is very important in order to "trace" accurately the analytical solutions from classical mechanics to quantum mechanics. We discuss here a short history of analytical features in order to understand different aspects of mathematical solutions of dynamics and thermodynamics and light propagation principles. Approximately in 1620 W.R. Snell studied the refraction of light ($n_1 \sin\alpha = n_2 \sin\beta$), by providing important aspects about ray optics. Successively Pierre de Fermat in 1662 studied deeply the rectilinear propagation, the reflection and the refraction of light, thus also defining the basic principle that when light pass through the interface of two kinds of medium, whether

23 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igiglobal.com/chapter/from-einstein-theories-to-least-actionprinciple-a-relativistic-error-of-a-limit-case-of-classicalmechanics/217761

Related Content

Incidence of Risk Factors on the Onset of Gestational Diabetes Mellitus: An Empirical Research in Southern Italy

E. De Franchis, A. Ferramosca, V. Zaraand L. Piper (2012). *International Journal of Measurement Technologies and Instrumentation Engineering (pp. 8-22).* www.irma-international.org/article/incidence-risk-factors-onset-gestational/78327

Assessing Creativity Using the Consensual Assessment Technique

John Baerand Sharon S. McKool (2009). *Handbook of Research on Assessment Technologies, Methods, and Applications in Higher Education (pp. 65-77).* www.irma-international.org/chapter/assessing-creativity-using-consensual-assessment/19664

Measurement and Monitoring System With Real Time Data Logging Based on Microcontroller

Abdelkrim Mohrem, Boukhemis Chetateand Houssem Eddine Guia (2018). International Journal of Measurement Technologies and Instrumentation Engineering (pp. 20-40).

www.irma-international.org/article/measurement-and-monitoring-system-with-real-time-datalogging-based-on-microcontroller/217402

A Real Time Attachment Free, Psycho Physiological Stress and Heart Rate Measurement System

Anthony Psaltisand Constantinos Mourlas (2011). *International Journal of Measurement Technologies and Instrumentation Engineering (pp. 1-13).* www.irma-international.org/article/real-time-attachment-free-psycho/58067

A Hybrid Approach for Facial Expression Recognition Using Extended Local Binary Patterns and Principal Component Analysis

Gopal Krishan Prajapatand Rakesh Kumar (2019). *International Journal of Electronics, Communications, and Measurement Engineering (pp. 1-25).* www.irma-international.org/article/a-hybrid-approach-for-facial-expression-recognition-using-extended-local-binary-patterns-and-principal-component-analysis/232280