

Combining Motor Primitives for Perception Driven Target Reaching With Spiking Neurons

J. Camilo Vasquez Tieck, FZI Research Center for Information Technology, Karlsruhe, Germany

Lea Steffen, FZI Research Center for Information Technology, Karlsruhe, Germany

Jacques Kaiser, FZI Research Center for Information Technology, Karlsruhe, Germany

Daniel Reichard, FZI Research Center for Information Technology, Karlsruhe, Germany

Arne Roennau, FZI Research Center for Information Technology, Karlsruhe, Germany

Ruediger Dillmann, FZI Research Center for Information Technology, Karlsruhe, Germany

ABSTRACT

Target reaching is one of the most important areas in robotics, object interaction, manipulation and grasping tasks require reaching specific targets. The authors avoid the complexity of calculating the inverse kinematics and doing motion planning, and instead use a combination of motor primitives. A bio-inspired architecture performs target reaching with a robot arm without planning. A spiking neural network represents motions in a hierarchy of motor primitives, and different correction primitives are combined using an error signal. In this article two experiments using a simulation of a robot arm are presented, one to extensively cover the working space by going to different points and returning to the start point, the other to test extreme targets and random points in sequence. Robotics applications—like target reaching—can provide benchmarking tasks and realistic scenarios for validation of neuroscience models, and also take advantage of the capabilities of spiking neural networks and the properties of neuromorphic hardware to run the models.

KEYWORDS

Brain-Inspired Systems, Closed-Loop Robot Control, Human Brain Project, Motion Representation, Motor Primitives, Neural Computation, Neurorobotics, Robot Arm, Spiking Neural Networks, Target Reaching

INTRODUCTION

Target reaching is one of the most important problems in robotics, object interaction, manipulation and grasping tasks require reaching a specific target (Latombe, 2012). Humans will learn motions and remember them for execution in different situations. A broadly accepted concept in neuroscience is that the CNS (Central Nervous System) uses sensory-motor primitives as building blocks for the execution and planning of motions (d'Avella & Lacquaniti, 2013; Johansson & Cole, 1992). The combination of simple primitives representing muscle synergies creates more complex and advanced

DOI: 10.4018/IJCINI.2019010101

motions (Bizzi, Cheung, d'Avella, Saltiel, & Tresch, 2008; d'Avella & Lacquaniti, 2013; Thoroughman & Shadmehr, 2000). There have been recent developments in robotics using these principles for dynamic motion primitives (Ijspeert, Nakanishi, Hoffmann, Pastor, & Schaal, 2013; Schaal, 2006), for a reactive framework of reflexes (Kröger, 2011).

Nevertheless, robotics still relies on classical well-proven methods to solve most of the problems.

In classical robotics the problem of reaching a target is solved by calculating the inverse kinematics (IK) for a target point, then validating the configuration, and finally planning the trajectory. These steps are computationally expensive. A complete overview of planning methods is presented in (Latombe, 2012), and a detailed analysis of different methods for solving the IK is presented in (Buss, 2004).

Spiking neural networks (SNN) focus on replicating the way real neurons work and attempt to replicate their biological characteristics (Maass, 1997). SNN are capable of spike-based communication, enabling research on brain functioning, learning and plasticity mechanisms (Gamez, 2010). For more details on SNN see (Gruening & Bohte, 2014; Maass, 1997; Vreeken, 2003).

Building on previous work with SNN using motor primitives for grasping (Tieck et al., 2017; Tieck, Steffen, Kaiser, Reichard, et al., 2018; Tieck, Steffen, Kaiser, Arne, & Dillmann, 2018; Tieck, Weber, Stewart, Roennau, & Dillmann, 2018), the authors propose a bio-inspired architecture to perform target reaching with a robot arm without planning. A spiking neural network represents motions in a hierarchy of motor primitives. Different correction primitives are combined using an error signal to control a robot arm in a closed-loop scenario --- illustrated in Figure 1.

This approach is motivated by consideration of how human beings estimate positions and distances. Humans can easily determine which object is in front of or behind, or on the left or right of another one, and which of two angles is wider (Pfeifer & Bongard, 2006). The motoric of the eyes and head provide all this information very fast. Studies have shown that the human brain uses the feedback information from vision and from proprioception to execute reaching movements (Filimon, Nelson, Huang, & Sereno, 2009; Saunders & Knill, 2003). A coupling between these two systems suggest that there are other important components involved in the generation of motion.

The methods presented in this article were first presented in (Tieck, Steffen, Kaiser, Reichard, et al., 2018). The approach is implemented with SNN. The authors avoid the complexity of calculating the IK and motion planning, and instead the authors use a combination of motor primitives.

In this work experiments using a simulation of a robot arm are presented to cover the working space returning to start, and experiments to test extreme targets and random points in sequence.

The method for target reaching is described in the Approach section. The section is divided into: the motion representation with motor primitives and spiking neurons; the target representation as a discrete error signal; and the closed-loop architecture to connect the motor primitives with the discrete error signal to control the robot arm. In the Results section, the method is evaluated, and implementation details are provided. The section is divided into: the implementation details of the SNN and the pipeline; experiments to cover the working space returning to start; and experiments to test extreme targets and random points in sequence. Finally, in the Conclusion section an overview of the main contributions, a discussion of the results, the limitations and future/current work are presented.

APPROACH

Target reaching is a common task in robotics, important for manipulation and grasping applications.

The problem definition is that given an initial state of the robot arm, move the tool center point (TCP) to a specific target point in space as illustrated in Figure 1. In classical robotics the problem is solved by calculating the inverse kinematics (IK) for the target point, then validating the configuration, and finally planning the trajectory. This approach performs target reaching with a robot arm without calculating the inverse kinematics and without planning (Buss, 2004; Latombe, 2012). This work proposes a bio-inspired architecture for a spiking neural network (SNN) that represents motions in

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/article/combining-motor-primitives-for-perception-driven-target-reaching-with-spiking-neurons/223991

Related Content

Study on Traffic Multi-Source Data Fusion

Suping Liu, Dongbo Zhang and Jialin Li (2019). *International Journal of Cognitive Informatics and Natural Intelligence* (pp. 63-75).

www.irma-international.org/article/study-on-traffic-multi-source-data-fusion/226940

Principles of Cognitive Machines

Farley Simon Nobre, Andrew M. Tobias and David S. Walker (2009). *Organizational and Technological Implications of Cognitive Machines: Designing Future Information Management Systems* (pp. 68-80).

www.irma-international.org/chapter/principles-cognitive-machines/27873

A Neural Dynamic Model Based on Activation Diffusion and a Micro-Explanation for Cognitive Operations

Hui Wei (2012). *International Journal of Cognitive Informatics and Natural Intelligence* (pp. 1-22).

www.irma-international.org/article/neural-dynamic-model-based-activation/70573

Concept of Symbiotic Computing and its Agent-Based Application to a Ubiquitous Care-Support Service

Takuo Suganuma, Kenji Sugawara, Tetsuo Kinoshita, Fumio Hattori and Norio Shiratori (2009). *International Journal of Cognitive Informatics and Natural Intelligence* (pp. 34-56).

www.irma-international.org/article/concept-symbiotic-computing-its-agent/1580

A Selective Sparse Coding Model with Embedded Attention Mechanism

Qingyong Li, Zhiping Shi and Zhongzhi Shi (2009). *Novel Approaches in Cognitive Informatics and Natural Intelligence* (pp. 78-90).

www.irma-international.org/chapter/selective-sparse-coding-model-embedded/27300