

Chapter 27

A Multiplatform Decision Support Tool in Neonatology and Pediatric Care

Tiago Guimarães

Universidade do Minho, Portugal

Ana Coimbra

Universidade do Minho, Portugal

Simão Frutuoso

Centro Hospitalar do Porto, Portugal

António Abelha

Universidade do Minho, Portugal

ABSTRACT

As regards the dosage of drug, children are a much more vulnerable population than the adults. With this in mind it is extremely important the administration of the correct dosage. For this purpose, it was develop a framework, based on a prototype already tested in a real environment, with the main concern to help pediatricians in their daily tasks. Thus, this framework includes tools that can help in the preparation of Total Parenteral Nutrition prescriptions, table pediatric and neonatal emergency drugs, medical scales of morbidity and mortality, anthropometry percentiles (weight, length/height, head circumference and BMI), utilities for supporting medical decision on the treatment of neonatal jaundice and anemia and other calculators. This paper presents the architecture, their functionalities and a SWOT analysis of the solution proposed.

INTRODUCTION

The paediatric and neonatal patients are the most vulnerable population in respect to drug administration. Therefore, a dosage error can leave serious consequences and even be fatal. As it can be seen in Literature, 8% of the medication errors are from paediatric specialty, this may happen because to determine the medication dosages for each paediatrics patients the paediatricians have to take in count several factors,

DOI: 10.4018/978-1-5225-9863-3.ch027

such as patient age, body weight, and in some cases body surface. The constant calculations and the numerous times that healthcare professionals have to check tables, may delay the medical consultation and also makes human error more likely to happen in the overly execution of those tasks. (Kaushal, et al., 2001; Rosse, et al., 2009)

The automation of these tasks available through an e-health and a m-health application will aim to make the professional life easier, saving their time, reducing the human error risks during calculations and improving the quality of healthcare delivery.

Artificial Intelligence in Medicine (AIM) appear with the need of introducing computers into medical practice for aid the physicians decisions using Artificial Intelligence based medical diagnostic reasoning, making possible to solve complex decision models in real time. Nowadays it is more common to describe them as clinical decision support systems (CDSS) instead of AIM systems. However this first CDSS generation was often inaccurate or irrelevant due to the fact that these systems were not integrated with other computerized systems making it impossible to support hospital operation and patient data management. (Zheng, 2010; Coiera, 2003)

The CDSS are computer based information systems that are interactive, flexible and adaptable, developed with the purpose of improving decision-making processes, providing this way to the physicians and other individuals with knowledge and specific, individualized information, intelligently filtered and presented at appropriate times. An example of a commonly used CDSS is the laboratory systems that generate alerts for abnormal values. (Zheng, 2010; Ramnarayan & Britto, 2002)

The most precious resource in a medical practice is clinical time, this is extremely limited, a physician in a medical consultation have to examine the patient, review historical data, make decisions, document new findings and prescribe treatments and drugs if necessary, with all this the CDSS could not be a distraction, or occupy more time than usual to perform all these tasks. Furthermore a CDSS should help the physicians by reducing the wasted time in useless things and reducing the time to perform a simple task, for example finding the patient historical data or even in the calculation of the drug dosages. (Zheng, 2010)

Another thing that has to be taken into consideration is the interaction between physician and patient. If the physician spends too much time looking at the computer, the patient may consider it rude. (Zheng, 2010)

Currently CDSS is found more commonly supporting medication prescribing, making the prescription more legible than handwritten ones, and still lead to a better structured and more complete medication prescriptions by forcing the physicians to include dose, route of administration, and frequency before the final authorizing. Another advantage of having an electronic prescription is that the software can warn the physicians if they are contra-indications about that type of drug that he is trying to prescribe for that patient by accessing to the patient background information through a connection to the Hospital database, being capable of generating warning alerts against drug-drug interactions and drug-allergy interactions. (Rosse, et al., 2009; Zheng, 2010; Ramnarayan & Britto, 2002)

With all this in mind, it was developed a prototype called “Sabichão”, that was tested in the Units of Paediatrics and Neonatology and on the Intensive Care Unit of Paediatrics of the *Centro Hospitalar do Porto*, the *Centro Materno-Infantil do Norte* and the *Centro Hospitalar Tâmega e Sousa*.

STATE OF ART

The work in this area of the clinical decision support systems (CDSS) and also in the neonatal and pediatric medicine has already begun. Examples of that are the INTCARE and the INTCARE II projects

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-multiplatform-decision-support-tool-in-neonatology-and-pediatric-care/235331

Related Content

Designing Smart Home Environments for Unobtrusive Monitoring for Independent Living: The Use Case of USEFIL

Homer Papadopoulos (2020). *Virtual and Mobile Healthcare: Breakthroughs in Research and Practice* (pp. 607-626).

www.irma-international.org/chapter/designing-smart-home-environments-for-unobtrusive-monitoring-for-independent-living/235335

Endoscopic-Assisted Microvascular Decompression

M. Yashar S. Kalani, Michael R. Levitt, Celene B. Mulholland, Charles Teo and Peter Nakaji (2018). *Effective Techniques for Managing Trigeminal Neuralgia* (pp. 139-154).

www.irma-international.org/chapter/endoscopic-assisted-microvascular-decompression/203478

Loneliness Among Rural Elderly: Present and Future Public Health Challenges

Borja Rivero Jiménez, Nuria María García Perales, David Conde Caballero, Beatriz Muñoz González, Julián F. Calderón García and Lorenzo Mariano Juárez (2020). *Handbook of Research on Health Systems and Organizations for an Aging Society* (pp. 48-61).

www.irma-international.org/chapter/loneliness-among-rural-elderly/238269

Community Music Therapy Partnering With Community Musicians: Orchestral Dialogues – Accepting Self, Accepting Others

Janelle S. Junkin (2019). *Healing Through the Arts for Non-Clinical Practitioners* (pp. 214-226).

www.irma-international.org/chapter/community-music-therapy-partnering-with-community-musicians/211675

Halal Branding for Medical Tourism: Case of Indian Hospitals

Anita Medhekar and Farooq Haq (2018). *Medical Tourism: Breakthroughs in Research and Practice* (pp. 248-270).

www.irma-international.org/chapter/halal-branding-for-medical-tourism/191488