

IGI PUBLISHING

701 E. Chocolate Avenue, Suite 200, Hershey PA 17033-1240, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.igi-global.com

This paper appears in the publication, Intelligent Complex Adaptive Systems edited by A. Yang and Y. Shan © 2008, IGI Global

Chapter VIII

Emergent Specialization in Biologically Inspired Collective Behavior Systems

G. S. Nitschke, Vrije Universiteit, The Netherlands

M. C. Schut, Vrije Universiteit, The Netherlands

A. E. Eiben, Vrije Universiteit, The Netherlands

Abstract

Specialization is observable in many complex adaptive systems and is thought by many to be a fundamental mechanism for achieving optimal efficiency within organizations operating within complex adaptive systems. This chapter presents a survey and critique of collective behavior systems designed using biologically inspired principles. Specifically, we are interested in collective behavior systems where specialization emerges as a result of system dynamics and where emergent specialization is used as a problem solver or means to increase task performance. The chapter presents an argument for developing

Copyright © 2008, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

design methodologies and principles that facilitate emergent specialization in collective behavior systems. Open problems of current research as well as future research directions are highlighted for the purpose of encouraging the development of such emergent specialization design methodologies.

Introduction

Specialization is observable in many complex adaptive systems¹ and is thought by many to be a fundamental mechanism for achieving optimal efficiency within certain complex adaptive systems. In complex ecological communities, specializations have evolved over time as a means of diversifying the community in order to adapt to the environment (Seligmann, 1999). Over the course of evolutionary time, specialization in biological communities has assumed both morphological (Wenseleers, Ratnieks, & Billen, 2003) and behavioral forms (Bonabeau, Theraulaz, & Deneubourg, 1996). For example, morphologically specialized castes have emerged in certain termite colonies (Noirot & Pasteels, 1987), and honeybees dynamically adapt their foraging behavior for pollen, nectar, and water as a function of individual preference and colony demand (Calderone & Page, 1988). The consequence of such specializations is that labor is efficiently divided between specialized castes² and individuals for the benefit of accomplishing group tasks. In such a sense, specialization can be viewed as an adaptive mechanism in a complex adaptive system.

Many artificial complex adaptive systems that exhibit collective behavior have used design principles, which draw their inspiration from examples of specialization in nature. Such examples include complex ecological communities such as social insect colonies (Bonabeau et al., 1996; Bonabeau, Sobkowski, Theraulaz, & Deneubourg, 1997; Calderone et al., 1988; Noirot et al., 1987; Seligmann, 1999; Wenseleers et al., 2003) biological neural networks (Baev, 1997), multi-cellular organisms (Hawthorne, 2001), economies of a nation, companies, corporations, and other business organizations (Abdel-Rahman, 2001; Ng & Yang, 1997; Resnick, 1997). Such biologically inspired design principles are especially prevalent in multi-robot (Potter, Meeden, & Schultz, 2001) swarm intelligence (Bonabeau, Dorigo, & Theraulaz, 1998) and artificial life systems (Nishimura & Takashi, 1997) where it is highly desirable to replicate the success of biological collective behavior systems.

Copyright © 2008, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

37 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/emergentspecialization-biologically-inspired-collective/24189

Related Content

Efficient Mutation Strategies Embedded in Laplacian-Biogeography-Based Optimization Algorithm for Unconstrained Function Minimization

Vanita Gargand Kusum Deep (2016). *International Journal of Applied Evolutionary Computation (pp. 12-44).* www.irma-international.org/article/efficient-mutation-strategies-embedded-in-laplacian-

biogeography-based-optimization-algorithm-for-unconstrained-function-minimization/157330

A Heuristic Approach for Multi Objective Distribution Feeder Reconfiguration: Using Fuzzy Sets in Normalization of Objective Functions

Armin Ebrahimi Milaniand Mahmood Reza Haghifam (2012). *Principal Concepts in Applied Evolutionary Computation: Emerging Trends (pp. 130-142).* www.irma-international.org/chapter/heuristic-approach-multi-objective-distribution/66818

Usable-Security Assessment of Healthcare Software System through Fuzzy ANP-TOPSIS Method: Usable-Security Assessment

(2021). International Journal of System Dynamics Applications (pp. 0-0). www.irma-international.org/article//272229

Agents Network for Automatic Safety Check in Constructing Sites

Rocco Aversa, Beniamino Di Martino, Michele Di Nataleand Salvatore Venticinque (2013). *Innovations and Approaches for Resilient and Adaptive Systems (pp. 124-136).* www.irma-international.org/chapter/agents-network-automatic-safety-check/68947

Hybrid Computational Intelligence System for Fashion Design: A Case of Genetic-Fuzzy Systems With Interactive Fitness Evaluation

Priti Srinivas Sajja (2022). International Journal of System Dynamics Applications (pp. 1-16).

www.irma-international.org/article/hybrid-computational-intelligence-system-for-fashiondesign/284957