# Chapter XI Design of Knowledge Bases for Forward and Reverse Mappings of TIG Welding Process

J. P. Ganjigatti Siddaganga Institute of Technology, Tumkur, India

**Dilip Kumar Pratihar** Indian Institute of Technology, Kharagpur, India

## ABSTRACT

In this chapter, an attempt has been made to design suitable knowledge bases (KBs) for carrying out forward and reverse mappings of a Tungsten inert gas (TIG) welding process. In forward mapping, the outputs (also known as the responses) are expressed as the functions of the input variables (also called the factors), whereas in reverse mapping, the factors are represented as the functions of the responses. Both the forward as well as reverse mappings are required to conduct, for an effective online control of a process. Conventional statistical regression analysis is able to carry out the forward mapping efficiently but it may not be always able to solve the problem of reverse mapping. It is a novel attempt to conduct the forward and reverse mappings of a TIG welding process using fuzzy logic (FL)-based approaches and these are found to solve the said problem efficiently.

## INTRODUCTION

We have a natural quest to know the input-output relationships of a process. To control the process efficiently, it might be required to know the said relationships beforehand. Forward mapping aims to determine the outputs as the functions of the inputs, whereas the inputs are expressed as the functions of the outputs in reverse mapping. Both the forward as well as reverse mappings of

a process are to be carried out, to automate the same. It may be difficult to determine the inputoutput relationships for most of the processes mathematically, due to inherent complexity of their physics. Realizing this, several attempts were made by various investigators to express the said relationships through conventional statistical regression analysis. It is carried out based on the data collected experimentally, which may not be precise in nature. Forward mapping can be done easily but reverse mapping may sometimes offer difficulty. It happens, when the transformation matrix relating the outputs with the inputs becomes singular. In such cases, particularly when the transformation matrix becomes non-square, some investigators tried to determine the pseudo-inverse of the matrix. However, it may be far from being the true inverse of the transformation matrix and as a result of which, the deviation in predictions of the inputs for a set of desired outputs could be more. To ensure a square transformation matrix between the outputs and inputs of a process, the number of outputs should be equal to that of inputs. In order to make the reverse mapping possible, the interaction terms of linear regression model are to be neglected. It is important to mention that reverse mapping cannot be implemented accurately for the nonlinear regression model. Forward mapping can be carried out through the linear and non-linear regression models, if the experimental data are collected as per some standard

Table 1. Requirements for forward and reversemappings

Mappings	Requirements
Forward	<ul> <li>Linear regression analysis based on two-level designs of experiments like full-factorial, fractional factorial.</li> <li>Non-linear regression analysis based on three-level designs of experiments, namely central composite design, Box-Behnken design, and so on.</li> </ul>
Reverse	• Linear regression analysis involving main factors only for a process having the same number of inputs and outputs.

two-level and three-level designs of experiments, respectively. On the other hand, reverse mapping can be implemented using the conventional linear regression analysis involving main factors only, for a process having equal number of inputs and outputs (see Table 1.).

In conventional statistical regression analysis, only one output parameter is tackled at a time and consequently, it may not be able to capture the dynamics of the process completely. Soft computing is a family consists of the techniques—**fuzzy logic** (FL), neural networks (NN), genetic algorithms (GAs), and their different combinations, in which the precision is traded for tractability, robustness, and a low cost solution. It may provide with some feasible solutions to the said problem.

The present chapter deals with the issues related to determination of the input-output relationships of a TIG welding process. Suitable knowledge bases (KBs) of the fuzzy logic Controller (FLC) have been designed and developed for carrying out the forward and reverse mappings of the process. The performance of an FLC depends on its KB, which consists of the data base (DB) (carrying information of the membership function distributions of the variables) and Rule Base (RB), that is, KB=DB+RB. A rule of an FLC is expressed with the help of the DB and represents the inputoutput relationship of a process. A RB consisting of a number of rules indicates the transformation matrix of the input-output relationships. A manually designed FLC may not work in an optimal sense and it may be required to train its KB with the help of a number of known scenarios. A large number of training cases are generally required for the said purpose. It may be difficult to gather such a huge training data through experiments. Thus, a less amount of data compared to that required for the training is collected according to the statistical designs of experiments (namely full-factorial design, fractional-factorial design, central composite design and others) and the regression equations are determined. If the developed regression models are found to be statistically 14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/design-development-knowledge-bases-forward/24219

## **Related Content**

Petri Net vs. Event Bush in Description of Environments of Alternative Directed Changes Vyacheslav Rogalchuk, Sergey Arustamov, Nikita Solovyovand Aleksandra Malisheva (2018). *Dynamic Knowledge Representation in Scientific Domains (pp. 286-319).* www.irma-international.org/chapter/petri-net-vs-event-bush-in-description-of-environments-of-alternative-directedchanges/200182

Principles for the Analysis of Large Complex Secondary Databases in Educational Settings Yen Toand Hansel Burley (2012). *Cases on Institutional Research Systems (pp. 132-145).* www.irma-international.org/chapter/principles-analysis-large-complex-secondary/60844

Knowledge Systems and Risk Management: Towards a Risk and Threat Assessment Framework

Murray Eugene Jennexand Alexandra Durcikova (2020). *Current Issues and Trends in Knowledge Management, Discovery, and Transfer (pp. 367-385).* 

www.irma-international.org/chapter/knowledge-systems-and-risk-management/244892

#### Mining XML Schemas to Extract Conceptual Knowledge

Ivan Bedini, Benjamin Nguyen, Christopher Matheus, Peter F. Patel-Schneiderand Aidan Boran (2012). *Semi-Automatic Ontology Development: Processes and Resources (pp. 79-105).* www.irma-international.org/chapter/mining-xml-schemas-extract-conceptual/63899

#### Analysis of Public Sentiments About Mega Online Sale Using Tweets on Big Billions Day Sale

Dilip Singh Sisodiaand Ritvika Reddy (2019). Sentiment Analysis and Knowledge Discovery in Contemporary Business (pp. 59-76).

www.irma-international.org/chapter/analysis-of-public-sentiments-about-mega-online-sale-using-tweets-on-big-billions-daysale/210963