

Chapter 5.3

Wireless Local Communities in Mobile Commerce

Jun Sun

University of Texas – Pan American, USA

INTRODUCTION

In mobile commerce (m-commerce), consumers engage a ubiquitous computing environment that allows them to access and exchange information anywhere and anytime through wireless handheld devices (Lytinen & Yoo, 2002). While consumers generally sit before personal computers to browse e-commerce websites through the Internet, they are free to move around while connected in m-commerce and can truly be called *mobile consumers*. Compared with stationary consumers in e-commerce, mobile consumers have special information needs regarding their changing environment.

Consumers mainly access information through wireless portals in m-commerce. A lot of these portals provide mobile consumers information specific to where they are. For example, various location-based services have emerged to push information about what is available and occurring nearby to mobile consumers (Rao & Minakakis, 2003). Such wireless portal services overcome the difficulty of searching information with handheld

devices, typically cell phones. However, pushing information to users based on where they are may annoy them, because this approach disregards the specific needs and interests of people in context and deprives their control over what they want to know (Barkhuus & Dey, 2003).

In contrast to information pushed by product or service providers, consumers are likely to regard peer-to-peer reference groups as credible sources of product/service information and be open to their informational influence (Miniard & Cohen, 1983). For example, if consumers hear from others that nearby stores offer discounts on certain commodities, they may go to these stores to have a look for themselves. To capitalize on such business opportunities in m-commerce, this article proposes a community portal approach, a so-called *wireless local community* (WLC). As the name suggests, a WLC is a virtual community that allows mobile consumers in a functionally-defined area to exchange information about what is available and occurring nearby with each other through wireless handheld devices.

By far, most virtual communities are built upon the infrastructure of the Internet and they refer to "... groups of people with common interests and needs who come together online... to share a sense of community with like-minded strangers, regardless of where they live" (Hagel & Armstrong, 1997, p.143). Like members in these online communities, WLC members must share something that they are interested in and need in common. Because WLC membership is geographically determined, WLC coverage areas must "supply" what can potentially meet the interests and needs of mobile consumers in them, and such areas may include: shopping plazas, tourist parks, and sports facilities, among others. These functionally-defined areas, which determine the scope, theme, and membership of WLCs, are the settings in which consumer behavior occurs and they constitute the *supply contexts* of local consumers. In this sense, WLCs are context-based virtual communities, in contrast to most on-line communities, which are generally topic-based.

This article first outlines the macro-level conceptual design of the WLC approach and discusses its technical, operational, and economical feasibilities. The success of WLCs, like that of online communities, largely depends on how micro-level implementations can promote member participation and enhance member experience. Based on an understanding of how mobile consumers share contextual information through the mediation of WLCs, this article discusses specific implementation issues.

WLC CONCEPTUAL DESIGN

WLC conceptual design includes an architectural design and an operational design. The architectural design describes the major components of a WLC system, and the operational design identifies all the parties involved in WLC operations and their roles.

As the platform of a context-based virtual community, a typical WLC system has four major components: positioning system, cell phones, wireless network, and WLC server (Figure 1). First, a positioning system is necessary to determine WLC membership by finding out what people are in which supply contexts. Moreover, the location information associated with a message is helpful for readers to understand which part of a supply context it refers to. There are generally two types of positioning systems, network-based and satellite-based (see Roth, 2004), requiring cell phones to be embedded with either triangulation-microchips or GPS-receivers.

New-generation cell phones are not only positioning-enabled, but also data-capable. Users can post and read short textual messages through the interface of cell phones. Moreover, many cell phones have internal digital cameras, allowing users to take pictures/videos of surrounding objects/events to share with others. A WLC server stores textual messages and multimedia attachments posted by members in chronological order, just like an on-line community server. Based on the display capacity of each cell phone, a WLC server can page the messages accordingly. The data communications between cell phones and a WLC server are carried through a wireless network. From this architectural design, Table 1 compares WLCs with traditional on-line communities.

WLC operations involve business partners, hosts and members. *WLC business partners* are businesses that offer financial resource to establish, operate and upgrade WLCs in their areas. They may also assign WLC moderators for member support and help. *WLC hosts* are wireless carriers (or their agents) that provide necessary infrastructure, mainly wireless networks and WLC servers, and technical support for WLC functioning.

WLC members are cell phone users who join particular WLCs at a moment. When a subscriber wants to find out available WLCs in an area, he/she

6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/wireless-local-communities-mobile-commerce/26625

Related Content

Mobile ICT

D. McMeel (2007). *Encyclopedia of Mobile Computing and Commerce* (pp. 516-519).

www.irma-international.org/chapter/mobile-ict/17127

Edge Features and Geometrical Properties Based Approach for Vehicle License Plate Detection and Localization

Hinde Anoual, Sanaa El Fkihi, Abdelilah Jilbaband Driss Aboutajdine (2012). *International Journal of Mobile Computing and Multimedia Communications* (pp. 63-75).

www.irma-international.org/article/edge-features-geometrical-properties-based/66367

Path Loss Model Tuning at GSM 900 for a Single Cell Base Station

Allam Mousa, Mahmoud Najjarand Bashar Alsayeh (2013). *International Journal of Mobile Computing and Multimedia Communications* (pp. 47-56).

www.irma-international.org/article/path-loss-model-tuning-gsm/76395

Protection of Mobile Agent Data

Sheng-Uei Guan (2009). *Mobile Computing: Concepts, Methodologies, Tools, and Applications* (pp. 305-312).

www.irma-international.org/chapter/protection-mobile-agent-data/26510

Distributed Web GIS

J. Guan, S. Zhou, J. Zhouand F. Zhu (2007). *Encyclopedia of Mobile Computing and Commerce* (pp. 213-219).

www.irma-international.org/chapter/distributed-web-gis/17079