

Chapter 5

A Secure and Effective Image Retrieval Based on Robust Features

Swapna B.

 <https://orcid.org/0000-0002-7186-2842>

*Dr. M. G. R. Educational and Research Institute,
India*

Arulmozhi P.

Karpagam College of Engineering, India

Kamalahasan M.

*Dr. M. G. R. Educational and Research Institute,
India*

Anuradha V.

*Dr. M. G. R. Educational and Research Institute,
India*

Meenaakumari M.

*Dr. M. G. R. Educational and Research Institute,
India*

Hemasundari H.

*Dr. M. G. R. Educational and Research Institute,
India*

Aathilakshmi T.

*Dr. M. G. R. Educational and Research Institute,
India*

ABSTRACT

The most typical approaches are content-based image retrieval systems. Content-based picture retrieval may be the only one in all the image retrieval techniques that uses user visual options of an image like color, form, and texture. The objective is to retrieve the set of pictures quickly and economically by supported color and texture options. Color is the foremost authoritative and utilized visual option that is invariant to image dimension and adjustment. Color car correlogram includes the special correlation and figures the mean color of all components of intensity about a distance k-th of a pixel of intensity the picture. Next, the feel feature may be a powerful region-based descriptor to provide a life of attributes like smoothness, coarseness, and regularity. Block distinction probabilities and block variation of native correlation features are analysed to speed up the retrieval method. BDIP may be a block-based approach to extract color and intensity features and live native brightness variation from the photographs.

DOI: 10.4018/978-1-7998-9640-1.ch005

INTRODUCTION

With the fast proliferation of the web and therefore the worldwide-web, the number of digital image information accessible to users has full-grown tremendously. Image databases are getting larger and additional widespread, and there is a growing want for effective and economical image retrieval (IR) systems. Most IR systems adopt the subsequent ballroom dancing method to look picture information.

1. Classification for every picture in database a column vector obtaining sure fundamental parts of the picture measured and hold on in article information.
2. Looking out addressed a question image, its feature vector measured, related to the feature vectors within the feature info, and pictures most almost like the question picture area unit came to the user (Chandan Singh and Kanwal Preet Kaur, 2016).

Advances in information storage and image acquisition technologies have enabled the creation of enormous image datasets. Supported that, it is necessary to develop acceptable info systems with efficiency manage these collections. BVLC employed to extract form and texture smoothness within the image. This approach outperforms the quick and economical retrieval technique on COREL and UK-BENCH DATASET. From 10,000 pictures of the COREL dataset, thirty pictures are willy-nilly elite and processed. From 10,200 pictures of the UKBENCH dataset, twenty-six pictures are willy-nilly elite and processed. About question image, similar pictures are retrieved supported various options and for performance analysis, accuracy is calculated for every option and compared severally.

LITERATURE SURVEY

Feature Extraction Methods

The extraction method describes a quick and sturdy color categorization technique; specifically motor-car color correlation supported a color correlogram for obtaining and categorization low-level options of pictures (Jing Huang et al., 2011; Meenakshi Sharma and Anjali Batra 2014). It will scale back the processing circumstances of the color correlogram method from $O(m^2d)$ to $O(md)$. In addition, it consumes less interval than the opposite algorithms.

An economical CBIR methodology supported the mixture of multiresolution intensity and surface options where described (Nirmala and Subramani 2013). The intensity and texture options square measure selected in the multiresolution rippling field including combined. The dimension about the consolidated feature vector is decided to some extent wherever the retrieval accuracy becomes saturated (Young Deok Chun et al., 2008; Jacob et al., 2011).

Accuracy attained by using retires away techniques. An evolving topic below the image process is content-primarily based image retrieval was described (Ritendra Datta et al., 2008). They propose a changed combined method that removes low-level image options square measure intensity, depth, form, and character. A feature detection and outline system that uses in feature extraction ways (Anxo Conde and Jorge Dominguez 2018; Swapna et al., 2019). Feature detection is that the method wherever mechanically extract options of a picture, in such a fashion that we tend to square measure ready to observe AN object supported its options in numerous pictures.

19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-secure-and-effective-image-retrieval-based-on-robust-features/301819

Related Content

Antecedents of Boundary Spanning E-Collaboration

Demosthenes Akoumianakis (2015). *International Journal of e-Collaboration* (pp. 47-73).

www.irma-international.org/article/antecedents-of-boundary-spanning-e-collaboration/121991

The Impacts of Electronic Collaboration and Information Exploitation Capability on Firm Performance: Focusing on Suppliers using Buyer-Dominated Inter-Organizational Information Systems

Il sang Ko, Lorne Olfman and Sujeong Choi (2011). *E-Collaboration Technologies and Organizational Performance: Current and Future Trends* (pp. 81-100).

www.irma-international.org/chapter/impacts-electronic-collaboration-information-exploitation/52342

MIMO Modes in LTE

Saurabh Dixit, Himanshu Katiyar and Arun Kumar Singh (2019). *International Journal of e-Collaboration* (pp. 1-22).

www.irma-international.org/article/mimo-modes-in-lte/234662

Energy Investment in Smart Cities Unlocking Financial Instruments in Europe

Francesca Romana Medda, Candace Partridge and Gianni Carbonaro (2018). *E-Planning and Collaboration: Concepts, Methodologies, Tools, and Applications* (pp. 818-842).

www.irma-international.org/chapter/energy-investment-in-smart-cities-unlocking-financial-instruments-in-europe/206037

Hacker Wars: E-Collaboration by Vandals and Warriors

Richard Baskerville (2006). *International Journal of e-Collaboration* (pp. 1-16).

www.irma-international.org/article/hacker-wars-collaboration-vandals-warriors/1938