

## Chapter 1.2

# Ubiquitous Computing History, Development, and Scenarios

**Jimmy Chong**

*Nanyang Technological University, Singapore*

**Stanley See**

*Nanyang Technological University, Singapore*

**Lily Leng-Hiang Seah**

*Nanyang Technological University, Singapore*

**Sze Ling Koh**

*Nanyang Technological University, Singapore*

**Yin-Leng Theng**

*Nanyang Technological University, Singapore*

**Henry B. L. Duh**

*National University of Singapore, Singapore*

### ABSTRACT

This chapter gives a brief history of ubiquitous computing, highlights key issues, and assesses ubiquitous computing research and development under the broad categories of design architecture and systems, implementation challenges, and user issues. Using Singapore as a case example, the chapter then concludes with selected scenarios, presenting exciting possibilities in the future ubiquitous landscape.

### INTRODUCTION

#### History and Vision of Ubiquitous Computing

Technology in computing has undergone extensive changes over the years. In the early 1970s, mainframe computers dominated the computing scene based on the principle of one computer serving many people. In the 1980s, mainframe computers gave way to personal computers and notebooks,

and, in contrast, the emphasis was one computer to one person. In the 1990s, with increased computing powers available at affordable prices, we are witnessing a new era of personal computing, that is, a phenomenon in which multiple computers are serving one person.

Through the ages, technology has dramatically transformed our lives, changing the way we learn, live, work, and play. Technology shrank transistors to such microscopic sizes that they enable computer chips to be found in the things we use daily, even down to a pair of shoes made by Adidas (McCarthy, 2005). Technology also connects computers around the world breaking down geographical boundaries as people are able to “travel” virtually everywhere, collaborate with others online, and be connected with loved ones virtually even though they may be miles away physically.

Mark Weiser (1991; 1993a; 1993b), father of “ubiquitous computing” (or “ubicom” in short), coined the term “ubiquitous” to refer to the trend that humans interact no longer with one computer at a time, but rather with a dynamic set of small networked computers, often invisible and embodied in everyday objects in the environment. Keefe and Zucker (2003) see ubicom as a technology that enables information to be accessible any time and anywhere and uses sensors to interact with and control the environment without users’ intervention. An example often cited is that of a domestic ubicom environment in which interconnected lighting and environmental controls incorporate personal biometric monitors interwoven into clothing so that illumination and heating conditions in a room might be modulated according to “needs” of the wearer of such clothing.

Other examples of ubiquitous environment include applications in homes, shopping centres, offices, schools, sports hall, vehicles, bikes, and so forth. The principle guiding ubicom is the creation of technology that brings computing to the background and not the foreground, making technology invisible. Philosophers like Heidegger

(1955) called it “ready-to-hand” while Gadamer (1982) coined it “horizon.” This means that people do not need to continually rationalize one’s use of an ubicom system, because once having learned about its use sufficiently, one ceases to be aware of it. It is literally visible, effectively invisible in the same way, for example, a skilled carpenter engaged in his work might use a hammer without consciously planning each swing. Hence, ubicom defines a paradigm shift in which technology becomes invisible, embedded and integrated into our everyday lives, allowing people to interact with devices in the environment more naturally.

## **CURRENT RESEARCH CHALLENGES**

Research challenges in ubicom remain interdisciplinary, and this is evident as we trace the development of the UbiComp Conference Series into its ninth year in 2007. The conference series began as Handheld and Ubiquitous Computing in 1999, focusing on areas relating to the design, implementation, application, and evaluation of ubicom technologies, a cross-fertilization of a variety of disciplines exploring the frontiers of computing as it moves beyond the desktop and becomes increasingly interwoven into the fabrics of our lives. Over the years, the UbiComp Conference Series from 1999 – 2006 has grown in participation by region, with papers addressing more diverse application areas, as well as innovative supporting technologies/media (see Table 1).

In the following sections, we highlight key issues and assess the current situation of ubicom research and development under the broad categories of design architecture and systems and implementation issues.

### **Design Architecture and Systems**

For the ubicom vision to work, we need an infrastructure supporting small, inexpensive,

6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/ubiquitous-computing-history-development-scenarios/37773](http://www.igi-global.com/chapter/ubiquitous-computing-history-development-scenarios/37773)

## Related Content

---

### RFID Technologies and Applications

Christian Kaspar, Adam Melski, Britta Lietke, Madlen Boslauand Svenja Hagenhoff (2010). *Ubiquitous and Pervasive Computing: Concepts, Methodologies, Tools, and Applications* (pp. 44-53).

[www.irma-international.org/chapter/rfid-technologies-applications/37776](http://www.irma-international.org/chapter/rfid-technologies-applications/37776)

### Design of Ultrasonic Oil Tank Level System

Yue Zhang (2017). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 1-13).

[www.irma-international.org/article/design-of-ultrasonic-oil-tank-level-system/189225](http://www.irma-international.org/article/design-of-ultrasonic-oil-tank-level-system/189225)

### Multimodal Warehouse Project

Samir Raiyaniand Matthias Winkler (2008). *Handbook of Research on Ubiquitous Computing Technology for Real Time Enterprises* (pp. 585-590).

[www.irma-international.org/chapter/multimodal-warehouse-project/21788](http://www.irma-international.org/chapter/multimodal-warehouse-project/21788)

### At Sensor Diagnosis for Smart Healthcare: Probability or Conditional Probability Based Approach vs. k-Nearest Neighbour

Chetna Laroiaand Vijay Bhushan Aggarwal (2018). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 1-13).

[www.irma-international.org/article/at-sensor-diagnosis-for-smart-healthcare/211939](http://www.irma-international.org/article/at-sensor-diagnosis-for-smart-healthcare/211939)

### OntoHealth: An Ontology Applied to Pervasive Hospital Environments

Giovani Librelotto, Iara Augustin, Jonas Gassen, Guilherme Kurtz, Leandro Freitas, Ricardo Martiniand Renato Azevedo (2010). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 33-45).

[www.irma-international.org/article/ontohealth-ontology-applied-pervasive-hospital/51665](http://www.irma-international.org/article/ontohealth-ontology-applied-pervasive-hospital/51665)