



# Approaches to Facilitating Analysis of Health and Wellness Data<sup>1</sup>

*Lena Mamykina, Georgia Institute of Technology, USA*

*Elizabeth D. Mynatt, Georgia Institute of Technology, USA*

---

## ABSTRACT

*In the last decade novel sensing technologies enabled development of applications that help individuals with chronic diseases monitor their health and activities. These applications often generate large volumes of data that need to be processed and analyzed. At the same time, many of these applications target non-professionals and individuals of advanced age and low educational level. These users may find the data collected by the applications challenging and overwhelming, rather than helpful, and may require additional assistance in interpreting it. In this article we discuss two different approaches to designing computing applications that not only collect the relevant health and wellness data but also find creative ways to engage individuals in the analysis and assist with interpretation of the data. [Article copies are available for purchase from InfoSci-on-Demand.com]*

*Keywords:* Auto-Identification; Health and Wellness; Sensing Techniques

---

## INTERPRETING HEALTH AND WELLNESS INFORMATION

### Introduction

Rapid developments in the sensing technologies open new possibilities for auto-identification in various areas of human lives. One such area that became a topic of extensive research is healthcare. Health monitoring applications often utilize bio-sensors for capture of individuals' health, and various sensing technologies, such as RFID or motion detection sensors, for

capture of activities that have impact on one's health, such as diet and exercise. For example, new sensing techniques attempt to determine individuals' diets by audio recording chewing sounds (Amft et al, 2006); individuals' interactions with RFID-tagged objects is used to infer the activities they engage in (Intille, 2003), and various sensors are designed to monitor new and traditional vital signs, such as heart rate, blood glucose, or gate.

Oftentimes, introduction of these new sensing techniques can lead to an exponential growth of the volumes of data available for

interpreting. At the same time, many of the monitoring applications that utilize such sensors are designed in context of chronic disease management and target lay individuals and their non-clinical caregivers. As a result, the attention of researchers is starting to shift from sensing technologies to ways to incorporate captured data into individuals' sensemaking and decision-making regarding their health and disease. After all, the richness of the captured data is of little value unless it can inform decisions and empower choices.

In this article, we discuss two distinct approaches to enhancing the utility of auto-identification data for lay individuals, discuss recent research projects that utilize these approaches and compare and contrast their advantages and disadvantages. The two approaches we focus on are: 1) introduction of novel data presentation techniques that facilitate comprehension and analysis of the captured data and 2) incorporation of social scaffolding that helps individuals acquire skills necessary for data analysis by learning from experts.

We will begin our discussion by introducing three applications that utilize novel visualization techniques to represent health-related information captured by sensors. These applications include Digital Family Portrait (later referred to as DFP, Mynatt et al, 2000) designed by the Graphics, Visualization and Usability Center of the Georgia Institute of Technology, Fish 'n' Steps (Lin et al, 2006) designed by Siemens Corporate Research, Inc. and UbiFit Garden (Consolvo et al, 2007) designed by Intel Research, Inc. All of these applications use sensors to collect health or wellness data and rely on a particular approach to visualizing the resulting data set, namely they use metaphors of real world events or objects to assist in comprehension.

An alternative approach to facilitating analysis of health data captured by ubiquitous computing applications is by providing social scaffolding mechanisms. One example of such applications is Mobile Access to Health Information (MAHI, Mamykina et al, 2006) designed and developed by the Georgia Institute of

Technology and Siemens Corporate Research, Inc. In contrast to DFP, Fish'n'Steps, or UbiFit Garden, MAHI uses relatively simple data presentation techniques. However, it includes a number of features that allow diabetes educators assist individuals with diabetes in acquiring and developing skills necessary for reflective analysis of the captured data.

Evaluation studies of the applications we describe in this article showed that all of them were successful in reaching their respective design goals and led to positive changes in behaviors or attitudes of their users. While these studies did not specifically focus on data comprehension, such comprehension was the necessary first step in achieving these positive results. In addition, our own efforts in comparing different types of visualizations showed that not all of them are equally effective. However, we believe that novel visualizations and social scaffolding have their unique advantages and disadvantages that need to be considered when making a choice as to which strategy to follow. In the rest of this article we describe the applications mentioned above in greater detail and talk about the results of their deployment studies. We then describe our attempts to evaluate the effectiveness of different types of data visualization. We conclude with the analysis of comparative advantages and limitations of the two approaches.

## VISUALIZING HEALTH INFORMATION

As the world's elderly population increases in numbers, chronic diseases common to older adults stretch the capacity of traditional healthcare. As a result, aging adults and other individuals affected by chronic diseases must take an increasingly proactive stance towards personal healthcare, adopting roles and responsibilities previously fulfilled by professionals. One such responsibility is the monitoring of longitudinal medical records for patterns that may indicate important changes in conditions or that may signal an impending crisis.

18 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/article/approaches-facilitating-analysis-health-wellness/3866](http://www.igi-global.com/article/approaches-facilitating-analysis-health-wellness/3866)

## Related Content

---

### The Research and Simulation of Blind Source Separation Algorithm

Tao Gao and Jincan Li (2016). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 1-36).

[www.irma-international.org/article/the-research-and-simulation-of-blind-source-separation-algorithm/176603](http://www.irma-international.org/article/the-research-and-simulation-of-blind-source-separation-algorithm/176603)

### Method of Measuring the Switching Time of Dual Redundant NIC

Zhengrong Tao and Zhenxing Yin (2011). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 24-29).

[www.irma-international.org/article/method-measuring-switching-time-dual/66063](http://www.irma-international.org/article/method-measuring-switching-time-dual/66063)

### New Hybrid Proposed Solution for Video Steganography Based on Clustering Algorithm

Ahlem Fatnassi, Hamza Gharsellaoui and Sadok Bouamama (2020). *International Journal of Security and Privacy in Pervasive Computing* (pp. 30-43).

[www.irma-international.org/article/new-hybrid-proposed-solution-for-video-steganography-based-on-clustering-algorithm/259341](http://www.irma-international.org/article/new-hybrid-proposed-solution-for-video-steganography-based-on-clustering-algorithm/259341)

### RFID Positioning

Guenther Retscher, Ming Zhu and Kefei Zhang (2012). *Ubiquitous Positioning and Mobile Location-Based Services in Smart Phones* (pp. 69-95).

[www.irma-international.org/chapter/rfid-positioning/67040](http://www.irma-international.org/chapter/rfid-positioning/67040)

### Falling Behind: A Case Study in Uncritical Assessment

Jonathan G.M. Pratt (2009). *Risk Assessment and Management in Pervasive Computing: Operational, Legal, Ethical, and Financial Perspectives* (pp. 102-133).

[www.irma-international.org/chapter/falling-behind-case-study-uncritical/28452](http://www.irma-international.org/chapter/falling-behind-case-study-uncritical/28452)