

This paper appears in the publication, Advances in Ubiquitous Computing: Future Paradigms and Directions edited by S. Mostefaoui, Z. Maamar, and G. Giaglis © 2008, IGI Global

Chapter VI

Determinants of User Acceptance for RFID Ticketing Systems

Dimitrios C. Karaiskos, Athens University of Business and Economics, Greece

Panayiotis E. Kourouthanassis, Athens University of Business and Economics, Greece

Abstract

RFID ticketing systems constitute a particular type of pervasive information systems providing spectators of sports events with a transparent mechanism to validate and renew tickets. This study seeks to investigate the factors that influence user acceptance of RFID ticketing systems. The theoretical background of the study was drawn from the technology acceptance model (TAM) and the innovation diffusion theory (IDT), and enhanced with factors related to privacy and switching cost features. The research model was tested with data gathered through a lab experiment (N=71). The participants perceived the system as useful and easy to use, and expressed the willingness to adopt it should it become commercially available. Moreover, the results of ANOVA tests suggest that the age and education of users influence their perception towards the usefulness of the system and its subsequent use.

Copyright © 2008, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

Introduction

The advent of mobile and wireless technologies such as Wi-Fi, ZigBee (Geer, 2006), and RFID (Smith & Konsynski, 2003) have inspired new research fields that challenge our existing view of Information Systems (IS) and their use by envisioning new ways of interacting with them away from the boundaries imposed by the desktop computer. The gradual miniaturisation of electronic components, the massive reduction of their production and operation costs, and their ability to communicate wirelessly, contributed to the design and development of systems that are capable of being embedded in objects, places, and even people (Roussos, 2006). Information Systems scholars have named this new phenomenon using such terms as nomadic computing (Lyytinen & Yoo, 2002), ubiquitous computing (Weiser, 1993), and pervasive computing (Saha & Mukherjee, 2003). These terms share the common denominator that Information Technology pervades the physical space, operates in the periphery of humans' world, and supports a variety of applications and services in a context-aware and passive manner. Birnbaum (1997) identified these novel characteristics in the IS discipline by defining a new IS class entitled pervasive information systems (pervasive IS).

Pervasive IS may support both personal and business activities. Kourouthanassis and Giaglis (2006) provide a taxonomy of pervasive IS and their features by identifying four pertinent application types--personal, domestic, corporate, and public. Personal pervasive IS rely on wearable hardware elements to provide a fully functional computing experience on the direct periphery of the user. Typical examples include biomedical monitoring systems (Jafari, Dabiri, Brisk, & Sarrafzadeh, 2005), human detection systems (Smith et al., 2005), and remote plant operation systems (Najjar, Thompson, & Ockerman, 1997). Domestic pervasive IS primarily automate tasks that otherwise require human supervision in the household (e.g., heating and lightning control, monitoring the home inventory, etc.). Typical examples include MIT's Home of the Future initiative (Intille, 2002) and the Aware Home (Kidd et al., 1999). Corporate pervasive IS may support enterprise-wide activities, such as supply chain management (e.g., warehouse management (Prater, Frazier, & Reyes, 2005)), workforce management (e.g., sales force automation (Walters, 2001)) and office support (Churchill, Nelson, & Denoue, 2003; Greenberg & Rounding, 2001), and customer relationship management (Kourouthanassis, 2004). Finally, public pervasive IS may provide interactive environments in public places. Examples include wireless museum guides (Hsin & Liu, 2006) and mobile information devices in hospitals (Xiao, Lasome, Moss, Mackenzie, & Faraj, 2001) to name a few popular applications.

RFID ticketing systems fall under the umbrella of public pervasive IS by providing spectators of sports events with a technology-augmented method for renewing and validating their tickets. The underlying technology is radio-frequency identification

Copyright © 2008, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/determinantsuser-acceptance-rfid-ticketing/4921

Related Content

A Focus on Location Context

Erwin Aitenbichler (2008). Handbook of Research on Ubiquitous Computing Technology for Real Time Enterprises (pp. 257-281). www.irma-international.org/chapter/focus-location-context/21772

Comparing Two Playability Heuristic Sets with Expert Review Method: A Case Study of Mobile Game Evaluation

Janne Paavilainen, Hannu Korhonenand Hannamari Saarenpää (2012). *Media in the Ubiquitous Era: Ambient, Social and Gaming Media (pp. 29-52).* www.irma-international.org/chapter/comparing-two-playability-heuristic-sets/58579

Effortless Data Capture for Ambient E-Services with Digital Pen and Paper Technology

Leili Lind, Aseel Berglund, Erik Berglund, Magnus Bångand Sture Hägglund (2010). Designing Solutions-Based Ubiquitous and Pervasive Computing: New Issues and Trends (pp. 24-43).

www.irma-international.org/chapter/effortless-data-capture-ambient-services/42502

Performance Studies on Campus-Wide Focus on FTP, Video and VoIP Ethernet Network

Nuru I. Sarkar, Kashif Nisarand Layangi Babbage (2012). *International Journal of Advanced Pervasive and Ubiquitous Computing (pp. 49-59).* www.irma-international.org/article/performance-studies-campus-wide-focus/68806

Context-Aware Database Querying: Recent Progress and Challenges

Yuanping Li, Ling Fengand Lizhu Zhou (2009). *Context-Aware Mobile and Ubiquitous Computing for Enhanced Usability: Adaptive Technologies and Applications (pp. 147-168).*

www.irma-international.org/chapter/context-aware-database-querying/7119