

This paper appears in the publication, Advances in Ubiquitous Computing: Future Paradigms and Directions edited by S. Mostefaoui, Z. Maamar, and G. Giaglis © 2008, IGI Global

## **Chapter VIII**

# Kinetic User Interfaces: Physical Embodied Interaction with Mobile Ubiquitous Computing Systems

Vincenzo Pallotta, University of Fribourg, Switzerland

Pascal Bruegger, University of Fribourg, Switzerland

Béat Hirsbrunner, University of Fribourg, Switzerland

## Abstract

This chapter presents a conceptual framework for an emerging type of user interfaces for mobile ubiquitous computing systems, and focuses in particular on the interaction through motion of people and objects in physical space. We introduce the notion of Kinetic User Interface as a unifying framework and a middleware for the design of pervasive interfaces, in which motion is considered as the primary input modality.

Copyright © 2008, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

## Introduction

Internet and mobile computing technology is changing the way users access information and interact with computers and media. Personal Computing in its original form is fading and shifting towards the ubiquitous (or pervasive) computing paradigm (Want et al., 2002). Ubiquitous Computing systems are made up of several interconnected heterogeneous computational devices with different degrees of mobility and computing power. All of these devices and appliances are embedded in everyday objects, scattered in space, capable of sensing the environment and of communicating with each other, and carried or exchanged by people. Therefore, we are facing a new ecology of computing systems that poses new issues in their integration and usability. Human-computer interfaces that were designed for desktop personal computers must be re-conceived for this new scenario. Due to the different capabilities of mobile and embedded devices, the pervasive computing infrastructure, and the nature of their expected usage, it is apparent that new types of user interfaces are needed in order to unleash the usability of new generation distributed computing applications (see (Rukzio, 2006) for a classification of mobile devices interfaces). Additionally, the concept of user interface itself seems to be no longer adequate to cope with ubiquitous computing systems. Rather, it is the concept of interaction and user experience that will take over (Beaudouin-Lafon, 2004).

### **Ubiquitous Computing**

Ubiquitous Computing (henceforth Ubicomp) is an emerging research sub-area of Distributed Systems whose main focus is studying how heterogeneous, networked computing devices can be embedded in objects of daily use in order to enable new applicative scenarios and user experiences. Mark Weiser (1991; 1993; 1994) introduced the term Ubiquitous Computing in the '90s as a new way to understand computer technology and to lay the foundations of an expected and necessary computing paradigm revolution. Weiser's vision has been adopted and interpreted by a great number of researchers, among whom we consider relevant for our goals the works of (Abowd & Mynatt, 2000; Abowd et al., 2002; Banavar & Bernstein, 2004; Bellotti et al., 2002; Greenfield, 2006; Norman, 1999; Want et al., 2002). We summarize the Ubicomp vision in four fundamental points that motivate our effort of providing a new conceptual framework for Ubicomp user interfaces:

1. Today's computer (e.g., the personal computer) will disappear, and the computing power will fade inside the network infrastructure, as it is already the case to some extent with existing web-services.

Copyright © 2008, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

26 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/kinetic-userinterfaces/4923

#### **Related Content**

#### Design of Workflow Engine Based on Relational Structures

Song Ji, Weifang Zhaiand Yiran Jiang (2019). *International Journal of Advanced Pervasive and Ubiquitous Computing (pp. 34-43).* www.irma-international.org/article/design-of-workflow-engine-based-on-relational-structures/238854

## Algorithms for Secure Multimedia Delivery over Mobile Devices and Mobile Agents

Amit Pandeand Joseph Zambreno (2012). *Ubiquitous Multimedia and Mobile Agents: Models and Implementations (pp. 232-250).* www.irma-international.org/chapter/algorithms-secure-multimedia-delivery-over/56427

#### An Agent-Based Library Management System Using RFID Technology

Maryam Purvis, Toktam Ebadiand Bastin Tony Roy Savarimuthu (2009). *Auto-Identification and Ubiquitous Computing Applications (pp. 195-204).* www.irma-international.org/chapter/agent-based-library-management-system/5464

#### Towards a Small-Scale Model for Ubiquitous Learning

Jorge Luis Victória Barbosaand Débora Nice Ferrari Barbosa (2014). *Technology Platform Innovations and Forthcoming Trends in Ubiquitous Learning (pp. 60-76).* www.irma-international.org/chapter/towards-a-small-scale-model-for-ubiquitous-learning/92935

#### Knowledge Super Corridors in Developing Countries: A Critical Perspective

Chun Kwong Han (2010). *Strategic Pervasive Computing Applications: Emerging Trends* (*pp. 150-167*).

www.irma-international.org/chapter/knowledge-super-corridors-developing-countries/41587