

Chapter 20

A Framework for Multi-Level SLA Management

Wolfgang Theilmann
SAP Research, Germany

Sergio Garcia Gomez
Telefonica Investigacion y Desarrollo, Spain

Davide Lorenzoli
CITY University, UK

Christoph Rathfelder
FZI Research Center for Information Technology, Germany

Thomas Roebnitz
Dortmund University of Technology, Germany

Gabriele Zacco
Fondazione Bruno Kessler, Italy

ABSTRACT

Service-Oriented Architectures (SOA) represent an architectural shift for building business applications based on loosely-coupled services. In a multi-layered SOA environment the exact conditions under which services are to be delivered can be formally specified by Service Level Agreements (SLAs). However, typical SLAs are just specified at the customer-level, and there are no established formalisms for service providers to translate and manage those SLAs, i.e. to understand how customer-level SLAs translate to metrics or parameters at the various layers of the IT stack.

In this chapter we present a technical architecture for a multi-level SLA management framework. We discuss the fundamental components and interfaces in this architecture and explain the developed integrated framework. Furthermore, we show results from a qualitative evaluation of the framework in the context of an open reference case. Last, we elaborate on important future directions for the area of SLA management.

DOI: 10.4018/978-1-61350-432-1.ch020

INTRODUCTION

The paradigm of *Service-Oriented Architectures (SOA)* has changed the way IT-based systems are built (Papazoglu & Heuvel, 2007). Initially SOA was mainly applied to restructure the IT stack within an organisation. More recently it has also evolved as a common paradigm for cross-organisational service landscapes where services are considered as tradable goods. Consequently, services operate under a strong business context where service customers can expect services to be provided under well-defined and dependable conditions and with clearly associated costs.

Service Level Agreements (SLAs) are a common way to formally specify the exact conditions (both functional and non-functional behaviour) under which services are or shall be delivered. However, the current SLAs in practice are just specified at the customer-level interface between a service provider and a service customer. Customer-level SLAs can be used by customers and providers to monitor whether the actual service delivery complies with the agreed SLA terms. In case of SLA violations, penalties or compensations can be directly derived.

Customer-level SLAs do not allow service providers to either plan their IT landscapes according to possible, planned or agreed SLAs; nor do they allow understanding of why a certain SLA violation might have occurred. The reason for this is that SLA guarantee terms might not be explicitly or directly related to actual performance metrics or configuration parameters. This makes it difficult for service providers to derive proper configuration parameters from customer-level SLAs and to assess (lower-level) monitoring metrics against customer-level SLAs. Overall, the missing relation between customer-level SLAs and (lower-level) metrics and parameters is a major hurdle for managing IT stacks in terms of IT planning, prediction or adjustment processes and in accordance with possible, planned or actual SLAs.

As part of the European Research project SLA@SOI (SLA@SOI, 2010), we developed the vision to use the paradigm of SLAs for managing a complete IT stack in correlation with customer-level SLAs which are agreed at the business level. This complies with the current technical trend to apply the paradigm of service-orientation across the complete IT stack, i.e. infrastructure/platform/software as a service, but also with the organisational trend in IT companies to organise different departments as service departments, providing infrastructure resources, middleware, applications or composition tools as a service. SLAs will be associated with multiple elements of the stack at multiple layers, e.g. SLAs for elements of the physical/virtual infrastructure, middleware, application and process-level. Such internal SLAs describe the contract between the lower-level entities and higher-level entities consuming the lower ones. More precisely, the SLAs specify the required or agreed performance metrics but also the related configuration parameters.

The scenario of multi-level SLA management is relevant in many different contexts, where either a chain of service level providers contributes to the delivery of an eventual service or services within single providers are of such a complex nature that their proper management requires the splitting of the service into layers (and chains) of internal sub-services. As a set of complementary use case scenarios, the project SLA@SOI investigates in particular the following four industry scenarios: ERP hosting, where complex enterprise applications are managed via layers of internal services, Enterprise IT, where IT resources are to be delivered to multiple competing internal customers along business priorities, Service Aggregation, where value added services are composed of lower level IT and telco services, and eGovernment, where social services are composed of different human and IT-based services.

This paper presents the detailed conception and implementation of a multi-level SLA management framework and it is built on a previous

19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/framework-multi-level-sla-management/60898

Related Content

Mobile Banking Adoption in the United States: A Structural Equation Modeling Analysis

Michel N. Engwanda (2015). *International Journal of E-Services and Mobile Applications* (pp. 18-30).

www.irma-international.org/article/mobile-banking-adoption-in-the-united-states/127984

An Approach to Deploying SOA in Technological Information Integration: A Case Study

Zhuofeng Zhao, Haifang Fuand Jun Fang (2012). *Technological Applications and Advancements in Service Science, Management, and Engineering* (pp. 85-102).

www.irma-international.org/chapter/approach-deploying-soa-technological-information/66287

Expectations and Experiences of Implementing a Mobile Secure Communication Application

Tuomas Kari, Markus Makkonen, Lauri Frankand Eeva Kettunen (2020). *International Journal of E-Services and Mobile Applications* (pp. 80-96).

www.irma-international.org/article/expectations-and-experiences-of-implementing-a-mobile-secure-communication-application/240736

A Quality Driven Web Service Selection Model

Pierluigi Plebaniand Filippo Ramoni (2012). *Handbook of Research on Service-Oriented Systems and Non-Functional Properties: Future Directions* (pp. 142-164).

www.irma-international.org/chapter/quality-driven-web-service-selection/60885

ICT Usage by Greek Accountants

Efstratios C. Emmanouilidisand Anastasios A. Economides (2010). *International Journal of Information Systems in the Service Sector* (pp. 49-70).

www.irma-international.org/article/ict-usage-greek-accountants/39077