

## Chapter 23

# An Outlook on the Future of Services and Non-Functional Properties Management: A Web Centric Perspective

**Carlos Pedrinaci**

*The Open University, UK*

**Dong Liu**

*The Open University, UK*

**Guillermo Álvaro**

*Intelligent Software Components, Spain*

**Stefan Dietze**

*The Open University, UK*

**John Domingue**

*The Open University, UK*

### ABSTRACT

*Impelled by the hype and interest surrounding the Web, Microsoft and IBM among others seized the opportunity to propose the use of Web Services as a means to support the creation of complex distributed applications over the Internet. The fundamental advantage of this technology lies in the support it brings to developing highly complex distributed systems maximising the reuse of loosely coupled components. Web Services were supposed to be a new technology better supporting traditional Remote Procedure Calls over the Web, which would ultimately lead to the creation of a largely automated Web-based eServices economy, i.e., an economy based on services largely delivered electronically.*

DOI: 10.4018/978-1-61350-432-1.ch023

*Over the years a large number of technologies have been devised in order to describe service interfaces, e.g., WSDL (Booth & Liu, 2007), combine services in a process-oriented way, e.g., WS-BPEL (OASIS Web Services Business Process Execution Language (WSBPEL) TC, 2007), provide support for transactions, e.g., WS-Transaction, and cover non-functional properties (NFP) of services such as security aspects and the like, see for instance WS-Security and WS-Policy to name just a few (Erl, 2007). There is in an overwhelming stack of technologies and specifications dubbed WS-\*, covering most aspects researchers have faced thus far. There remain nonetheless a number of outstanding issues (Papazoglou, Traverso, Dustdar, & Leymann, 2007) some of which are of a general technical nature, and some, indeed, are specifically related to NFPs. The latter will be dealt with in more detail in the next section.*

## **ON THE EVOLUTION AND RECENT TRENDS AROUND SERVICES**

Despite the initial expectations, in reality, however, Web Services have hardly been adopted beyond the boundaries of enterprises (Davies, et al., 2009). Today, Seekda.com provides one of the largest indexes of publicly available Web Services which currently accounts for 28,500 with their corresponding documentation. The number of Web Services publicly available contrasts significantly with the billions of Web pages available, and interestingly is not significantly bigger than the 4,000 Web Services estimated to be deployed internally within Verizon (Stollberg, Hepp, & Hoffmann, 2007). Other academic efforts in crawling and indexing Web Services on the Web have found far lower numbers of services (Al-Masri & Mahmoud, 2008).

A number of technical limitations have been argued to be at the core of this lack of uptake (Pilioura & Tsalgatiidou, 2009), some of which have been addressed by additional specifications, like the WS-\* stack, as well as by the Semantic Web Services community (Erl, 2007) (Pedrinaci, Domingue, & Sheth, Semantic Web Services, 2011). However, recent trends driven by the Web 2.0 phenomenon have highlighted that socio-economic aspects have been as much an impediment as technological drawbacks. In fact, the major revolution behind Web 2.0 is not on the use of particular technologies such as AJAX as initially believed, but rather on realising that, on

the Web, value largely resides on the data about and the communication between people and this value is subject to the network effect (Hendler & Golbeck, 2008). On the Web, Web Services never reached the critical mass that would justify the additional efforts and investment.

Stirred by the Web 2.0 phenomenon, the world around services on the Web, thus far limited to “classical” Web Services based on SOAP and WSDL, has significantly evolved with the proliferation of Web APIs, also called RESTful services (Richardson & Ruby, 2007; Schreiber, et al., 1999) when they conform to the REST architectural style (Fielding, 2000). This more recent breed of services is characterised by the simplicity of the technology stack they build upon, i.e., URIs, HTTP, XML and JSON, and their natural suitability for the Web. Nowadays, an increasingly large quantity of Web sites offer (controlled) access to part of the data they hold through simple Web APIs, see for instance Flickr<sup>1</sup>, Last.fm<sup>2</sup>, and Facebook<sup>3</sup>. This trend towards opening access to previously closed data silos has generated a new wave of Web applications, called mashups, which obtain data from diverse Web sites and combine it to create novel solutions (Benslimane, Dustdar, & Sheth, 2008).

At the time of this writing, ProgrammableWeb.com lists about 3,250 Web APIs, and 5,800 mashups and this number has been increasing steadily during the last years. Those APIs and mashups listed are in most cases used on a daily basis by a growing number of applications and mobile

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:  
[www.igi-global.com/chapter/outlook-future-services-non-functional/60901](http://www.igi-global.com/chapter/outlook-future-services-non-functional/60901)

## Related Content

---

### Banking Services Case Study

(2012). *Services Customization Using Web Technologies* (pp. 212-234).

[www.irma-international.org/chapter/banking-services-case-study/65837](http://www.irma-international.org/chapter/banking-services-case-study/65837)

### Measuring Service Utilities in Service Value Networks

Jinluan Ren, Liping Zhao, Bo Li, Lihua Liu and Ruben Xing (2017). *International Journal of Information Systems in the Service Sector* (pp. 1-26).

[www.irma-international.org/article/measuring-service-utilities-in-service-value-networks/176673](http://www.irma-international.org/article/measuring-service-utilities-in-service-value-networks/176673)

### Bridging User Requirements and Cultural Objects: A Process-Oriented Framework for Cultural E-Services

Elias A. Hadziliass and Andrea Carugati (2010). *Electronic Services: Concepts, Methodologies, Tools and Applications* (pp. 285-309).

[www.irma-international.org/chapter/bridging-user-requirements-cultural-objects/43955](http://www.irma-international.org/chapter/bridging-user-requirements-cultural-objects/43955)

### Marketing of Tourism Industry: Enhancing Services through Marketing Mix Elements

M. R. Dileep and Viju Mathew (2017). *Strategic Marketing Management and Tactics in the Service Industry* (pp. 304-329).

[www.irma-international.org/chapter/marketing-of-tourism-industry/179995](http://www.irma-international.org/chapter/marketing-of-tourism-industry/179995)

### From User Requirements to Querying of Fuzzy Summaries

Ines Benali Sougui, Minyar Sassi Hidri and Amel Grissa Touzi (2014). *International Journal of Service Science, Management, Engineering, and Technology* (pp. 84-102).

[www.irma-international.org/article/from-user-requirements-to-querying-of-fuzzy-summaries/111522](http://www.irma-international.org/article/from-user-requirements-to-querying-of-fuzzy-summaries/111522)