

Chapter 1

Application of Soft-Computing Methods in Cellular Manufacturing

Pranab K. Dan

West Bengal University of Technology, India

Tamal Ghosh

West Bengal University of Technology, India

Sourav Sengupta

West Bengal University of Technology, India

ABSTRACT

The essential problem in Cellular Manufacturing System (CMS) is to identify the machine cells and subsequent part families with an aim to curtail the intercell and intracell traffic, known as Cell Formation Problem (CFP). This chapter portrays the need of soft-computing methods to model the CFP to attain enhanced solutions. The novelty of this chapter is in developing a hybrid state-of-the-art metaheuristic approach, namely SAHCF (Simulated Annealing Heuristic to Cell Formation), to solve the binary CFP, and further, a Fuzzy-ART based hybrid technique is framed to solve the generalized CFP using operational time. The proposed techniques are tested on the test datasets published in the past literature. Both the techniques are shown to outperform the published methods available in literature and attained enhanced results by exceeding the solution quality on the test problems. The originality of this study lies in designing simple and efficient methodologies to produce near optimal solutions for the shop-floor managers with minimum computing abilities and time.

INTRODUCTION

Cellular Manufacturing (CM) is adopted as a strategic approach to embed flexibility and efficiency in the design of productive systems in industrial enterprises which can eventually decompose the

entire system into several subsystems (Burbidge, 1963). The overall Cellular Manufacturing System (CMS) is characterized as a hybrid system combining the advantages of both the jobbing (flexibility) and mass (efficient flow and high production rate) production approaches. Therefore, cellular manufacturing is a solution to the efficient batch type with low setup time to produce

DOI: 10.4018/978-1-4666-0128-4.ch001

variety of part types, shorter lead time and higher machine utilization with superior quality (Won & Currie, 2007).

Group technology (GT) is defined as a manufacturing philosophy in which similar parts are identified and grouped together to take advantage of the similarities in manufacturing and design. GT is applied in CM as an alternative of traditional manufacturing system. Designing the manufacturing cell, usually referred to as 'Cell Formation Problem' (CF/CFP) which consists of the following approaches (Selim, Askin, & Vakharia, 1998): similar parts are normally grouped into part families according to their processing requirements, while machines are grouped into machine cells and subsequent part families are allocated to the respective machine cells.

According to the available literature, three solution approaches can be identified in CMS (Papaioannou & Wilson, 2010): (a) part families are accomplished first and hence machines are clustered into cells according to the processing requirement of part families, known as part-family identification, (b) manufacturing cells (clustering of heterogeneous machines) are first generated based on uniformities in part routing and then the part families are allocated to cells, known as machine groups identification, (c) part families and machine cells are formed concurrently, which is known as Machine-Part Grouping Method (MPGM).

It has been reported that employing CM may help overcome major problems of batch-type manufacturing including frequent setups, excessive in-process inventories, long through-put times, complex planning and control functions, and provides the basis for implementation of manufacturing techniques such as just-in-time (JIT) and flexible manufacturing systems (FMS) (Seifoddini, 1989).

Implementation of CMS contains various aspects such as human, education, environment, technology, organization, management, evaluation and even culture. Burbidge, Falster, and Rhs

(1991), Beatty (1992), and Sevier (1992) reported on the human aspect in CM. Aspects involved in implementing the CM systems can be obtained from Silveira (1999), Wemmerlöv and Johnson (1997; 2000).

Despite the fact that there have been large number of solution methodologies proposed by researchers since early 80s to solve cell formation problem, such as mathematical programming, graph theory, exact methods, heuristics, meta-heuristic methods and artificial intelligent techniques such as neural network or fuzzy set theory, the clear research trend in literature of cell formation problem manifests a direction towards soft-computing methodologies due to its strong nature of convergence to attain optimal solutions (Papaioannou & Wilson, 2010). Artificial Neural Networks and meta-heuristic based techniques are the frequently adopted techniques of this class, being employed by researchers in cell formation problem in search of quick and better solution.

Artificial Neural Network (ANN) is also called connectionist model, neural net, or parallel distributed processor (PDP) model as reported by Odejebi and Umoru (2009). Artificial neural networks are massively parallel computer algorithms with an ability to learn from experience (Wasserman, 1989). They have the capability to generalize, adapt, approximate the new information, and provide reliable classifications of data.

They basically consist of different components, e.g. processing unit (PU), connections, propagation rule, activation/ transfer function and learning rule (Venugopal, 1999). The processing units are densely interconnected through directed links (connections). A neural network learns from a set of training patterns by generalizing the features within the training patterns. After sufficient generalization, the network stores these features internally in its architecture. After the training, the neural network should be able to recognize and classify input patterns that it has never seen before. The learning takes place mainly through their adjustment of the weights using certain learning

41 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/application-soft-computing-methods-cellular/63333

Related Content

Secure RFID-Enablement in Modern Companies: A Case Study of the Pharmaceutical Industry

Matthieu-P. Schapranow, Jürgen Müller, Alexander Zeier and Hasso Plattner (2012). *Handbook of Research on Industrial Informatics and Manufacturing Intelligence: Innovations and Solutions* (pp. 507-539).

www.irma-international.org/chapter/secure-rfid-enablement-modern-companies/64735

Process Innovation with Ambient Intelligence (Aml) Technologies in Manufacturing SMEs: Absorptive Capacity Limitations

Kathryn J. Hayes and Ross Chapman (2013). *Industrial Engineering: Concepts, Methodologies, Tools, and Applications* (pp. 1026-1042).

www.irma-international.org/chapter/process-innovation-ambient-intelligence-ami/69327

The Role of Total Productive Maintenance in Group Technology to Achieve World-Class Status

Hassan Farsijani, Mohsen Shafiei Nikabadi and Fatemeh Mojibian (2012). *International Journal of Applied Industrial Engineering* (pp. 25-35).

www.irma-international.org/article/the-role-of-total-productive-maintenance-in-group-technology-to-achieve-world-class-status/93013

A CAD-Based Interface Management System using Building Information Modeling in Construction

Yu-Cheng Lin (2010). *Handbook of Research on Building Information Modeling and Construction Informatics: Concepts and Technologies* (pp. 155-169).

www.irma-international.org/chapter/cad-based-interface-management-system/39471

Heuristic Approaches in Clustering Problems

Onur Doan (2018). *Handbook of Research on Applied Optimization Methodologies in Manufacturing Systems* (pp. 107-124).

www.irma-international.org/chapter/heuristic-approaches-in-clustering-problems/191773