Chapter 31 Optimization and Mathematical Programming to Design and Planning Issues in Cellular Manufacturing Systems under Uncertain Situations

Vahidreza Ghezavati Islamic Azad University, Iran

Mohammad Saidi-Mehrabad University of Science and Technology, Iran **Mohammad Saeed Jabal-Ameli** University of Science and Technology, Iran

Ahmad Makui University of Science and Technology, Iran

Seyed Jafar Sadjadi University of Science and Technology, Iran

ABSTRACT

In practice, demands, costs, processing times, set-up times, routings, and other inputs to classical cellular manufacturing systems (CMS) problems may be highly uncertain, which can have a major impact on characteristics of manufacturing system. So, development models for cell formation (CF) problem under uncertainty can be a suitable area for researchers and belongs to a relatively new class of CMS problems that not researched well in the literature. In this way, random parameters can be either continuous or described by discrete scenarios. If probability information is known, uncertainty is described using a (discrete or continuous) probability distribution on the parameters, otherwise, continuous parameters are normally limited to lie in some pre-determined intervals. This chapter introduces basic concepts about uncertainty themes associated with cellular manufacturing systems and briefly reviews literature survey for this type of problem. The chapter also discusses the characteristics of different mathematical models in the context of cellular manufacturing.

DOI: 10.4018/978-1-4666-1945-6.ch031

INTRODUCTION

During the past few decades, there have been various types of optimization techniques and mathematical programming approaches for cellular manufacturing systems under different random situations. In a cell manufacturing, once work cells and scheduling of parts in each cell are determined, it may be possible that cycle time in a specific cell be more than the other cells which creates a bottleneck in a manufacturing system. In this way, there are two different approaches in order to decrease cycle time in bottleneck cell: duplicating bottleneck machines or outsourcing exceptional parts which are known as group scheduling (GS) in the literature. Selecting each approach to balance cycle times among all cells can lead to variations in machines layout characteristics by changes in type and number of machines. Finally, formations of cells are also changed according to the changes in scheduling decisions. Thus, scheduling problem is one of the operational issues which must be addressed in design stage concurrently in an integrated problem so that the best performance of cells would be achieved. It is noted that scheduling problem includes many tactical parameters with random and uncertain characteristics. In addition, uncertainty or fluctuations in input parameters leads to fluctuations in scheduling decisions which could reduce the effects of cell formation decisions. Figure 1 indicates transmission of uncertainty from tactical parameters to the CMS problem.

Thus, in order to intensify effectiveness of the solution, integrated problem in uncertain conditions must be studied so that final solution will be robust and immune against the fluctuations in input parameters.

In the concerned problem, uncertain parameters can be listed as follows:

- Demand,
- Processing time,
- Routings or machine-part matrix,
- Machines' availability,
- Failure rate of machines,
- Capacities,
- Lead times,
- Set-up considerations,
- Market aspects,
- · ...,

where the impact of each factor is discussed in the following sections.

PROBLEM BACKGROUND

Group technology (GT) is a management theory that aims to group products with similar processes or manufacturing characteristics, or both. Cellular manufacturing system (CMS) is a manufacturing

Figure 1. Illustration of uncertainty transmission to the CMS decision



18 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/optimization-mathematical-programming-designplanning/69302

Related Content

The Self-Regulatory Focus as a Determinant of Perceived Richness of a Communication Medium

Vicenc Fernandez, Xavier Armengoland Pep Simo (2012). *International Journal of Applied Industrial Engineering (pp. 1-9).*

www.irma-international.org/article/self-regulatory-focus-determinant-perceived/62984

Feasible Automatic Reconfigurations of Real-Time OS Tasks

Hamza Gharsellaoui, Atef Gharbi, Mohamed Khalguiand Samir Ben Ahmed (2012). Handbook of Research on Industrial Informatics and Manufacturing Intelligence: Innovations and Solutions (pp. 390-414). www.irma-international.org/chapter/feasible-automatic-reconfigurations-real-time/64730

Elements of Logistics Used in Industrial Operational Management

I. C. Dimaand I. Grabara (2013). Industrial Production Management in Flexible Manufacturing Systems (pp. 277-311).

www.irma-international.org/chapter/elements-logistics-used-industrial-operational/73729

Integrating IoT and Big Data Analytics for Enhancing Maritime Safety and Sustainability

Vishal Jain, Archan Mitraand Sanchita Paul (2025). *Research Methods for Advancing the Maritime Industry* (pp. 225-256).

www.irma-international.org/chapter/integrating-iot-and-big-data-analytics-for-enhancing-maritime-safety-andsustainability/376804

National Security of Customs and Seaports by Checking Goods Using Multi-Level QR Codes

Gerardo Reyes Ruiz (2025). *Research Methods for Advancing the Maritime Industry (pp. 197-224).* www.irma-international.org/chapter/national-security-of-customs-and-seaports-by-checking-goods-using-multi-level-qrcodes/376803