

Chapter 34

Human–Friendly Robots for Entertainment and Education

Jorge Solis

Waseda University, Japan & Karlstad University, Sweden

Atsuo Takanishi

Waseda University, Japan

ABSTRACT

Even though the market size is still small at this moment, applications of robots are gradually spreading out from the manufacturing industrial environment to face other important challenges, like the support of an aging society and to educate the new generations. The development of human-friendly robots drives research that aims at autonomous or semi-autonomous robots that are natural and intuitive for the average consumer to interact with, communicate with, and work with as partners, besides learning new capabilities. In this chapter, an overview of research done on the mechanism design and intelligent control strategies implementation on different platforms and their application to entertainment and education domains will be stressed. In particular, the development of an anthropomorphic saxophonist robot (designed to mechanically reproduce the organs involved during saxophone playing) and the development of a two-wheeled inverted pendulum (designed to introduce the principles of mechanics, electronics, control, and programming at different education levels) will be presented.

INTRODUCTION

The development of anthropomorphic robots is inspired by the ancient dream of humans replicating themselves. However, human behaviors are difficult to explain and model. The recent technological advances in robot technology,

artificial intelligence, power computation, etc. have contributed to enable humanoid robots to roughly emulate the physical dynamics and motor dexterity of humans. Nowadays, humanoid robots are able of displaying motor dexterities for dancing, playing musical instruments, talking, etc. Although the long-term goal of true autonomous humanoid robots has yet to be accomplished, the

DOI: 10.4018/978-1-4666-1945-6.ch034

feasibility of integrating them into people's daily lives is becoming closer.

Towards developing humanoid robots capable of interacting more naturally with human partners, robots are required to process and display human-like emotions. The way a person interacts with a humanoid robot is quite different from interacting with the majority of industrial robots today. Modern robots are generally viewed as tools that human specialists use to perform hazardous tasks in remote environments. In contrast, human-like personal robots are often designed to engage people in order to achieve social or emotional goals. The development of socially intelligent and socially skillful robots drives research to develop autonomous or semi-autonomous robots that are natural and intuitive for the average consumer to interact with, communicate with, work with as partners, and teach new capabilities. In addition, this domain motivates new questions for robotics researchers, such as how to design for a successful long-term relationship where the robot remains appealing and provides consistent benefit to people over weeks, months, and even years. The benefit that social robots provide people extends far beyond the strict task performing utility to include educational, health and therapeutic, domestic, social and emotional goals (e.g., entertainment, companionship, communication, etc.), and more.

However, these mechanical devices are still far from understanding and processing emotional states as humans do. Research on musical performance robots seems like a particularly promising path toward helping to overcome this limitation, because music is a universal communication medium, at least within a giving cultural context. Furthermore, research into robotic musical performance can shed light on aspects of expression that traditionally have been hidden behind the rubric of "musical intuition." The late Prof. Ichiro Kato argued that the artistic activity such as playing a keyboard instrument would require human-like intelligence and dexterity (Kato, et al., 1973). In 1984, at Waseda University, the WABOT-2 was

the first attempt of developing an anthropomorphic music robot capable of playing a concert organ (Sugano & Kato, 1987). Then, in 1985, the WASUBOT built also at Waseda, could read a musical score and play a repertoire of 16 tunes on a keyboard instrument. More recently, thanks to the technological advances on power computation, Musical Information Retrieval (MIR) and Robot Technology, several researchers have been focusing on developing anthropomorphic robots and interactive automated instruments capable of interacting with musical partners. As a result, different kinds of wind playing-instrument automated machines and humanoid robots have been developed for playing wind instruments (Doyon & Liaigre, 1966; Klaedefabrik, 2005; Solis, et al., 2008; Takashima & Miyawaki, 2006; Solis, et al., 2009a; Dannenberg, 2005; Toyota Motor Corporation, 2011; Degallier, 2006; etc.). Other researchers have been focusing in analyzing wind instrument playing from a musical engineering approach by performing experiments with simplified mechanisms (Ando, 1970; Guillemain, et al., 2010; etc.) and from a physiological point of view by analyzing medical imaging data of professional players (Mukai, 1992; Fletcher, 2001; etc.). In this research, we particularly deal with the development of an anthropomorphic saxophone-playing robot designed to mechanically emulate the required organs during the saxophone playing. Due to the interdisciplinary nature of this research, our collaboration with musicians, musical engineers, and medical doctors will certainly contribute to better reproduce and understand the human motor control from an engineering point of view.

Certainly, the performance of any musical instrument is not well defined and far from a straightforward challenge due to the many different perspectives and subject areas. An idealized musical robot requires many different complex systems to work together integrating musical representation, techniques, expressions, detailed control and sensitive multimodal interactions within the context of a piece, as well as interac-

21 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/human-friendly-robots-entertainment-education/69305

Related Content

Trust in Cognitive Assistants: A Theoretical Framework

Md. Abul Kalam Siddique and Yoji Kohda (2019). *International Journal of Applied Industrial Engineering* (pp. 60-71).

www.irma-international.org/article/trust-in-cognitive-assistants/222796

Note on the Application of Intuitionistic Fuzzy TOPSIS Model for Dealing With Dependent Attributes

Daniel Osezua Aikhuele (2019). *International Journal of Applied Industrial Engineering* (pp. 20-32).

www.irma-international.org/article/note-on-the-application-of-intuitionistic-fuzzy-topsis-model-for-dealing-with-dependent-attributes/233847

Retailer Ordering Policy for Deteriorating Items with Initial Inspection and Allowable Shortage Under the Condition of Permissible Delay in Payments

Chandra K. Jaggi and Mandeep Mittal (2012). *International Journal of Applied Industrial Engineering* (pp. 64-79).

www.irma-international.org/article/retailer-ordering-policy-deteriorating-items/62989

Knowledge-Based System

Zude Zhou, Huaqing Wang and Ping Lou (2010). *Manufacturing Intelligence for Industrial Engineering: Methods for System Self-Organization, Learning, and Adaptation* (pp. 13-46).

www.irma-international.org/chapter/knowledge-based-system/42620

Adaptive Network Structures for Data/Text Pattern Recognition (Theory)

Emmanuel Buabin (2013). *Graph Theory for Operations Research and Management: Applications in Industrial Engineering* (pp. 179-195).

www.irma-international.org/chapter/adaptive-network-structures-data-text/73158