Chapter 2 Petri Net Supervisory Method for Linear Constraints and its Applications to Flexible Manufacturing Systems

Jiliang Luo Huaqiao University, China

ABSTRACT

An algorithm is proposed to equivalently transform original linear constraints on Petri nets, where the uncontrollable subnets are forward-concurrent free nets, into admissible ones. Consequently, this algorithm can be used to design both efficient and optimal supervisors for enforcing linear constraints on Petri nets since the problem on how to enforce admissible constraints has been well solved. Further, the supervisor synthesis procedure is presented using this algorithm. Lastly, it is illustrated by an example where an optimal supervisor is designed for a flexible manufacturing system.

INTRODUCTION

A discrete Event System (DES) is a system in which events drive state transitions, and therefore, it is suitable for modeling the logic aspects of any system. An event often involves the occupation or release of some resource, such as a machine, buffer, or tool in flexible Manufacturing Systems (FMS); a piece of track in railway systems; and a channel in network-communication systems. With an improvement in the resource efficiency, more forbidden states, caused by the scarcity of resources, might arise. Examples of forbidden states are deadlocks, collisions between trains, and data loss because of buffer overflow. It is necessary to prevent a system from reaching such forbidden states in order to avoid potential losses, such as human ones. Forbidden-state-avoidance control is difficult because real DESs such as FMSs, and underground systems, are often large

DOI: 10.4018/978-1-4666-4034-4.ch002

and complex and they consist of numerous subsystems. Furthermore, the total number of states is the combination of the numbers of the states of the subsystems. Therefore, the design, verification, and validation of control programs are very difficult, time-consuming, and laborious in the absence of formal methods, simulation tools and verification tools. In particular, a DES control theory is required to guarantee that a closed-loop system is maximally permissive (optimal) and free of deadlocks.

Petri nets provide a formal tool for developing the DES control theory. Accordingly, the control specification is formalized as a logic expression of linear constraints, also called generalized-mutualexclusion-constraints by Giua, DiCesare, and Silva (1992). In recent years, researchers have realized good progress in enforcing linear constraints on Petri nets (Holloway, Krogh, & Giua, 1997; Iordache, & Antsaklis, 2006).

For a conjunction of constraints on Petri nets in which each transition is controllable, Giua, DiCesare, and Silva (1992), and Yamalidou, Moody, Lemmon and Moody (1996) proposed an optimal supervisor synthesis method using monitor places. For a disjunction of constraints on Petri nets without any uncontrollable transition, Moody and Antsaklis (2000) proposed a structural supervisor synthesis method and Luo, Wu, Su and Chu (2009) presented a mapping supervisor synthesis method.

However, the computational complexity is greatly increased because of the presence of uncontrollable transitions, since it becomes necessary to restrict the system's behavior within a subset of the legal-marking set, called the admissible-marking set. Thus, obtaining the criterion for admissible markings is the precondition for designing the optimal supervisor. Depending on the method used to find this criterion, the supervisor-synthesis methods reported thus far are different.

Linear algebra approach based on the incidence matrix: Li and Wonham (1994) noted that the

criterion for admissible markings is a nonlinear programming with an unstructured feasible set, and this is reduced to a linear integer programming for acyclic nets. Using the concept of S-decrease, Chen (2000) obtained a sufficient condition for admissible markings. Moody and Antsaklis (2000) introduced an admissible linear constraint whose admissible-marking set is equal to its legal-marking set. Hence, the implementation of such admissible constraints is as easy as a control problem where each transition is controllable and observable. Further, they proposed an algorithm for transforming an original constraint into an admissible one. However, since the new constraint may not be the necessary condition for admissible markings, the supervisor may not be optimal. Iordache and Antsaklis (2003) later extended this method to enforce constraints containing firingvector terms and Parikh-vector terms. Basile, Chiacchio and Giua (2006) improved Moody and Antsaklis's method and provided an algorithm for designing suboptimal supervisors.

Reachability-graph-based method: Ghaffari, Rezg, and Xie (2003a) identified admissible markings using reachability graphs. Uzam (2004) introduced net reductions within this method.

A Path-based approach (Krogh, & Holloway, 1991) is to obtain the criterion for admissible markings using the markings of paths or zones. It often requires the uncontrollable subnets to be subclasses of ordinary Petri nets such as marked graphs (Ghaffari, Rezg, & Xie, 2003b), state machines (Boel, Ben-Naoum, & Breusegem 1995), acyclic Petri nets (Stremersch, & Boel, 2002), backward-conflict free and free choice nets (Basile, Carbone, & Chiacchio, 2007) and forward-concurrent free nets (Luo, Wu, Su, & Chu, 2009).

We prefer that a closed-loop system continue to be a Petri net so that its analysis and the verification and validation of the control program can be performed using Petri-net analysis methods. Therefore, the control problem can be well14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/petri-net-supervisory-method-linear/76564

Related Content

Effects of Palm Oil Fuel Ash as Micro-Filler on Interfacial Porosity of Polymer Concrete

(2019). Recycled Waste Materials in Concrete Construction: Emerging Research and Opportunities (pp. 99-111).

www.irma-international.org/chapter/effects-of-palm-oil-fuel-ash-as-micro-filler-on-interfacial-porosity-of-polymerconcrete/226538

The Management Commitment and Its Impact on Economic and Competitive Benefits Gained by the Implementation of Kaizen in the Industry: Management Commitment and Its Relation to Economic and Competitive Benefits of Kaizen

Midiala Oropesa, Ricardo Del Risco, Roberto Pérezand Jesús M. Lara (2016). *Handbook of Research on Managerial Strategies for Achieving Optimal Performance in Industrial Processes (pp. 428-442).* www.irma-international.org/chapter/the-management-commitment-and-its-impact-on-economic-and-competitive-benefits-gained-by-the-implementation-of-kaizen-in-the-industry/151795

Radio Frequency Identification Technology and Its Security Concerns in the Manufacturing Industry

Kamalendu Pal (2020). Handbook of Research on Developments and Trends in Industrial and Materials Engineering (pp. 78-95).

www.irma-international.org/chapter/radio-frequency-identification-technology-and-its-security-concerns-in-themanufacturing-industry/247011

Efficiency Analysis of Genetic Algorithm and Genetic Programming in Data Mining and Image Processing

Ayan Chatterjeeand Mahendra Rong (2017). *Handbook of Research on Manufacturing Process Modeling and Optimization Strategies (pp. 334-360).*

www.irma-international.org/chapter/efficiency-analysis-of-genetic-algorithm-and-genetic-programming-in-data-miningand-image-processing/179437

A Resource-Oriented Petri Net Approach to Scheduling and Control of Time-Constrained Cluster Tools in Semiconductor Fabrication

NaiQi Wuand MengChu Zhou (2013). Formal Methods in Manufacturing Systems: Recent Advances (pp. 136-177).

www.irma-international.org/chapter/resource-oriented-petri-net-approach/76569