

Chapter 10

Brain–Computer Interfaces for Assessment and Communication in Disorders of Consciousness

Christoph Guger
Guger Technologies, Austria

Bettina Sorger
Maastricht University, The Netherlands

Quentin Noirhomme
University of Liege, Belgium

Lorina Naci
University of Western Ontario, Canada

Martin M. Monti
University of California, Los Angeles, USA

Ruben Real
Universität Würzburg, Germany

Christoph Pokorny
Graz University of Technology, Austria

Sandra Veser
University of Tübingen, Germany

Zulay Lugo
University of Liège, Belgium

Lucia Quitadamo
“Tor Vergata” University of Rome, Italy

Damien Lesenfants
Université de Liège, Belgium

Monica Risetti
Fondazione Santa Lucia, IRCCS, Italy

Rita Formisano
Fondazione Santa Lucia, IRCCS, Italy

Jlenia Toppi
“Sapienza” University of Rome, Italy

Laura Astolfi
“Sapienza” University of Rome, Italy

Thomas Emmerling
Maastricht University, The Netherlands

Lizette Heine
Maastricht University, The Netherlands

Helena Erlbeck
Universität Würzburg, Germany

Petar Horki
Graz University of Technology, Austria

Boris Kotchoubey
University of Tübingen, Germany

Luigi Bianchi

“Tor Vergata” University of Rome, Italy

Donatella Mattia

Fondazione Santa Lucia, IRCCS, Italy

Rainer Goebel

Maastricht University, The Netherlands

Adrian M. Owen

Western University, Canada

Frederic Pellas

Association Locked-In Syndrome, France

Gernot Müller-Putz

Graz University of Technology, Austria

Steven Laureys

University of Liege, Belgium

Andrea Kübler

Universität Würzburg, Germany

Febo Cincotti

“Sapienza” University of Rome, Italy

ABSTRACT

Many patients with Disorders of Consciousness (DOC) are misdiagnosed for a variety of reasons. These patients typically cannot communicate. Because such patients are not provided with the needed tools, one of their basic human needs remains unsatisfied, leaving them truly locked in to their bodies. This chapter first reviews current methods and problems of diagnoses and assistive technology for communication, supporting the view that advances in both respects are needed for patients with DOC. The authors also discuss possible solutions to these problems and introduce emerging developments based on EEG (Electroencephalography), fMRI (Functional Magnetic Resonance Imaging), and fNIRS (Functional Near-Infrared Spectroscopy) that have been validated with patients and healthy volunteers.

INTRODUCTION

The clinical care and rehabilitation approaches involving patients diagnosed with disorders of consciousness (DOC) are of great medical and social importance. The progressive increase in the number of surviving patients and their increasing life expectancies, in all industrialized countries, reflects the advancement of knowledge and techniques in the field of reanimation, as well as improved quality of care. An accurate early diagnosis is indispensable to develop early and effective standards of care, appropriate to an individual patient's condition. The clinical diagnosis of these patients is a major challenge because of the very fine line between the Vegetative State/Unresponsive Wakefulness Syndrome (VS/UWS; Laureys et al., 2010), characterized by preserved arousal in the absence of behavioral signs of awareness, the Minimally Conscious State (MCS),

with non-reflexive albeit inconstant purposeful behaviors, and the Locked-In Syndrome (LIS), in which consciousness is fully preserved (Giacino et al., 2002). Recent work identified two groups within this patient population - those who show higher-order signs of consciousness (*e.g.*, command following, intelligible verbalization, and non functional communication; *i.e.* MCS plus) versus those who show only low-level signs of consciousness (*e.g.*, visual pursuit of a salient stimulus, noxious stimulation localization, appropriate emotional response; *i.e.* MCS minus) (Bruno et al., 2011; Bodart et al., 2013).

Despite the efforts already made to improve the instrumental diagnosis, differential diagnosis between different patients with an altered state of consciousness is eminently clinical and based on a list of items that the patient is unable to perform. The LIS is a term introduced by Plum and Posner to describe a neurological condition

32 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/brain-computer-interfaces-for-assessment-and-communication-in-disorders-of-consciousness/109890

Related Content

Correction of Artifacts and Optimization of Atomic Force Microscopy Imaging: A Case of Thin Aluminum Films for Prosthetic Applications

Fredrick M. Mwema, Esther T. Akinlabi and Oluseyi P. Oladijo (2019). *Design, Development, and Optimization of Bio-Mechatronic Engineering Products* (pp. 158-179).

www.irma-international.org/chapter/correction-of-artifacts-and-optimization-of-atomic-force-microscopy-imaging/223412

Hybrid Wrapper/Filter Gene Selection Using an Ensemble of Classifiers and PSO Algorithm

Anouar Boucheham and Mohamed Batouche (2019). *Biotechnology: Concepts, Methodologies, Tools, and Applications* (pp. 525-541).

www.irma-international.org/chapter/hybrid-wrapperfilter-gene-selection-using-an-ensemble-of-classifiers-and-psy-algorithm/228636

Atmosphere Non-Thermal Plasma for Seed Treatment

Siti Sarah Safaai, Linda Agun, Norizah Redzuan and Norhayati Ahmad (2022). *Emerging Developments and Applications of Low Temperature Plasma* (pp. 131-148).

www.irma-international.org/chapter/atmosphere-non-thermal-plasma-for-seed-treatment/294714

Bacterial Remediation of Phenolic Compounds

Veena Gayathri Krishnaswamy (2019). *Biotechnology: Concepts, Methodologies, Tools, and Applications* (pp. 1910-1943).

www.irma-international.org/chapter/bacterial-remediation-of-phenolic-compounds/228698

De Novo Motif Prediction Using the Fireworks Algorithm

Andrei Lihu and tefan Holban (2019). *Biotechnology: Concepts, Methodologies, Tools, and Applications* (pp. 1069-1085).

www.irma-international.org/chapter/de-novo-motif-prediction-using-the-fireworks-algorithm/228658