Chapter 2 Campaign Optimization through Mobility Network Analysis

Yaniv Altshuler Endor, Israel **Oren Lederman** Massachusetts Institute of Technology, USA

> **Nuria Oliver** *Telefonica Research, Spain*

Erez Shmueli Tel-Aviv University, Israel

Guy Zyskind Massachusetts Institute of Technology, USA

Alex "Sandy" Pentland Massachusetts Institute of Technology,

USA

ABSTRACT

Optimizing the use of available resources is one of the key challenges in activities that consist of interactions with a large number of "target individuals", with the ultimate goal of affecting as many of them as possible, such as in marketing, service provision and political campaigns. Typically, the cost of interactions is monotonically increasing such that a method for maximizing the performance of these campaigns is required. This chapter proposes a mathematical model to compute an optimized campaign by automatically determining the number of interacting units and their type, and how they should be allocated to different geographical regions in order to maximize the campaign's performance. The proposed model is validated using real world mobility data.

DOI: 10.4018/978-1-4666-8465-2.ch002

Copyright @2015, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

INTRODUCTION

In a world of limited resources, behavior change campaigns (*e.g.* marketing, service provision, political or homeland security) can rely on creativity and attractiveness up to a certain point. The success of a campaign can generally be defined as the product of *reach* - portion of the population exposed to the campaign messages - and *value* of a single interaction - the capacity of a message to induce a certain behavior in an exposed audience (Danaher & Rust, 1994). Hence, campaign managers typically distribute their budget between content enhancement (to increase the value a single interaction) and wide reach. Yet, to date it seems that the optimal trade-off between these two factors is found as a result of "intuition" rather than based on well-established analysis.

This chapter proposes a novel mathematical method that, given the characteristics of the target audience and its ability to be persuaded, generates an optimized campaign strategy in terms of: (a) the quantity of interacting units, also referred to as *insertions* and (b) the monetary allocation to each unit. The model takes into account the population's mobility in an urban environment as it can be inferred from real data received from a large mobile phone carrier. Even though different populations located in different environments would be tailored with different campaign strategies, the optimality of each strategy would be maintained.

A major contribution in the optimization model is the use of network analysis methods to approximate the reach of a campaign. More specifically, given the network of mobility between the different geographic locations, and a subset of locations, the *Group Betweenness Centrality* (GBC) (Everett & Borgatti, 1999) – a network measure that calculates the percentage of shortest paths among all pairs of network nodes that pass through a pre-defined sub-set of the network's nodes – is used to approximate the reach of this subset of locations. Then, it is demonstrated how this function can be approximated using a smooth and easily analyzed *Gompertz* function. This tackles the main limitation of works on campaign optimization hitherto – efficiently estimating the campaign reach as a function of the number of units and their locations.

Finally, the proposed campaign optimization model is validated using two real-world mobility networks inferred from CDR data and taxi-rides, and it is demonstrated how GBC based deployment of campaign units outperforms several common alternatives.

This chapter is an extension of the work that was published by Altshuler et al. (2014). The main addition to that work is the analysis of an additional and totally different type of mobility dataset, namely the taxi rides dataset. The addition of this new dataset better demonstrates the feasibility and the versatility of our framework.

41 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/campaign-optimization-through-mobility-

network-analysis/136099

Related Content

Urban Landscape Quality Management and Monitoring: A Methodological Proposal to Study the Case of Porto, Portugal

Isabel Vaz de Freitas, Jorge Marques, Carlos Augusto Rodriguesand Cristina Sousa (2019). *Geospatial Intelligence: Concepts, Methodologies, Tools, and Applications (pp. 323-341).*

www.irma-international.org/chapter/urban-landscape-quality-management-andmonitoring/222905

The Impact of Natural Amenities on Home Values in Western Colorado

Nathan Perry, Tim Casey, Tammy E. Pareceand Cory Castaneda (2021). International Journal of Applied Geospatial Research (pp. 20-38). www.irma-international.org/article/the-impact-of-natural-amenities-on-home-values-in-westerncolorado/273689

An Examination of Job Titles Used for GIScience Professionals

Thomas A. Wikle (2010). *International Journal of Applied Geospatial Research (pp. 40-56).*

www.irma-international.org/article/examination-job-titles-used-giscience/38922

Procedural Modeling in 3D GIS Environment

Eva Tsiliakou, Tassos Labropoulosand Efi Dimopoulou (2014). *International Journal of 3-D Information Modeling (pp. 17-34).* www.irma-international.org/article/procedural-modeling-in-3d-gis-environment/122865

Application of a GIS-Based Statistical Method to Access Spatio-Temporal Changes in Breast Cancer Clustering in the Northeastern United States

Daikwon Hanand Peter A. Rogerson (2003). *Geographic Information Systems and Health Applications (pp. 114-138).*

www.irma-international.org/chapter/application-gis-based-statistical-method/18838