# Chapter 14 Rules Extraction using Data Mining in Historical Data

Manish Kumar IIIT, Allahabad, India

Shashank Srivastava IIIT, Allahabad, India

#### **ABSTRACT**

Rules are the smallest building blocks of data mining that produce the evidence for expected outcomes. Many organizations like weather forecasting, production and sales, satellite communications, banks, etc. have adopted this mode of technological understanding not for the enhanced productivity but to attain stability by analyzing past records and preparing a rule-based strategy for the future. Rules may be extracted in different ways depending on the requirements and the dataset from that has to be extracted. This chapter covers various methodologies for extracting such rules. It presents the impact of rule extraction for the predictive analysis in decision making.

#### INTRODUCTION

Data mining has become the most prominent and assuring methodology for decision making. It can be used for extracting various rules in any historical data set and present them as an approach for efficient predictions. Rule extraction using data mining approaches is a tool for efficient decision making where preprocessed historical records like weather reports, healthcare data, geospatial data, sales records etc. act as an input for training and generating the rules through analysis. Based upon generating rules, predictions and decision making can be done in the respective areas. The whole

process of rule extraction is divided into various phases (Mishra, Addy, Roy, & Dehuri, 2011), which can be customized accordingly. There are different paradigms of rule extraction including association rule extraction such as Apriori algorithm (Agrawal & Srikant, 1994), decision tree (Apté & Weiss, 1997), hypothesis testing, rough set rules and many other algorithms. Apriori algorithm has several application areas like educational data mining (Yang & Hu, 2011) that helps arranging courses, quality education and educational model. Other application areas include medical domain (Yuguang & Chunyan, 2011), Electric Multiple unit fault data analysis (Zhang, Xie, Zhang, Li, &

DOI: 10.4018/978-1-4666-9562-7.ch014

Liu, 2011), Electronic Commerce (Yang, 2012). Rule extraction using classification has become a very promising technique in various domains for bringing innovative touches including speech recognition (Zhou, Kang, Fan, & Zhang, 2011), real estate development scheme optimization (Wang, 2013) and fraud detection (Zou, Sun, Yu, & Liu, 2012) etc. Especially decision tree has vast applications including economical statistical data processing (Jinguo & Chen, 2011), electric power marketing (Meng & Yang, 2012) etc. It is being used in several other application domains like market segmentation, prediction, fraud detection, weather forecasting, trend analysis, time series analysis and interactive marketing etc. Various rule extraction tools are available in accordance with the requirements, which are categorized according to different approaches (Laender, Ribeiro-Neto, da Silva, & Teixeira, 2002) like natural language processing tools, modeling and ontology based tools etc.

Our world is full of records and facts. There is a bit difference between facts and records. All records are not facts; we have to extract facts from records. These facts only help to reach a decision in different areas. Thus keeping this extraction of fact from records several models have been proposed but most of them lack implementation. The major reason behind their failure was the lack of transparency. Transparency is nothing but a measure of quality of rules extraction. Intelligent and efficient process of discovering and extracting the logical rules out of records is known as Rules Extraction. Decision making is predictive in nature. Facts are discovered using the rule extraction and these facts motivate us to reach a prediction of a decision. Therefore there exists a direct relation between rules extraction and prediction, if the rules are extracted efficiently then our predictions will also be efficient.

The rules can be extracted in two ways:

- 1. Top down extraction.
- 2. Bottom up extraction.


Rule extraction starts from the top level and then extract rules for sub modules, such mode of top to down rule extraction is known as top-down extraction while extracting rules for individual sub modules first and then aggregate them to form a composite rule set, it is known as bottom-up extraction. Extracting the facts from the bulk of the records, particular data set is used as a reference for extracting certain rules, this is known as *Training Set* or *Trained Data set*. Once the rules are discovered from the training set, another data set is used to apply those discovered rules on it and perform the predictions; this data set is called Test *Set* (Han, Kamber, & Pei, 2011).

## PHASES OF RULES EXTRACTION

Figure 1 shows the phases of rule extraction (Mishra et al., 2011):

- **Rule Requirement:** It covers the rule's requirement for the class generation.
- Rule Generation: Based on the requirements and domain constraint rules are generated.

Figure 1. Phases of rule extraction



15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/rules-extraction-using-data-mining-in-historical-data/142622

## Related Content

#### Digital Transformation and Business Intelligence (BI) in the Industry 4.0 (I 4.0) Age

Mune Mool Sever (2024). Data-Driven Business Intelligence Systems for Socio-Technical Organizations (pp. 28-54).

www.irma-international.org/chapter/digital-transformation-and-business-intelligence-bi-in-the-industry-40-i-40-age/344144

# Dynamic Enterprise Modeling for Knowledge Worker Industries

I. McKeachie (2007). Adaptive Technologies and Business Integration: Social, Managerial and Organizational Dimensions (pp. 59-81).

www.irma-international.org/chapter/dynamic-enterprise-modeling-knowledge-worker/4229

#### From "e" Retail to "omni" Channel Retail: A Strategic Initiative of a Fashion Etailer

Himanshi Agarwaland Shailja Dixit (2020). *International Journal of Business Analytics (pp. 54-68).* www.irma-international.org/article/from-e-retail-to-omni-channel-retail/246028

# A Modified Kruskal's Algorithm to Improve Genetic Search for Open Vehicle Routing Problem

Joydeep Dutta, Partha Sarathi Barma, Samarjit Karand Tanmay De (2019). *International Journal of Business Analytics (pp. 55-76).* 

 $\underline{\text{www.irma-international.org/article/a-modified-kruskals-algorithm-to-improve-genetic-search-for-open-vehicle-routing-problem/218835}$ 

# Understanding Peoples' Sentiment During Different Phases of COVID-19 Lockdown in India: A Text Mining Approach

Rabindra Ku Jenaand Rupashree Goswami (2021). *International Journal of Business Analytics (pp. 52-68)*. www.irma-international.org/article/understanding-peoples-sentiment-during-different-phases-of-covid-19-lockdown-in-india/288058