

## Chapter 77

# Studying the Suitability of Discourse Analysis Methods for Emotion Detection and Interpretation in Computer– Mediated Educational Discourse

**Thanasis Daradoumis**

*Open University of Catalonia, Spain & University of Aegean, Greece*

**Marta María Arguedas Lafuente**

*Open University of Catalonia, Spain*

### ABSTRACT

*Conversation analysis (CA) and discourse analysis (DA) methods have been widely used to analyse classroom interaction in conventional educational environments and to some extent in e-learning environments, paying more attention to the ‘quality’ and purposes the discourse serves to accomplish in its specific context. However, CA and DA methods seem to ignore emotion detection and interpretation when analysing learners’ interaction in online environments. Effective regulation of emotion, motivation and cognition in social interaction has been shown to be crucial in achieving problem-solving goals. The aim of this chapter is to provide an in-depth study on the possibility of applying discourse analysis methods in e-learning contexts with implications for emotion detection, interpretation and regulation. The result of this study shows whether a comprehensive approach that includes DA methodological solutions and constructivist strategies (e.g., cognitive dissonance) for emotion detection and interpretation can be elaborated and applied.*

### INTRODUCTION

According to Ortony et al. (1988), emotions are balanced affective states focused on events, agents or objects. Since emotions play such an essential role in human life, they cannot be left aside when modelling systems that interact with human beings. A new branch named “affective computing” appeared in

DOI: 10.4018/978-1-5225-0159-6.ch077

this research line in the late 90s. This branch is divided in turn into two other branches. The first one studies the mechanisms to recognise human emotions or express emotions by means of a computer in a man-machine interaction (Jacques & Vicari, 2007). The second branch investigates the simulation of emotions in machines (synthetic emotions) with the aim of finding out more about human emotions (Laureano-Cruces, 2006).

Many scientific studies have tried to understand what emotions are and how they take place in human beings. For instance, Fehr and Russell (1984, p. 464) state that everyone knows what an emotion is until asked to give a definition. Then it seems that no one knows. Some of the detection methods used has merely classified emotions into categories. The four most common emotions that appear in the lists of many theorists are fear, anger, sadness and happiness (Ekman & Friesen, 1971; Izard, 1977; Plutchik, 1980). The classification of the emotions that are defined as primary, that is to say, that are not composed of other emotions, varies according to the theory that is taken as a reference. The list of models and theories that analyse basic emotions is very long. Feidakis et al. (2011), in a preliminary study in an attempt to classify models and theories of basic emotion, proposed ten basic emotions: anger, happiness, fear, sadness, surprise, disgust and love, anticipation, joy and trust.

According to Ballano (2011), there are also other methods that widen the number of classes with secondary emotions (Abrilian et al., 2005) or mental states such as “concentrated,” “interested,” and “thoughtful” (Kapoor et al., 2007). However, all these approaches imply discrete representations, with no relation among each other, and they are not able to reflect the wide range of complex emotions a human being is able to express.

Furthermore, studies about the dimensions of emotions have also been carried out. In the literature, research on learning theories and models revealed the following dimensions according to Hascher (2010): arousal, valence, control, intensity, duration, frequency of occurrence, time dimension, reference point and context.

Starting from the dimensions of emotions, Ballano (2011) argues that certain researchers, such as Whissell (1989) and Plutchik (1980), prefer not to see affective states independently, but rather as interrelated states. These authors consider emotions as a bi-dimensional continuous space, whose axes represent the evaluation and activation of each emotion.

These stimuli and what a person is feeling at all times can be captured by means of techniques such as: facial recognition, recognition of movements and body language, capture of speech patterns and intonation, pupil dilation, heart rate and respiratory rate monitoring, as well as detection of typical smell patterns. For all these purposes, more and more sophisticated devices (sensors) are able to obtain all these data and can be found in the market with no major difficulty. Nonetheless, as regards teaching/learning processes, the least invasive possible techniques should be used.

Another part of the process is to give machines the ability to “understand” human emotions and make them capable of realising what humans are feeling. The aim is to improve people’s relationship with them, make the interaction more flexible and offer a pleasant user interface, as well as to allow users to focus their attention on a specific element or situation and improve their decision-making, by adapting to the context of each moment.

In order to do so, and following the objective of this chapter, we carried out an in-depth study about the possibility of applying discourse analysis methods in e-learning contexts with implications in the detection, interpretation and regulation of emotions.

In section 2 we set the base of our work, while in section 3 we review the state of the art of the discourse analysis methods used for educational purposes, such as *sentiment analysis* or *opinion mining*,

24 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/studying-the-suitability-of-discourse-analysis-methods-for-emotion-detection-and-interpretation-in-computer-mediated-educational-discourse/153473](http://www.igi-global.com/chapter/studying-the-suitability-of-discourse-analysis-methods-for-emotion-detection-and-interpretation-in-computer-mediated-educational-discourse/153473)

## Related Content

---

### My Health Is the Main Capital I Have: Creativity and Stress

Raquel Victoria Benitez Rojas (2022). *Handbook of Research on the Complexities and Strategies of Occupational Stress* (pp. 108-130).

[www.irma-international.org/chapter/my-health-is-the-main-capital-i-have/305662](http://www.irma-international.org/chapter/my-health-is-the-main-capital-i-have/305662)

### Digital Mobilisation and Identity after Smart Turn

Katalin Fehér (2016). *Psychology and Mental Health: Concepts, Methodologies, Tools, and Applications* (pp. 1811-1832).

[www.irma-international.org/chapter/digital-mobilisation-and-identity-after-smart-turn/153475](http://www.irma-international.org/chapter/digital-mobilisation-and-identity-after-smart-turn/153475)

### Other Forms of Sociopathic Manifestations

Ruža Tomi (2022). *Research Anthology on Interventions in Student Behavior and Misconduct* (pp. 197-227).

[www.irma-international.org/chapter/other-forms-of-sociopathic-manifestations/308219](http://www.irma-international.org/chapter/other-forms-of-sociopathic-manifestations/308219)

### Masculinity and Gender: Interventions to End Gender-Based Violence

Jeffrey Kurebwa (2023). *Research Anthology on Modern Violence and Its Impact on Society* (pp. 923-941).

[www.irma-international.org/chapter/masculinity-and-gender/311307](http://www.irma-international.org/chapter/masculinity-and-gender/311307)

### Using Human-Centered Trade Policies to End Violence in Africa: How Intracontinental Trade Can Shape Human Rights Policies and End State Violence

Silvia Pellegrino (2021). *Preventing and Reducing Violence in Schools and Society* (pp. 1-23).

[www.irma-international.org/chapter/using-human-centered-trade-policies-to-end-violence-in-africa/270503](http://www.irma-international.org/chapter/using-human-centered-trade-policies-to-end-violence-in-africa/270503)