Chapter 26

Identification of Associations between Clinical Signs and Hosts to Monitor the Web for Detection of Animal Disease Outbreaks

Elena Arsevska

French Agricultural Research and International Cooperation Organization (CIRAD), France

Mathieu Roche

French Agricultural Research and International Cooperation Organization (CIRAD), France

Pascal Hendrikx

French Agency for Food, Environmental and Occupational Safety (ANSES), France

David Chavernac

French Agricultural Research and International Cooperation Organization (CIRAD), France

Sylvain Falala

French National Institute for Agricultural Research (INRA), France

Renaud Lancelot

French Agricultural Research and International Cooperation Organization (CIRAD), France

Barbara Dufour

Université Paris Est, France

ABSTRACT

In a context of intensification of international trade and travels, the transboundary spread of emerging human or animal pathogens represents a growing concern. One of the missions of the national veterinary services is to implement international epidemiological intelligence for a timely and accurate detection of emerging animal infectious diseases (EAID) worldwide, and take early actions to prevent their introduction on the national territory. For this purpose, an efficient use of the information published on the web is essential. The authors present a comprehensive method for identification of relevant associations between terms describing clinical signs and hosts to build queries to monitor the web for early detection of EAID. Using text and web mining approaches, they present statistical measures for automatic selection of relevant associations between terms. In addition, expert elicitation is used to highlight the most relevant terms and associations among those automatically selected. The authors assessed the performance of the combination of the automatic approach and expert elicitation to monitor the web for a list of selected animal pathogens.

DOI: 10.4018/978-1-5225-1674-3.ch026

1. INTRODUCTION

In recent years, the increased globalisation, movement of passengers and international trade has influenced the (re)emergence of new and exotic infectious diseases (Morens, Taubenberger, & Fauci, 2013). The traditional disease surveillance systems, organized via a multilevel health infrastructure, show delays in reporting disease outbreaks, starting from the first observation of clinical signs, laboratory confirmation until public communication (Chan et al., 2010). In consequence, the delays in reporting of disease outbreaks have themselves delayed the implementation of disease control measures, and thus influenced the spread of pathogens to uninfected territories (Khomenko et al., 2013).

As a complement to the traditional disease surveillance systems, several event-based surveillance systems (web monitoring systems) gather information about infectious disease outbreaks from automatically retrieved articles from the web (Collier et al., 2010; Freifeld, Mandl, Reis, & Brownstein, 2008; Steinberger, Fuart, Best, Von Etter & Yangarber, 2008). For this purpose, the current web monitoring systems use a specific vocabulary, such as names of diseases and clinical signs. However, it is not clear how these systems identify the vocabulary to mine the web, and especially for animal infectious diseases.

Innovative, data mining approaches have been successfully applied to clinical records in human medicine (Chapman, Dowling, & Wagner, 2004; Friedlin, Grannis, & Overhage, 2008) and to articles retrieved from the web, such as with the web monitoring systems HealthMap and BioCaster (Brownstein, Freifeld, Reis, & Mandl, 2008; Collier et al., 2008). However, the data mining approaches in animal health face challenges such as multiple vertebrate and possibly invertebrate (insects, ticks...) hosts and less formal vocabulary (Santamaria & Zimmerman, 2011; Smith-Akin, Bearden, Pittenger, & Bernstam, 2007). Indeed, a single pathogen agent can affect multiple animal hosts at the same time (cattle, sheep, goats, pigs) and can manifest with similar or different clinical signs. Furthermore, the clinical signs can vary from very typical, specific clinical signs (congenital malformations and deformations, blister-like sores on the skin and mucous membranes, haemorrhagic syndrome etc.) to less typical, non-specific clinical signs (fever, weakness, diarrhoea, etc.).

In this paper, we propose and evaluate a new method that combines text and web mining approaches to select relevant associations between terms describing hosts and clinical signs to build queries to mine the web and detect an emergence of an infectious animal disease outbreak. We focus on the new and exotic infectious animal diseases.

After the presentation of the related work in the next section, sections 3 and 4 present the framework of our method and the text and web mining approaches for identification of associations between terms describing hosts and clinical signs. Sections 5 and 6 consider the experiments and the results of the evaluations. Finally, in the last section we discuss this paper and present our future work.

2. RELATED WORK

The Argus system, hosted at Georgetown University Medical Centre (USA), uses a simple method the to detect articles on the web, using search terms of multilingual disease names (Nelson et al., 2010; Nelson et al., 2012).

More complete, web search criteria are proposed by the HealthMap team, which include disease names (scientific and common), clinical signs, keywords, and phrases. The terms originate from a dictionary of pathogens (human, plant, and animal diseases) and geographic names (country, province, state, and city).

20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/identification-of-associations-between-clinical-signs-and-hosts-to-monitor-the-web-for-detection-of-animal-disease-outbreaks/165829

Related Content

African Burial Practices as Havens That Promote the Spread of Cholera in Zimbabwe

Simbarashe Munamatiand Menard Musendekwa (2022). *International Journal of Applied Research on Public Health Management (pp. 1-10).*

www.irma-international.org/article/african-burial-practices-as-havens-that-promote-the-spread-of-cholera-in-zimbabwe/282743

Communicating Sexuality and Reporting Reproductive Health Issues Among the Akan: Questions of Morality, Profanity, and Culture

Kwesi Aggrey, Bismark Odum Sackeyand Priscilla Aboagyewaa Boateng (2024). *Public Health Communication Challenges to Minority and Indigenous Communities (pp. 163-177).*

www.irma-international.org/chapter/communicating-sexuality-and-reporting-reproductive-health-issues-among-the-akan/345953

A Primer for Beginners in Pharmaceutical Care: A Call-to-Action to Pharmacists

Marcus Vinícius Dias-Souza (2018). *International Journal of Public Health Management and Ethics (pp. 13-38).*

www.irma-international.org/article/a-primer-for-beginners-in-pharmaceutical-care/204407

An Islamic Faith Perspective on Using Social Media / Mainstream Media to Prompt Organ Donation/ Transplantation Awareness: Going Beyond Science- Nephrology

Shahid Muhammad (2018). *International Journal of Public Health Management and Ethics (pp. 1-12).* www.irma-international.org/article/an-islamic-faith-perspective-on-using-social-media--mainstream-media-to-promptorgan-donation-transplantation-awareness/204406

Navigating Borders: Communication and Language Experiences of African Migrants in South African Public Health Facilities

Ignatius Khan Ticha (2024). Public Health Communication Challenges to Minority and Indigenous Communities (pp. 228-241).

www.irma-international.org/chapter/navigating-borders/345957