

# Chapter 6

## Towards the Development of Salt- Tolerant Potato

**John Okoth Omondi**

*Ben Gurion University of the Negev, Israel*

### **ABSTRACT**

*Soil salinity is a major constrain to crop production and climate change accelerates it. It reduces plant water potential, causes ion imbalance, reduce plant growth and productivity, and eventually leads to death of the plant. This is the case in potato. However, potato has coping strategies such as accumulation of proline, an osmoregulator and osmoprotector. In addition, leaching of salts below the root zone is preferred, exogenous application of ascorbic acid and growth hormones are practiced to combat salinity. Breeding and genetic engineering also play key roles in salinity management of potato. Varieties such as: Amisk, BelRus, Bintje, Onaway, Sierra, and Tobique were tolerant in North America, variety Cara in Egypt, Sumi in Korea and varieties Vivaldi and Almera in Mediterranean region. Transgenic lines of Kennebec variety, lines S2 and M48 also proved tolerance due to transcription factor MYB4 encoded by rice *Osmyb4* gene.*

DOI: 10.4018/978-1-5225-1715-3.ch006

## **CLIMATE CHANGE AND SALINITY**

Climate change is observed and predicted as the single-most event that is changing and will continue to change the cause of the world's future. It is a major challenge to agriculture. As the climate 'forcing mechanisms' shape climate through processes such as: variation in solar radiation, continental drifts and changes in greenhouse gas concentration, they encourage increase in global temperatures, melting of ice-caps, rising ocean levels, unpredictable and variable amount of rainfall, more cyclones and heat waves, and increased desertification (Abumhadi et al., 2012). There are projections of increase in precipitation in winters and overall decrease in the tropics and sub-tropics (IPCC, 2007). A decrease in precipitation means a decrease in water availability and increase in evaporative demand due to rising temperatures (Vicente-Serrano et al., 2014; Wang et al., 2012). Increase in temperatures enhance evapotranspiration especially in arid and semi-arid regions. In the event that evapotranspiration exceeds precipitation, salts accumulate on the soil surface (Sivakumar, 2007). This has an implication on irrigation requirement (Doll & Siebert, 2002). The decrease in precipitation causes demand for more irrigation (McDonald & Girvetz, 2013; Riediger et al., 2014) even though, in arid and semi-arid regions water available for irrigation is saline (Levy et al., 2013). This consequently exacerbates soil salinity. Additionally, a rise in sea-level due to global warming threatens low-lying coastal agricultural lands – this rise leads to flooding by oceans' saline water and salinization of groundwater (Gornall et al., 2010). Grenfell et al., (2016) predicts that 125 to 175 years from 2010 more wetlands will experience frequent flooding with saltwater. Flooding of the coastal area with saline water has a far-reaching impact. Indeed, this salt incursion reduces dissolved organic carbon in the coastal wetlands from 40 mg l<sup>-1</sup> to 18 mg l<sup>-1</sup> (Ardón et al., 2016). Furthermore, increased salinity in the coastal wetlands will cause accumulation of less stable carbon (Williams & Rosenheim, 2015), reduction in marsh biodiversity, and lead to development of more salt tolerant plant communities (Grenfell et al., 2016).

## **SOIL SALINITY**

Salinity is a phenomenon that is causing major havoc in agricultural production (Figure 1) (D'Odorico et al., 2013). The earliest salinity effect in agriculture was recorded around 2400 to 1700 BC in the ancient Mesopotamia, currently Southern Iraq (Jacobsen & Adams, 1958). 6% of arable land around the world is affected by salinity or sodicity, this is 800 million hectares (FAO, 2009). Salt-affected soils have high levels of dissolved salts and or high concentrations of adsorbed sodium ions (Yadav et al., 2011). These soils are categorized into three classes: First are

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/towards-the-development-of-salt-tolerant-potato/171711](http://www.igi-global.com/chapter/towards-the-development-of-salt-tolerant-potato/171711)

## Related Content

---

### Traceability Systems for Sustainable Development in Rural Areas

Vicente García Díaz, B. Cristina Pelayo G. Bustelo, Oscar Sanjuán Martínez, Juan Manuel Cueva Lovelleand Patricia Ordóñez de Pablos (2011). *Regional Innovation Systems and Sustainable Development: Emerging Technologies* (pp. 1-8).

[www.irma-international.org/chapter/traceability-systems-sustainable-development-rural/46539](http://www.irma-international.org/chapter/traceability-systems-sustainable-development-rural/46539)

### The Awareness and Impact of Carbon Capture and Storage (CCS) on Climate Change in Malaysia

Zulkipli Ghazaliand Muhammad Zahid (2018). *International Journal of Social Ecology and Sustainable Development* (pp. 13-27).

[www.irma-international.org/article/the-awareness-and-impact-of-carbon-capture-and-storage-ccs-on-climate-change-in-malaysia/199057](http://www.irma-international.org/article/the-awareness-and-impact-of-carbon-capture-and-storage-ccs-on-climate-change-in-malaysia/199057)

### First Insights in the Estimation of the Petroleum Generation Potential of the Muerto Source Rock From el Cortado Outcrop, Northwestern Peru

Jose Alfonso Rodriguez-Cruzadoand Jorge Oré-Rodriguez (2024). *Sustainability Applied to Unconventional Oil and Gas Field Exploration and Development* (pp. 123-145).

[www.irma-international.org/chapter/first-insights-in-the-estimation-of-the-petroleum-generation-potential-of-the-muerto-source-rock-from-el-cortado-outcrop-northwestern-peru/350480](http://www.irma-international.org/chapter/first-insights-in-the-estimation-of-the-petroleum-generation-potential-of-the-muerto-source-rock-from-el-cortado-outcrop-northwestern-peru/350480)

### Robustness of Norway Economy and Energy Supply/Demand

Alireza Aslani, Maryam Hamlehdarand Reza Saeedi (2017). *International Journal of Green Computing* (pp. 1-19).

[www.irma-international.org/article/robustness-of-norway-economy-and-energy-supplydemand/206151](http://www.irma-international.org/article/robustness-of-norway-economy-and-energy-supplydemand/206151)

### On the Social Costs of Bankruptcy: Can the Bankruptcy Abuse Prevention and Consumer Protection Act (BAPCPA) of 2005 be an Effective Policy?

Donald D. Hackney, Matthew Q. McPherson, Daniel Friesnerand Candice Correia (2014). *International Journal of Social Ecology and Sustainable Development* (pp. 58-91).

[www.irma-international.org/article/on-the-social-costs-of-bankruptcy/112115](http://www.irma-international.org/article/on-the-social-costs-of-bankruptcy/112115)