

Chapter 5

Development of Web GIS Based Framework for Public Health Management System Using ERDAS Apollo 2010

Shipra Verma

Motilal Nehru National Institute of Technology, India

ABSTRACT

This paper proposes a framework for an essential creation of a public health information visualization platform, for Japanese Encephalitis (JE) disease outbreaks in the Gorakhpur district, India. The Web GIS technology is used with ERDAS Apollo 2010 software at customized level, to develop architecture for Web GIS-based public health information systems. A GUI has been created using Java Server Pages (JSP) for its customization. This will help in extending the benefit of GIS and Web technology for public availability in the area for preparation of the health plan in multitier system.

DOI: 10.4018/978-1-5225-1814-3.ch005

Copyright ©2017, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

INTRODUCTION

Both government and private sector organizations are looking for ways to sustain and improve the health of the public in the world (Najafabadi & Pourhassan, 2009). In this very modern time, health information needs to be updated and shared with people in a quick and efficient way. Web technology is growing a suite for using spatial data on the Internet portals by using web integration tools. This provides new opportunities to advance disease surveillance, control, and public empowerment, to ensure the access of spatial data at local level, for taking health decision for the public (Lu, 2004). Public health information contains geo-referenced data, such as specific location, area code, latitude and longitude, street address, and geopolitical boundaries, which can be visualized through GIS distribution maps (Lu, 2005). It is of practical importance to construct a visible public health information system. The use of GIS technologies for the health planning and management has been studied by many investigators in recent years (Kamel et al. 2001, Johnson & Johnson 2001). GIS has been used for public health area for long time. As early as in 1854, Dr. John Snow had used a map to track the original area where the cholera disease erupted in London in first time. From that time, map had been used in the infectious disease controlling and preventing, and it becomes an essential tool in protecting the public health environment (Kistemann, T, 2001). Japanese encephalitis (JE) is a vector-borne disease that occurs in Asia and is the cause of major public health problems in India. The application of Geographic Information Technology (GIS) plays a vital role in the surveillance and control of vector-borne diseases, by providing on information on visualization as public health information.

The Web GIS using Java technologies were explored in implementing GIS systems (WHO, 2003). Generally speaking, the research on Web-based GIS for public health planning and management has attracted much attention. The Web GIS system framework is developed by using adopted multi-tier system architectures, which consists of the server tier and the front tier. The server tier adopts the J2EE-based architecture, while the front tier uses GIS maps to show public health information with geo-referenced information. GIS Mapping and management have become a necessity utilizing modern technological tools. With this data accompanies a great fear within the health domain on how to get by and receive the selective source of information on the JE disease, from local to global level. With an increase in problems created by JE, there is an increasing demand by research on health planners to spread the disease information and provide facilities at public health spheres. This study is for Gorakhpur, Uttar Pradesh, India and the approach, as an effective bottom-up method, should increase the capabilities of planners to discover and solve JE disease health problems.

15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/development-of-web-gis-based-framework-for-public-health-management-system-using-erdas-apollo-2010/172707

Related Content

A Survey of Mobile Ticketing Services in Urban Mobility Systems

Marta Campos Ferreira, Teresa Galvão Dias and João Falcão e Cunha (2020). *International Journal of Smart Sensor Technologies and Applications* (pp. 17-35). www.irma-international.org/article/a-survey-of-mobile-ticketing-services-in-urban-mobility-systems/281601

Diameter-Aggregation Delay Tradeoff for Data Gathering Trees in Wireless Sensor Networks

Natarajan Meghanathan (2017). *Handbook of Research on Wireless Sensor Network Trends, Technologies, and Applications* (pp. 237-253). www.irma-international.org/chapter/diameter-aggregation-delay-tradeoff-for-data-gathering-trees-in-wireless-sensor-networks/162385

GuideMe: A Complete System for Indoor Orientation and Guidance

Eirini Barri, Christos John Bouras, Apostolos Gkamas and Spyridon Aniceto Katsampiris Salgado (2020). *International Journal of Smart Sensor Technologies and Applications* (pp. 36-53). www.irma-international.org/article/guideme/281602

Optimization of C5.0 Classifier With Bayesian Theory for Food Traceability Management Using Internet of Things

Balamurugan Souprayan, Ayyasamy Ayyanar and Suresh Joseph K (2020). *International Journal of Smart Sensor Technologies and Applications* (pp. 1-21). www.irma-international.org/article/optimization-of-c50-classifier-with-bayesian-theory-for-food-traceability-management-using-internet-of-things/272125

RF Ranging Methods and Performance Limits for Sensor Localization

Steven Lanzisera and Kristofer S.J. Pister (2009). *Localization Algorithms and Strategies for Wireless Sensor Networks: Monitoring and Surveillance Techniques for Target Tracking* (pp. 96-121). www.irma-international.org/chapter/ranging-methods-performance-limits-sensor/25581