

# Virtual Communities

**George Kontolemakis**

*National and Kapodistrian University of Athens, Greece*

**Panagiotis Kanellis**

*National and Kapodistrian University of Athens, Greece*

**Drakoulis Martakos**

*National and Kapodistrian University of Athens, Greece*

## INTRODUCTION: THE EVOLUTION OF VIRTUAL COMMUNITIES

In recent years, computer mediated communication has been the enabling factor for connecting people to one another and establishing “virtual relationships” (Igbaria, 1999; Johnston, Raizada, & Cronin, 1996). Virtual communities evolved as users of the early networks utilized them mainly for informal rather than business-related communication. These communities were not planned development in the sphere of computer networking. As this form of interaction increased, the users began to demand better and improved technology and functionality which would assist them in their interactions. “Virtual Communities describe the union between individuals or organizations who share common values and interests using electronic media to communicate within a shared semantic space on a regular basis” (Schubert, 1999).

Four major milestones have marked the development and evolution of Virtual Communities. These are:

- a. 1977 – Development of ARPAnet
- b. 1978 – First Virtual Community (SF-LOVERS)
- c. 1980 – USENET
- d. 1990s – America Online (AOL)

The first virtual community was formed on ARPAnet as communication became easier due to the development and offering of more sophisticated functions (Cronin, 1995). Joseph C.R. Licklider and Robert Taylor, research directors for the US Department of Defense, started the research which lead to the development of ARPAnet in 1977; the first multisite, packet switched network. ARPAnet was

designed to support the Advanced Research Projects Agency (ARPA) for the transferring of files and resource sharing. It was a simple services network for sharing news and for many to many synchronous communications. The two main features were the File Transfer Protocol (FTP) and TELNET, a remote login facility. E-mail was an afterthought in the development of ARPAnet, but quickly became one of the most popular features of the system. Once those were sufficiently developed, the necessary infrastructure and functionality was in place to enable the formation of a community. The first virtual community was Science Fiction Lovers (SF-LOVERS), started in 1978 (Cronin, 1995).

Many virtual communities followed. Starting in the early 1980s, a network called USENET was set up to link university computing centers that used the UNIX operating system. USENET came into being in late 1979, shortly after the release of V7 Unix with UUCP. Two Duke University graduate students in North Carolina, Tom Truscott and Jim Ellis, thought of hooking computers together to exchange information within the UNIX community. Steve Bellovin, a graduate student at the University of North Carolina, put together the first version of the news software using shell scripts and installed it on the first two sites: “unc” and “duke”. At the beginning of 1980 the network consisted of those two sites and “phs” (another machine at Duke), and was presented at the January USENIX conference of the same year. Steve Bellovin later rewrote the scripts into “C” programs but those were never released beyond “unc” and “duke”. Shortly thereafter, Steve Daniel did another implementation in C for public distribution. Tom Truscott made further modifications, and this became the “A” news release.

One function of USENET was to distribute “news” on various topics throughout the network. Participants were able to set up their own “newsgroups” on topics of shared interest. These were bulletin board type discussions where participants could send messages to a newsgroup on a given topic and read the messages sent by others. Initially, all of the newsgroups focused on technical or scholarly subjects. Groups that focused on non-technical topics such as food, drugs, and music also started to appear. Before long, the number of newsgroups started to grow exponentially. From 158 newsgroups in 1984, the number grew to 1,732 groups in 1991 and to 10,696 groups in 1994. Today there are more than 25,000 different newsgroups in existence (Digital Places, 2003).

Commercial organizations began to take note of and exploit the trend. CompuServe hosted a number of “forums” that allowed people to share professional and personal interests and in 1980 was the first for providing real-time chat online as a service to its members. The popularity of these forums played an important role in the growth of CompuServe throughout the 1980s. In the early 1990s, AOL was establishing itself as an easy-to-use service for a mass audience. While it provided news and reference information and other kinds of services, AOL emphasized the value of person-to-person communication and the benefits of participating in virtual communities. AOL was in fact a portal to many popular online communities. Through AOL’s site one could always find an online community that matched his personal interests. AOL provided communities for investors, cultures, pre-teenagers, and older adults. This was one of the factors that helped AOL become one of the largest Internet Service Providers (ISP).

## CHARACTERISTICS AND TYPES OF VIRTUAL COMMUNITIES

According to Roberts (1998), there are six dimensions that characterize a community. The first one is *cohesion*, which is the sense of there being a group identity and that an individual belongs to the group. To achieve that, virtual communities must maintain the commitment of members for continuous participation and contribution through rituals and other practices that increase the individual’s identification within the

group. Small groups possess a special quality that enables them to maintain themselves with greater ease than larger groups. In particular, small groups are usually able to provide high levels of communication between each member of the group. The second one is *effectiveness*, which talks about the impact that the group has on the members’ lives and the outside world. The community may be the primary vehicle for evolution in certain fields such as academia because various ideas and thoughts from any part of the world can help an issue or a program to evolve rapidly. The third one is *help*, which is the perceived ability of members to ask for and receive various types of assistance. The fourth one, *relationship*, is the likelihood of group members interacting individually, including forming friendships. This entails the emotional and affective bonds created between co-participants in a community. Group members can gradually form friendships when the community provides them with the means to share information, give financial support, attend conferences together, and so on. The fifth one is *language* and specifically the prevalence of a specialized language. Internet jargon and specialized language within the newsgroups are common. They are more likely on high-traffic lists, and, interestingly, on lists with large female membership. Finally, *self-regulation* refers to the ability of the group to police itself. This can be done by restraining and punishing individual actions that exploit or undermine collective goods through monitoring and sanctioning. Small groups maintain high levels of surveillance of each member’s activities, especially his or her contributions and withdrawals to and from the group’s resources.

A group of researchers at the Annenberg School of Communication at the University of Southern California identified four major components that contribute to creating a “sense of community”: (a) need fulfilment, which shows how well a participant’s needs are satisfied by a community; (b) inclusion, which shows the extent to which participants are open and encouraged to participate in each other’s plans and activities; (c) mutual influence, which shows the extent to which participants openly discuss issues and affect one another; and (d) shared emotional experiences, which include sharing events that specifically arouse feeling and are typically memorable such as trips, birthdays, anniversaries, weddings, and so on.

5 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/virtual-communities/17364](http://www.igi-global.com/chapter/virtual-communities/17364)

## Related Content

---

### An Improved Arabic Handwritten Recognition System using Deep Support Vector Machines

Mohamed Elleuchand Monji Kherallah (2016). *International Journal of Multimedia Data Engineering and Management* (pp. 1-20).

[www.irma-international.org/article/an-improved-arabic-handwritten-recognition-system-using-deep-support-vector-machines/152865](http://www.irma-international.org/article/an-improved-arabic-handwritten-recognition-system-using-deep-support-vector-machines/152865)

### Conclusions

(2011). *Interactive Textures for Architecture and Landscaping: Digital Elements and Technologies* (pp. 196-200).

[www.irma-international.org/chapter/conclusions/47247](http://www.irma-international.org/chapter/conclusions/47247)

### Motion Estimation Role in the Context of 3D Video

Vania Vieira Estrela, Maria Aparecida de Jesus, Jenice Aroma, Kumudha Raimond, Sandro R. Fernandes, Nikolaos Andreopoulos, Edwiges G. H. Grata, Andrey Terziev, Ricardo Tadeu Lopes and Anand Deshpande (2021). *International Journal of Multimedia Data Engineering and Management* (pp. 16-38).

[www.irma-international.org/article/motion-estimation-role-in-the-context-of-3d-video/291556](http://www.irma-international.org/article/motion-estimation-role-in-the-context-of-3d-video/291556)

### Comparison of Light Field and Conventional Near-Eye AR Displays in Virtual-Real Integration Efficiency

Wei-An Teng, Su-Ling Yeh and Homer H. Chen (2023). *International Journal of Multimedia Data Engineering and Management* (pp. 1-17).

[www.irma-international.org/article/comparison-of-light-field-and-conventional-near-eye-ar-displays-in-virtual-real-integration-efficiency/333609](http://www.irma-international.org/article/comparison-of-light-field-and-conventional-near-eye-ar-displays-in-virtual-real-integration-efficiency/333609)

### Performance of Gaussian and Non-Gaussian Synthetic Traffic on Networks-on-Chip

Amit Chaurasia and Vivek Kumar Sehgal (2017). *International Journal of Multimedia Data Engineering and Management* (pp. 33-42).

[www.irma-international.org/article/performance-of-gaussian-and-non-gaussian-synthetic-traffic-on-networks-on-chip/178932](http://www.irma-international.org/article/performance-of-gaussian-and-non-gaussian-synthetic-traffic-on-networks-on-chip/178932)