

Context-Aware Approach for Restaurant Recommender Systems

D**Haoxian Feng***University of Ottawa, Canada***Thomas Tran***University of Ottawa, Canada*

INTRODUCTION

A recommender system provides online consumers with product information and recommendations through online e-business website to in order to enhance customers' shopping intention and improve the customers' shopping experience. In the specific area of restaurant recommendations, recommender systems aim to find the best restaurant that meets a user's need such as food type, environment type and so on.

The Chicago Restaurants Union has been using a FindMe type (Burke, Hammond, & Yound, 1997) recommender system called Entrée, which is used to recommend restaurants to the customers. This recommender system makes use of a typical recommendation algorithm based on knowledge (Sarwar, Karypis, Konstan, & Riedl, 2001, pp.285-295), which only uses the online operations of users as a basis, and is therefore lack of using historical data of users. This paper uses a context-aware approach to consider users' historical data for recommender systems that provide suggestions for restaurants.

The rest of this paper is organized as follows: Section 2 provides background information restaurant recommender systems. Section 3 presents the recommender algorithms used in our experiments. Section 4 describes the Entrée dataset; present data scrubbing process and the user behavior mining on this dataset; report the experimental results. Section 5 discusses the value of the results, their potential applications, and challenges and weak-

nesses. Section 6 concludes the paper and proposes some future research directions.

BACKGROUND AND RELATED WORK

Upsurge of Recommender Systems

In the 90s of the last century, the field of electronic commerce began to flourish and personalized recommender system also rose its first wave. Some large e-commerce sites such as Amazon launched their own personalized recommender system. Literature reported that 35 percent of Amazon's incremental sales came from their recommender system (Figiel, Epstein, McDonald, 1998, pp.20-25). At the same time, a sensational paper published by Amazon in 2000, entitled "Item-based collaborative filtering recommendation algorithms" (Sarwar, et al., 2001), has become one of the most famous literature in this area. Ever since then, personalized recommendation technology has become an irresistible trend.

Restaurant Recommender System: The Entrée System

As mentioned above, in the era of the Internet economy, recommender systems have been widely used in various business areas, which also include food industry. Burke (1999) stated the restaurant recommender system, Entrée, "makes its recom-

DOI: 10.4018/978-1-5225-2255-3.ch153

mendations by finding restaurants in a new city similar to restaurants the user knows and likes” (p.69).

Entrée is a recommender system using FindMe approach to assist users browsing which allows users to navigate by stating their preferences with respect to a given restaurant, thereby refining their search criteria.

When using this system, firstly a user needs to submit an “entry point” which is a known restaurant. (Or, the system will give a default “entry point” for new users.) Then the system offers a range of criteria, and according to the criteria chosen by the user, it will display a few restaurants that meet the users’ need. At the same time, the user would set their preferences until an acceptable restaurant is recommended.

As shown in Figure 1, the Entrée system finds a restaurant called “BrauhoF” that is similar to a restaurant called “Biergasthof” that the user used to choose. Then, if the user wants to find one that is similar to ” BrauhoF ” but slightly cheaper, she can click the “Less \$\$” button. Figure 2 shows the result of such action. In the same way, the user can choose cheaper, nicer or more traditional restaurants by clicking the corresponding buttons. The system will refresh the recommendation results based on the user’s operation, and finally help her to find the restaurant she desires.

The recommendation technology that Entrée use is knowledge-based similarity search. There are two basic search modes: one is based on the similarity retrieval, and the other is based on users’ evaluation result. When finding some similar

Figure 1. Entrée: A FindMe type system (Jannach, Zanker, Felfernig, & Friedrich, G. 2010)

Find your
Favourite restaurant



In Vienna you chose:

+43 1 123 123 123

Biergasthof

30€-50€
Local cuisine

Mariahilferstrasse 123,

1010 Wien

local food, central in the city, weekend brunch, room with a view,

famous for beer, seasonal dishes, group bookings, open all day

For Graz we recommend:

+43 316 45 45 45

BrauhoF

30€-50€
Local cuisine

BrauhoFstrasse 45,

8023 Graz

local food, own beer, weekend lunch, open all day, private function room,

famous for beer, seasonal dishes, group bookings, good transport connection

Less \$\$

Nicer

Cuisine

More Quiet

Traditional

Creative

Livelier

13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/context-aware-approach-for-restaurant-recommender-systems/183892

Related Content

Information Systems, Software Engineering, and Systems Thinking: Challenges and Opportunities

Doncho Petkov, Denis Edgar-Nevill, Raymond Madachyand Rory O'Connor (2008). *International Journal of Information Technologies and Systems Approach* (pp. 62-78).

www.irma-international.org/article/information-systems-software-engineering-systems/2534

E-Commerce Model Oriented to Cloud Computing and Internet of Things Technology

Guanghai Tangand Hui Zeng (2021). *International Journal of Information Technologies and Systems Approach* (pp. 84-98).

www.irma-international.org/article/e-commerce-model-oriented-to-cloud-computing-and-internet-of-things-technology/278712

Enhancing the Trustworthiness of Web Services Coordination

Wenbing Zhao (2015). *Encyclopedia of Information Science and Technology, Third Edition* (pp. 7614-7622).

www.irma-international.org/chapter/enhancing-the-trustworthiness-of-web-services-coordination/112464

Palmpoint Recognition System Based on Multi-Block Local Line Directional Pattern and Feature Selection

Cherif Taouche, Hacene Belhadefand Zakaria Laboudi (2022). *International Journal of Information Technologies and Systems Approach* (pp. 1-26).

www.irma-international.org/article/palmpoint-recognition-system-based-on-multi-block-local-line-directional-pattern-and-feature-selection/292042

Sociotechnical Change Perspective for Enterprise Resource Planning System Implementation

Jessy Nair, D. Bhanu Sree Reddyand Anand A. Samuel (2015). *Encyclopedia of Information Science and Technology, Third Edition* (pp. 923-933).

www.irma-international.org/chapter/sociotechnical-change-perspective-for-enterprise-resource-planning-system-implementation/112485