

# Flying Adhoc Networks Concept and Challenges

**Kuldeep Singh**

*Thapar University, India*

**Anil Kumar Verma**

*Thapar University, India*

## INTRODUCTION

In case of a calamitous event, when traditional communication methods are out of service or simply not available, in those situations mobile adhoc networks (MANETs) plays an important role in established communication. MANETs employ grounded mobile nodes which are capable to collect information with the help of sensor, camera and other devices. Nodes in MANETs communicate with each other through wireless communication without use of existing infrastructure. The data collected with nodes in MANETs are transmitted to the base station using a multi-hop path. These networks are economical and can be formed in quickly whenever required as they do not require existing infrastructure. MANETs have several application areas such as natural disaster, sensor networks, etc.. But there are some extreme situations (such as flooding, battlefield and rescue operations, etc.) where MANETs cannot be deployed. In those situations, flying ad-hoc networks (FANETs) can play vital role in established communication. FANET is a subclass of MANETs and made up of a swarm of small flying vehicles enable with camera, sensor and GPS system. Swarms of UAVs arrange themselves to communicate with large operational area using wireless network without any centralized device. According to muller (2012) UAVs communicate with each other locally, with base station and also interact with

their environment to get information. FANETs use different types of UAVs based on the various application areas. FANETs employ unmanned aerial vehicle (UAVs), UAV is an aircraft which flies without a pilot. The UAV can manage itself and fly based on preprogrammed flight plans or can be operated using complex dynamic automation systems which are versatile and flexible in implementation (Muller, 2012). FANETs use multi-UAVs to perform operations because of the limitations of a single UAV system such as limited surveillance capability, scalability and flexibility (Bekmezci, 2013). The multi-UAV system has various advantages over single UAVs such as:


- With more number of UAVs, tasks can be parallelized which in turn reduce the completion time of mission. This kind of behavior is very useful for search and rescue applications;
- In case of a single UAV system, whole mission collapse if UAV fails. In multi-UAV systems, nodes can distribute tasks among themselves. Fault tolerance of the network increases with multi-UAVs;
- In multi-UAV environment, heterogeneous UAVs can form a network. It is possible to use capabilities of other UAVs as and when required for task completion. So multi-UAV systems are very advantageous for critical applications.

## FANET Applications

Due to various advantages and wide range of application areas FANETs are getting attention from the research community around the globe. Various applications of FANETs are explained and shown in Figure 1:

- **Military Services:** FANET are very useful in military services. Setting up the proper communication system is very difficult in military areas. So FANETs are used for information exchange among soldiers, military headquarters;
- **Security Purpose:** FANET is capable of receiving information quickly. It can be used to collect information for the security purpose of a delegate visiting to a place where no network infrastructure exists;
- **Calamity Administration:** FANET is useful when the existing communication system is damaged due to natural disaster like floods, earthquake, firing, etc. Gathering and sending information in such areas becomes difficult in such situation. FANET provides the necessary communication;
- **Search and Rescue Operations:** FANET can be used to provide a better way to do search and rescue operations such as rescue of hostages (Bekmezci, 2013). Sometimes in extreme situations, cellular networks get damaged. FANETs provide better rescue services in such conditions by sending periodic updates to other locations;
- **In Sensor Networks:** Different sensor devices can be used to collect data to do daily functions like weather forecasting, terrestrial movement tracking, etc. FANETs can approach to any remote location without difficulties;
- **Location Aware Services:** FANETs can be used in many services like forwarding calls to any location, travel guide for passengers, identify information regarding specific location;

Figure 1. FANET applications



6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/flying-adhoc-networks-concept-and-challenges/184309](http://www.igi-global.com/chapter/flying-adhoc-networks-concept-and-challenges/184309)

## Related Content

---

### Hybrid Swarm Intelligence

Tad Gonsalves (2015). *Encyclopedia of Information Science and Technology, Third Edition* (pp. 175-186).  
[www.irma-international.org/chapter/hybrid-swarm-intelligence/112327](http://www.irma-international.org/chapter/hybrid-swarm-intelligence/112327)

### An Efficient Random Valued Impulse Noise Suppression Technique Using Artificial Neural Network and Non-Local Mean Filter

Bibekananda Jena, Punyaban Patel and G.R. Sinha (2018). *International Journal of Rough Sets and Data Analysis* (pp. 148-163).  
[www.irma-international.org/article/an-efficient-random-valued-impulse-noise-suppression-technique-using-artificial-neural-network-and-non-local-mean-filter/197385](http://www.irma-international.org/article/an-efficient-random-valued-impulse-noise-suppression-technique-using-artificial-neural-network-and-non-local-mean-filter/197385)

### Twitter Intention Classification Using Bayes Approach for Cricket Test Match Played Between India and South Africa 2015

Varsha D. Jadhav and Sachin N. Deshmukh (2017). *International Journal of Rough Sets and Data Analysis* (pp. 49-62).  
[www.irma-international.org/article/twitter-intention-classification-using-bayes-approach-for-cricket-test-match-played-between-india-and-south-africa-2015/178162](http://www.irma-international.org/article/twitter-intention-classification-using-bayes-approach-for-cricket-test-match-played-between-india-and-south-africa-2015/178162)

### Topological Properties of Multigranular Rough sets on Fuzzy Approximation Spaces

B.K. Tripathy, Suwendu Kumar Parida and Sudam Charan Parida (2019). *International Journal of Rough Sets and Data Analysis* (pp. 1-18).  
[www.irma-international.org/article/topological-properties-of-multigranular-rough-sets-on-fuzzy-approximation-spaces/233594](http://www.irma-international.org/article/topological-properties-of-multigranular-rough-sets-on-fuzzy-approximation-spaces/233594)

### A Comparison of Data Exchange Mechanisms for Real-Time Communication

Mohit Chawla, Siba Mishra, Kriti Singh and Chiranjeev Kumar (2017). *International Journal of Rough Sets and Data Analysis* (pp. 66-81).  
[www.irma-international.org/article/a-comparison-of-data-exchange-mechanisms-for-real-time-communication/186859](http://www.irma-international.org/article/a-comparison-of-data-exchange-mechanisms-for-real-time-communication/186859)