

Chapter 9

A Genetic–Algorithms–Based Technique for Detecting Distributed Predicates

Eslam Al Maghayreh
King Saud University, Saudi Arabia

ABSTRACT

One of the techniques that have been used in the literature to enhance the dependability of distributed applications is the detection of distributed predicates techniques (also referred to as runtime verification). These techniques are used to verify that a given run of a distributed application satisfies certain properties (specified as predicates). Due to the existence of multiple processes running concurrently, the detection of a distributed predicate can incur significant overhead. Several researchers have worked on the development of techniques to reduce the cost of detecting distributed predicates. However, most of the techniques presented in the literature work efficiently for specific classes of predicates, like conjunctive predicates. This chapter presents a technique based on genetic algorithms to efficiently detect distributed predicates under the possibly modality. Several experiments have been conducted to demonstrate the effectiveness of the proposed technique.

INTRODUCTION

Enhancing the dependability of distributed applications is a very difficult task. Many techniques were proposed and developed by several authors to help in improving the dependability of distributed applications. Distributed predicates detection techniques are one of the key techniques that have been developed and used by several researchers (Yingchareonthawornchai et al., 2017; Zhu et al., 2016; Shen and Kshemkalyani, 2014; Garg, 2002; Dumais & Li, 2002; Freiling & Jhumka, 2007; Chu & Brockmeyer, 2008; Garg & Waldecker, 1994; Garg & Waldecker, 1996). These techniques are used to verify that a specific run of a given distributed application satisfies certain properties. Figure 1 depicts the main components of a distributed predicates detection framework.

DOI: 10.4018/978-1-5225-3686-4.ch009

Model checking and theorem proving techniques can be used to verify that a particular model of a distributed application satisfies certain properties. However, for some distributed applications, especially those employed in safety critical environments, it is important to verify the correctness of a particular implementation rather than an abstract model of the application. This is one of the main strong sides of distributed predicates detection techniques (Garg, 2002; Al Maghayreh, 2010).


Algorithms for detecting distributed predicates have several applications, including the following:

- **Detection of Stable States in Distributed Systems:** Stable states are usually described by conditions that once become true they will not turn false anymore. For example, deadlock detection and loss of token in a token ring.
- **Testing and Debugging of Distributed Applications:** For example, to test a leader election program, we can monitor the system to detect the presence of multiple leaders.
- **Identifying Bottlenecks:** This involves locating positions during the execution of a distributed application when more than n processes are blocked simultaneously.
- **Symmetry in Communications:** For example, identifying when a producer starts generating items faster than what the corresponding consumer can receive and process.

Due to the concurrency in distributed applications, the detection of distributed predicates is a tedious time-consuming task. In order to reduce the time to solve this problem, several techniques have been proposed and developed in the literature (Yingchareonthawornchai et al., 2017; Zhu et al., 2016; Al Maghayreh, 2010; Garg, 2002; Chase & Garg, 1998). A brief review of these techniques will be presented in Section 4. However, most of these techniques work efficiently for certain classes of predicates only. It has been proved that the detection of the satisfaction of certain property (predicate) in a run of a distributed application is, in general, an NP-complete problem (Garg, 2002).

In this chapter, genetic algorithms based detection technique will be presented as a more powerful technique for detecting distributed predicates. This technique is efficient for detecting distributed predicates under the possibly modality (a predicate under the possibly modality is evaluated to true if it is true in at least one global state (Garg, 2002)). A genetic algorithm is a well-known artificial intelligent search technique that can be used effectively to solve problems with exponential size search space which is the case in distributed predicates detection. Later in this chapter, we will provide a brief introduction to genetic algorithms.

Figure 1. The main components of a distributed predicates detection framework



15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-genetic-algorithms-based-technique-for-detecting-distributed-predicates/189432

Related Content

Towards a Methodology for Monitoring and Analyzing the Supply Chain Behavior

Reinaldo Moraga, Luis Rabelo and Alfonso Sarmiento (2008). *Handbook of Computational Intelligence in Manufacturing and Production Management* (pp. 186-208).

www.irma-international.org/chapter/towards-methodology-monitoring-analyzing-supply/19359

Detection of Microcalcifications on Mammograms

Rachida Touami, Karima KIES and Nacéra Benamrane (2020). *International Journal of Software Science and Computational Intelligence* (pp. 68-79).

www.irma-international.org/article/detection-of-microcalcifications-on-mammograms/250861

APECS: An Adaptively Parameterised Model of Associative Learning and Memory

I.P.L. McLaren (2011). *Computational Neuroscience for Advancing Artificial Intelligence: Models, Methods and Applications* (pp. 145-164).

www.irma-international.org/chapter/apecs-adaptively-parameterised-model-associative/49233

Persuasive Communication from a Military Force to Local Civilians: A Cognitive Treatment of PsyOps Messages Based on the Elaboration Likelihood Model

Jean-Yves Bergier and Colette Faucher (2016). *International Journal of Software Science and Computational Intelligence* (pp. 21-34).

www.irma-international.org/article/persuasive-communication-from-a-military-force-to-local-civilians/172114

Design and Implementation of a Cognitive User-Support System for Skin Progress Analysis Using a Smart Phone

HiroYuki Nishiyama and Fumio Mizoguchi (2013). *International Journal of Software Science and Computational Intelligence* (pp. 51-62).

www.irma-international.org/article/design-and-implementation-of-a-cognitive-user-support-system-for-skin-progress-analysis-using-a-smart-phone/88991