Chapter 5 Deliberate Self-Harm and Suicide Ideology in Medical Students

Vinod Gopalan Griffith University, Australia

Erick Chan Griffith University, Australia

Debbie Thao Thanh Ho *Griffith University, Australia*

ABSTRACT

The risk of deliberate self-harm (DSH) and suicide ideology in medical students is a pertinent issue that has received a surge in attention over recent years. Medical students are at risk of normalisation of DSH and suicide ideology despite their mental health literacy levels and are still susceptible to the stigma of help-seeking for their mental wellbeing. This chapter will explore assessment, preventative and management strategies to improve education, awareness and ultimately reduce the rates of DSH and suicide risk. A comprehensive review of practices and techniques that medical training community and their family members could utilise to aid medical students to adequately and safety manage DSH and suicide ideology. This will assist in identifying crucial areas for future research to aid students, professionals, family and friends in supporting medical student health to optimise mental health overall wellbeing of medical students.

DOI: 10.4018/978-1-5225-2811-1.ch005

Copyright © 2018, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

BACKGROUND

The risk of deliberate self-harm (DSH) and suicide ideology in medical students is a pertinent issue that has received a surge in attention over recent years (Wu et al., 2016, Rotenstein et al., 2016). Rates of suicide among general adolescents are increasing at staggering rates. This population of young adults are considered 'at risk' in 33% of countries around the world (Miletic, Lukovic, Ratkovic, Aleksic, & Grgurevic, 2014). Rotenstein et al. extracted suicidal prevalence data from 24 cross-sectional studies from 15 countries resulting in a pooled prevalence of suicidal ideation of 11.1% in medical students. Wu et al. conducted a cross-sectional study of over 4000 students from 22 Chinese medical universities, and found that prevalence of DSH was 9.6% over 12 months. It is, therefore, important for medical students, professionals, parents, and friends to understand the impact of DSH and suicide ideology on an academic and psychosocial level. Furthermore, because DSH and suicide ideology prevalence can be reduced with early intervention, it is all too important to know how to screen for early signs and symptoms as well as provide appropriate intervention (Downs et al., 2014).

Medical students are a unique population as they are learning about the organic and psychosocial impacts of mental health, including factors that may contribute to poor mental health, whilst being exposed to these exact factors. Stressors that are prominent in medical students include increased contact hours, high academic pressure, assessments, exposure to high-intensity workloads, high-performance expectations, strained social balance and workplace bullying (Chan, Batterham, Christensen, & Galletly, 2014; Osama et al., 2014; Wu et al., 2016). There are multiple factors contributing towards negative mental health sequelae among medical students and it can lead to undeniably anxious and stressful times during their academic and clinical career. These sequelae may involve more common psychiatric presentations such as anxiety and depression, to more formidable presentations such as DSH and suicidal ideology (Wege, Muth, Li, & Angerer, 2016).

Medical schools have an inherent requirement to produce safe working graduates and they must also ensure that students are primed to cope with stress, burnout, and failure. Addressing the negative mental health sequelae is therefore in the best interest of every medical school. Promoting and enhancing medical student wellbeing will be beneficial for each trainee throughout their career, with benefits in overall education, physician resilience, personal fulfilment, professionalism and of course patient care (Dunn, Iglewicz & Moutier, 2008).

DSH is most commonly associated with borderline personality disorder and is often associated with major depression, antisocial personality disorder, dissociative identity disorder, posttraumatic stress disorder, eating disorders, autism, developmental disabilities and Lesch-Nyhan syndrome (Stanley et al., 2010). At a 20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igiglobal.com/chapter/deliberate-self-harm-and-suicideideology-in-medical-students/190261

Related Content

Somos Fuertes Pero También Sufrimos (We Are Strong but We Also Suffer): La Salud Mental de Hombres Latino (The Mental Health of Latino Men)

Eckart Werther, Bryan O. Rojas-Araúzand Ruben Atilano (2023). *Latinx Mental Health: From Surviving to Thriving (pp. 124-164).* www.irma-international.org/chapter/somos-fuertes-pero-tambin-sufrimos-we-are-strong-but-wealso-suffer/314197

Coping With Exam Stress Among Students at Universities

Rosemary A. Ogada (2024). *Student Stress in Higher Education (pp. 182-200).* www.irma-international.org/chapter/coping-with-exam-stress-among-students-atuniversities/334877

Risk: What Is It, Whom Does It Protect, and What Happened to Care?

Kellie Grant, Jenny Martin, Jenni Whiteand Terry Haines (2019). *Mental Health Policy, Practice, and Service Accessibility in Contemporary Society (pp. 20-40).* www.irma-international.org/chapter/risk/213557

Emotional Wellbeing of Students in Higher Education Institutions

Oluwakemi Bolanle Ajayi (2024). *Mental Health Crisis in Higher Education (pp. 260-277).*

www.irma-international.org/chapter/emotional-wellbeing-of-students-in-higher-educationinstitutions/335991

Challenges and Management of Disabilities Among Exceptional Learners in Inclusive Primary Schools in Busia District, Uganda

Michail Peter Barasa, Dennis Zami Atibuniand Edward Andama (2021). Social, Educational, and Cultural Perspectives of Disabilities in the Global South (pp. 116-129).

www.irma-international.org/chapter/challenges-and-management-of-disabilities-amongexceptional-learners-in-inclusive-primary-schools-in-busia-district-uganda/268109